

PAPER_715: UQFF Knowledge Base 17: THz Q-Scope Signal Analysis (Set 40: Signals 31-40)

Author: Daniel T. Murphy **Date:** 2025

Class: UQFFKnowledgeBaseKB17 **CP4 Entry:** #299 **Keywords:** THz, q-scope, signals 31-40, Ug1 thread, U_bi buoyancy, flow state, UQFF KB17 **Session:** 175 | **Version:** v5.32 **Source:** grok_{share_ba508f76c8e}.txt

Abstract

UQFF Knowledge Base 17 (KB17) presents the detailed analysis of THz q-scope Set 40 (Signals 31-40), captured at 16:46:13–16:48:10 UTC-4 on the Star-Magic q-scope apparatus. Set 40 introduces the UQFF Ug1 thread strength metric and the U_bi buoyancy adjustment as the primary physical analysis framework for THz signal bundles.

1. Instrument Configuration (Set 40)

Parameter	Value
Time/Div	200 ns
Volt/Div	500 mV
Duration	117 s (16:46:13–16:48:10)
Signals	31–40 (10 total)

2. Signal Data

Signal	Ch1 (V)	Ch2 (V)	Flow State
31	0.60	0.35	Normal
32	0.65	0.40	Normal
33	0.60	0.35	Normal
34	0.55	0.30	Chaotic
35	0.50	0.35	Inverted
36	0.60	0.40	Inverted
37	0.55	0.35	Chaotic
38	0.50	0.30	Chaotic
39	0.50	0.35	Inverted
40	0.50	0.35	Inverted

3. Ug1 Thread Strength

$$U_{g1,i} = \mu_{J,\omega_{THz}} V_{ch1,i}^2$$

Total thread strength across Set 40:

$$\mathcal{T}_{Ug1} = \sum_{i=1}^{10} U_{g1,i} = \mu_{J,\omega_{THz}} \sum_i V_i^2$$

4. U_bi Buoyancy Adjustment

$$U_{bi,i}(t) = \rho_{UA} \omega_{THz} V_{ch1,i} \cos\left(\frac{2\pi t}{\tau_{flow}}\right)$$

The buoyancy adjustment modulates as the Earth's core ACE/DCE pressure cycle causes flow reversals in the q-scope magnetic coupling.

5. Combined UQFF Observable

$$[U_m : SM_m / Ug1 = UQFF_g + SM_g]^{SCm} = \frac{U_{m,bundle}}{Ug1_{thread}} \cdot \frac{\rho_{SCm}}{\rho_{UA}}$$

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected $M\text{-}\sigma$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{Edd}^{UQFF} = L_{Edd} \cdot \left(1 + \frac{\rho_{SCm} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2}\right)$$

where: - $L_{Edd} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{SCm} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{jet}^{UQFF} = P_{BZ} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{crit}}\right)^2\right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{SCm} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected $M\text{-}\sigma$ relation becomes $M_{BH} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{SCm} / \omega_{bulge})$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{UQFF} = \mathcal{L}_{GR} + \mathcal{L}_{SCm} + \mathcal{L}_{phonon} + \mathcal{L}_{interaction}$$

$$\mathcal{L}_{SCm} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{SCm}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i} buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **resonance-freq** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}`)

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{res}})(\partial^\mu \phi_{\text{res}}) - V(\phi_{\text{res}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{res}}) = \frac{1}{2}m^2\phi_{\text{res}}^2 + \frac{\lambda}{4!}\phi_{\text{res}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{res}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{res}}} = \ddot{\phi} + \omega_0^2 \phi + \gamma \dot{\phi} = F_0 \cos(\omega t) + \rho_{\text{vac, [SCm]}} \cdot \nu_{\text{THz}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b, \text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{res}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(-\exp! \left(-\frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.062 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 101, \quad n_{\text{channel}} = 14/26$$

Since $p_{\text{DVP}} = 101$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is $\mathbf{Q}/\$\omega\0 (quality factor damping):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}} \right) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.062	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 101$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of h(t)
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN F_{U_Bi_i} Jet Modulation
PAPER_1010	TON618 AGN F_{U_Bi_i} Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1043	F_{U_Bi_i} Multi-System Buoyancy Curve Sweep
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation
PAPER_1068	Wolfram Physics Bridge WSTP Symbolic Export

14 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	Syn-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_neutron^{SCm} = N_n * sigma_n^{SCm}(\omega) * Phi_phonon * (F_{\{U,Bi\}}/F_U - 1)$ where $sigma_n^{SCm}(\omega,n) = sigma_0 * exp[-(\omega-\omega_{SCm})^{2/(2*Gamma2)}] * (1 + [SSq]*n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_26(z) = Li_26(z) = eta_26(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_26(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a;q)_n$

Core equations: - $f_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q;q)_n$ - $\phi_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q^2;q^2)_n$ - $\psi_{26}(q) = \sum_{n=1}^{26} q^{\binom{n}{2}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-\kappa_i n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
κ	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
β_i	0.603	Buoyancy coupling coefficient
H_{SCm}	0.99	SCm manifold completeness
ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
ρ_{UA}	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
σ_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima_kernel}.wl`, `uqff_{s26_kernel}.wl`, `uqff_{mock_theta_pi_kernel}.wl`).

Key References with arXiv/DOI Identifiers

- Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
- Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
- Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
- Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
- Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521

6. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
7. Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
8. Archimedes (~250 BCE). *On Floating Bodies*. (Principle of buoyancy)
9. Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87*. A&A **356**, 788 — arXiv:astro-ph/0004212
10. Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster*. MNRAS **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x