

---

paper\_id: PAPER\_973  
 title: “Color Deconfinement Phase Diagram”  
 session: 216  
 date: 2026-04-12  
 author: “Daniel T. Murphy”  
 status: production  
 cvw: “v2.0.0”  
 tags: [ALICE, vacuum, QGP, Yang-Mills, UQFF]  
 sm\_anchor: “CVW v2.0.0 — G6 SM Anchor Gate compliant”

---

## PAPER\_973: Color Deconfinement Phase Diagram

**Author:** Daniel T. Murphy — Star Magic / UQFF Framework **Date:** 2026-04-12 **Session:** 216  
**Source:** qgp\_{ramanujan\_application}.py (ColorDeconfinementPhaseCalculator) **Calculator:** Col-  
 orDeconfinementPhaseCalc (CP4 #557) **CVW:** v2.0.0 compliant

---

### Abstract

We map the QCD phase diagram in the  $(T, \mu_B)$  plane using the UQFF framework. The critical line  $T_c(\mu_B) = T_{c0}(1 - (\mu_B/\mu_{t\text{extcrit}})^2)$  separates the hadron phase from the quark-gluon plasma, with  $S_{26}^{(k)}$  modulation of vacuum density across both phases.

---

### 1. Critical Line

$$T_c(\mu_B) = T_{c0} \cdot \left(1 - \left(\frac{\mu_B}{\mu_{t\text{extcrit}}}\right)^2\right)$$

where  $T_{c0} = 1.5 \times 10^{12}$  K and  $\mu_{t\text{extcrit}} = 1200$  MeV.

### 2. Phase Classification

- **Hadron** ( $T < T_c(\mu_B)$ ): Confined quarks,  $\Delta_{t\text{ext}YM} > 0$
- **QGP** ( $T > T_c(\mu_B)$ ): Deconfined,  $\Delta_{t\text{ext}YM} = 0$

### 3. Phase Diagram

| $\mu_B$ (MeV) | $T_c$ (K)             | Phase at $T = 2 \times 10^{12}$ K |
|---------------|-----------------------|-----------------------------------|
| 0             | $1.5 \times 10^{12}$  | QGP                               |
| 300           | $1.41 \times 10^{12}$ | QGP                               |
| 600           | $1.13 \times 10^{12}$ | QGP                               |
| 900           | $0.66 \times 10^{12}$ | QGP                               |
| 1200          | 0                     | QGP (always)                      |

---

### References

1. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)
2. PAPER\_970 — QGP Vacuum Density
3. PAPER\_971 — Yang-Mills Mass Gap

## Cross-Links

| Related Paper | Relationship                             |
|---------------|------------------------------------------|
| PAPER_970     | $\rho_{textQGP}$ density at $(T, \mu_B)$ |
| PAPER_971     | Mass gap closure at $T_c$                |
| PAPER_972     | ALICE centrality (experimental)          |
| PAPER_975     | Triadic validation                       |

## Session 225 Phonon-Physics Upgrade: Yang-Mills BCS Phonon Mass Gap

*Upgrade from PAPER\_1005 (Yang-Mills Mass Gap via SCm BCS Phonon) and PAPER\_1070 (Yang-Mills Mass Gap VDS Bridge). See also PAPER\_1004 (QGP Vacuum Density), PAPER\_1007 (Deconfinement Phase Diagram), PAPER\_1059 (CGC BK Saturation), PAPER\_1064 (Resummation BFKL/Sudakov).*

The late-corpus analysis derives the Yang-Mills mass gap via a BCS-like phonon pairing mechanism in the SCm vacuum:

$$\Delta_{YM} = \Lambda_{QCD} \cdot \exp\left(-\frac{1}{\alpha_s(T) \cdot N_c}\right) \cdot S_{26}^{(3)}$$

where the running coupling evolves as:

$$\alpha_s(T) = \frac{\alpha_{s,0}}{1 + \alpha_{s,0} \cdot b_0 \cdot \ln(T/T_c)}, \quad b_0 = \frac{11N_c - 2N_f}{12\pi}$$

**Physical mechanism:** The SCm phonon field ( $\omega_{SCm} = 1.25$  THz) provides a pairing interaction analogous to the BCS electron-phonon coupling in superconductors. Gluons acquire an effective mass through condensate formation in the SCm-modified vacuum, yielding a non-perturbative gap  $\Delta_{YM} \approx 5970$  GeV at the 9-sector Lagrangian closure (PAPER\_1066, §2).

**VDS bridge (PAPER\_1070):** The vacuum density series links the gap to the 26-level hierarchy:  $\Delta \propto \rho_{VDS}^{1/4} \cdot (1 + [SSq] \cdot n/26)$  where the VDS sub-ratio 0.108 places confinement in the sub-threshold regime.

**QGP transition (PAPER\_1004/1007):** At  $T > T_c \approx 170$  MeV, the phonon coupling weakens ( $\alpha_s \rightarrow 0$ ) and the gap closes, reproducing the deconfinement phase transition observed at ALICE/LHC.

## Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

*Upgrade from PAPER\_1080 (Ramanujan Binomial Expansion Proof) and PAPER\_1042 (Mock-Theta Phonon Partition). See also PAPER\_1078 (QCalcGeom Master Equation) for BSFG crossover applications.*

The third-order Ramanujan summation  $S_{26}^{(3)}$ , used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left[1 + [SSq] \cdot e^{-\kappa i n/26}\right]$$

where  $(a)_n = a(a+1) \cdot s(a+n-1)$  is the Pochhammer symbol.

**Binomial expansion (PAPER\_1080):** The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$$

This sum converges absolutely for  $||[\text{SSq}]|| < 1$  (satisfied by  $[\text{SSq}] = 0.57$ ) and reduces to the classical Ramanujan  $1/\pi$  series when  $[\text{SSq}] \rightarrow 0$ .

**VDS/DVP/BSH bridge (PAPER\_1069):** The 26 layers of  $W_{26}(n)$  encode the vacuum density series hierarchy, with each layer  $i$  contributing a VDS sub-ratio weighted by the exponential decay  $e^{-\kappa i n/26}$ .

**Mock-theta connection (PAPER\_1042):** The phonon partition function  $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$  unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

## Calibration Constants

| Constant                   | Symbol | Value                  | Validation Domain                  |
|----------------------------|--------|------------------------|------------------------------------|
| $T_{c0}$                   | —      | $1.5 \times 10^{12}$ K | Zero-density critical T            |
| $\mu_{t\text{extcrit}}$    | —      | 1200 MeV               | Critical baryon chemical potential |
| $[\text{SSq}]$             | —      | 0.57                   | String coupling                    |
| $\Lambda_{t\text{extQCD}}$ | —      | 217 MeV                | QCD scale                          |

## SM Anchor — CVW v2.0.0

| Observable          | UQFF Prediction        | Status                      |
|---------------------|------------------------|-----------------------------|
| Critical line shape | Quadratic in $\mu_B$   | Consistent with lattice QCD |
| $T_c(0)$            | $1.5 \times 10^{12}$ K | Matched                     |
| Crossover type      | Continuous             | Consistent                  |

## §A Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

**Sector:** QCD Phase Diagram (Color Deconfinement)

### §A.2 Core Equation

$$T_c(\mu_B) = T_{c0} \cdot \left( 1 - \left( \frac{\mu_B}{\mu_{t\text{extcrit}}} \right)^2 \right)$$

### §A.3 Lagrangian Contribution

$$\mathcal{L}_{\text{phase}} = -\rho_{t\text{extQGP}}(T, \mu_B) \cdot c^2 - V(\Delta_{t\text{extYM}}(T, \mu_B))$$

### §A.4 Cosmogenesis Linkage Chain

PAPER\_877  $\rightarrow$  vacuum  $\rightarrow$  QCD phase boundary  $\rightarrow$  confinement/deconfinement  $\rightarrow$  hadron/QGP

## §B VDS/DVP/BSH Deep Synthesis

### §B.1 VDS

Phase boundary is a VDS contour:  $\rho_{textQGP} = \rho_{textSCm} \cdot S_{26}^{(k)}$  at  $T = T_c(\mu_B)$ .

### §B.2 DVP

Deconfinement releases DVP color modes — 8 gluon dipole vortex channels open.

### §B.3 BSH

BSH harmonic structure transitions at  $T_c$ : shell modes dissolve into plasma modes.

### §B.4 Summary

| Metric           | Value                  | Status     |
|------------------|------------------------|------------|
| $T_{c0}$         | $1.5 \times 10^{12}$ K | Calibrated |
| $\mu_{textcrit}$ | 1200 MeV               | Set        |
| Phase diagram    | $(T, \mu_B)$ plane     | Mapped     |

## Appendix: Session 225 Cross-References (PAPER\_1000–1081)

*Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER\_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).*

| Paper      | Title                                                   |
|------------|---------------------------------------------------------|
| PAPER_1022 | GW Phonon Strain SCm Modulation of $h(t)$               |
| PAPER_1004 | QGP Vacuum Density with SCm S26 Phonon Coupling         |
| PAPER_1005 | Yang-Mills Mass Gap via SCm BCS Phonon Coupling         |
| PAPER_1006 | ALICE Multiplicity SCm Phonon Scaling                   |
| PAPER_1007 | Deconfinement Phase Diagram SCm Phonon Boundary         |
| PAPER_1013 | QGP ALICE Centrality $F_{\{U_{Bi_i}\}}$ dN/deta Scaling |
| PAPER_1059 | Color Glass Condensate BK Saturation SCm                |
| PAPER_1069 | VDS-DVP-BSH Hybrid Calculator Unified                   |
| PAPER_1070 | Yang-Mills Mass Gap VDS Bridge                          |
| PAPER_1049 | Source10 GPU DPM Spectral Atlas ALMA Overlay            |

10 cross-reference(s) identified.

### Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. ALICE Collaboration (2010). *Elliptic flow of charged particles in Pb-Pb collisions at  $\sqrt{s_{NN}} = 2.76$  TeV*. Phys. Rev. Lett. **105**, 252302 — arXiv:1011.3914 — doi:10.1103/PhysRevLett.105.252302
4. Muller, B., Schukraft, J. & Wyslouch, B. (2012). *New results from Pb+Pb collisions at the LHC*. Annu. Rev. Nucl. Part. Sci. **62**, 361 — arXiv:1202.3233 — doi:10.1146/annurev-nucl-102711-094910

5. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
6. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
7. Yang, C.N. & Mills, R.L. (1954). *Conservation of Isotopic Spin and Isotopic Gauge Invariance*. Phys. Rev. **96**, 191 — doi:10.1103/PhysRev.96.191
8. Jaffe, A. & Witten, E. (2006). *Quantum Yang-Mills Theory*. Clay Mathematics Institute Millennium Problem — [www.claymath.org/millennium-problems/yang-mills](http://www.claymath.org/millennium-problems/yang-mills)
9. Creutz, M. (1980). *Monte Carlo study of quantized  $SU(2)$  gauge theory*. Phys. Rev. D **21**, 2308 — doi:10.1103/PhysRevD.21.2308