

SCm CMB Angular Power Spectrum via Phonon-Modulated Primordial Integration

Daniel T. Murphy

2026-04-15

PAPER_1092: SCm CMB Angular Power Spectrum via Phonon-Modulated Primordial Integration

Abstract

We derive the full SCm CMB angular power spectrum by integrating the phonon-modulated primordial power spectrum over k -space:

$$C_\ell^{\text{SCm}} = \frac{2}{\pi} \int dk k^2 P_{\text{SCm}}(k) |\Delta_T^{\text{SCm}}(\ell, k)|^2$$

where the SCm-modified primordial spectrum is:

$$P_{\text{SCm}}(k) = A_s \left(\frac{k}{k_{\text{piv}}} \right)^{n_s-1} [1 + \Phi \cdot S_{26} \cdot (2R - 1)]$$

This extends the simplified CMBAngularPowerCalculator (grok_100_equations_module.py) to a full k -space integration with Sachs-Wolfe, acoustic, and Silk damping transfer functions, all modulated by the SCm phonon linewidth Γ .

\$\$\$1 SCm-Modified Primordial Spectrum

The standard nearly scale-invariant spectrum $P(k) = A_s(k/k_{\text{piv}})^{n_s-1}$ is boosted by the SCm buoyancy factor:

$$P_{\text{SCm}}(k) = P(k) \cdot [1 + \Phi_{1.25 \text{ THz}} \cdot S_{26}^{(3)}([\text{SSq}]) \cdot (2R - 1)]$$

with $A_s = 2.1 \times 10^{-9}$ (Planck 2018), $n_s = 0.965$, $k_{\text{piv}} = 0.05 \text{ Mpc}^{-1}$, $\Phi_0 = 10^{20}$, $S_{26} \approx 1.86$.

\$\$\$2 Temperature Transfer Function

$$\Delta_T^{\text{SCm}}(\ell, k) = \Delta_T^{\text{SW}}(\ell, k) + 0.6 \cdot \Delta_T^{\text{acoustic}}(\ell, k)$$

§§2.1 Sachs-Wolfe Term

$$\Delta_T^{\text{SW}} = \frac{1}{3} \exp\left(-\frac{x^2}{2}\right), \quad x = \frac{k \cdot r_*}{\ell + 0.5}$$

where $r_* \approx 14,000$ Mpc is the comoving sound horizon at last scattering.

§§2.2 Acoustic Oscillation Term

$$\Delta_T^{\text{acoustic}} = \cos(x) \cdot \exp\left(-\frac{k^2}{k_D^2}\right)$$

with Silk damping scale $k_D \approx 0.15 \text{ Mpc}^{-1}$.

§§3 Full Power Spectrum Integral

$$C_\ell^{\text{SCm}} = \frac{2}{\pi} \int_{k_{\min}}^{k_{\max}} dk k^2 P_{\text{SCm}}(k) |\Delta_T^{\text{SCm}}(\ell, k)|^2 \cdot (T_0 \times 10^6)^2$$

in units of μK^2 .

§§4 Acoustic Peak Structure

Peak	Multipole ℓ	$C_\ell^{\text{SCm}} (\mu\text{K}^2)$	Physical Origin
1st	~ 220	Dominant	SW + first compression
2nd	~ 546	Subdominant	First rarefaction
3rd	~ 800	Tertiary	Second compression

The SCm boost factor $1 + \Phi S_{26}(2R - 1)$ uniformly amplifies all peaks, preserving the observed peak ratio structure while providing a physical origin via vacuum phonon resonance.

§§5 Advantages over Standard Treatment

Aspect	Standard ΛCDM	SCm Phonon
Primordial spectrum	Inflaton slow-roll	SCm vacuum buoyancy
Free parameters	A_s, n_s, r	$\Phi_0, \Gamma, [\text{SSq}]$
Physical mechanism	Quantum fluctuations	Phonon resonance at 1.25 THz
Peak amplification	Static A_s	Dynamic $\Phi(\Gamma)$
Testability	CMB polarization	THz phonon linewidth

References

- PAPER_1093: SCm CMB Temperature Fluctuation
- PAPER_1094: CMB Buoyancy Sector Lagrangian
- PAPER_202: UQFF Reionization / BBN / Recombination
- PAPER_199: $F_{U,Bi,i}$ Taxonomy Part 2 — Cosmological Dark Sector

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Ashcroft, N.W. & Mermin, N.D. (1976). *Solid State Physics*. Harcourt
4. Kittel, C. (2004). *Introduction to Solid State Physics*. 8th ed. Wiley
5. Feynman, R.P. (1982). *Simulating Physics with Computers*. Int. J. Theor. Phys. **21**, 467 — doi:10.1007/BF02650179
6. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
7. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1