

PAPER_163 — UQFF Modular Architecture: Decomposed Compressed MUGE Functions

Author: Daniel T. Murphy

Session: 47 | **Date:** March 13, 2026 | **Thread:** 7f9068 | **Domain:** §2.3

Abstract

This paper establishes the **modular decomposition** of the 9-term Compressed MUGE into individual callable functions, each representing a single physical correction term. This transforms the monolithic `compute_compressed_MUGE()` function (SOURCE4) into an auditable, unit-testable architecture where each correction can be independently validated against observational data. Eight decomposed functions are cataloged with their governing equations and parameter dependencies.

UQFF Discovery: Novel application of UQFF calibration constants ($\tau = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Original 9-Term Compressed MUGE (PAPER_090)

$$g_{comp}(r, t) = g_0 \cdot (1 + H_0 t) \cdot (1 - B/B_{crit}) \cdot f_{env}(r) \\ + \Lambda c^2/3 + \frac{\hbar}{\Delta x \Delta p} \cdot \int \psi \cdot \frac{2\pi}{t_H} \\ + \rho_{fluid} V g_{loc} + (M + M_{DM}) \cdot \left(\frac{\delta \rho}{\rho} + \frac{3GM}{r^3} \right)$$

2. Decomposed Function Architecture

Function 1: Base Newtonian Gravity

$$g_{base}(M, r) = \frac{G \cdot M}{r^2}$$

```
double compute_compressed_base(const MUGESystem& sys) {  
    return G * sys.M / (sys.r * sys.r);  
}
```

Function 2: Hubble Expansion Correction

$$g_{exp}(t) = 1 + H_0 \cdot t$$

$$H_0 = 67.4 \text{ km/s/Mpc} = 2.185 \times 10^{-18} \text{ s}^{-1}$$

```
double compute_compressed_expansion(const MUGESystem& sys) {  
    const double H0 = 2.185e-18; // s^-1 (Planck 2018)  
    return 1.0 + H0 * sys.t;  
}
```

Function 3: Magnetic Suppression Adjustment

$$f_{super} = 1 - B/B_{crit}$$

```
double compute_compressed_super_adj(const MUGESystem& sys) {  
    return 1.0 - sys.B / sys.B_crit;  
}
```

Function 4: Envelope Confinement

$$f_{env}(r) = \begin{cases} 1 & r \leq R_{env} \\ e^{-(r-R_{env})/R_{env}} & r > R_{env} \end{cases}$$

```
double compute_compressed_envelope(const MUGESystem& sys) {  
    if (sys.r <= sys.R_env)  
        return 1.0;  
    return std::exp(-(sys.r - sys.R_env) / sys.R_env);  
}
```

Function 5: Cosmological Constant Term

$$g_{cosm} = \frac{\Lambda c^2}{3}$$

$$\Lambda = 1.1 \times 10^{-52} \text{ m}^{-2}$$

```
double compute_compressed_cosm(double Lambda = 1.1e-52) {  
    const double c = 2.998e8;  
    return Lambda * c * c / 3.0;  
}
```

Function 6: Quantum Uncertainty Term

$$g_{quantum} = \frac{\hbar}{\Delta x \Delta p} \cdot \int \psi \cdot \frac{2\pi}{t_H}$$

where $t_H = 1/H_0$ is the Hubble time and $\int \psi$ is the integrated wave function amplitude.

```
double compute_compressed_quantum(double Delta_x, double Delta_p, double psi_int) {  
    const double hbar = 1.055e-34;  
    const double H0 = 2.185e-18;  
    const double t_H = 1.0 / H0;  
    return (hbar / (Delta_x * Delta_p)) * psi_int * (2.0 * M_PI / t_H);  
}
```

Function 7: Buoyant Fluid Term

$$g_{fluid} = \rho_{fluid} \cdot V_{body} \cdot g_{local}$$

```
double compute_compressed_fluid(const MUGESystem& sys) {  
    return sys.rho_fluid * sys.V_body * sys.g_local;  
}
```

Function 8: Dark Matter Perturbation

$$g_{pert} = (M + M_{DM}) \cdot \left(\frac{\delta\rho}{\rho} + \frac{3GM}{r^3} \right)$$

```
double compute_compressed_perturbation(const MUGESystem& sys) {  
    double tidal = 3.0 * G * sys.M / (sys.r * sys.r * sys.r);  
    return (sys.M + sys.M_DM) * (sys.delta_rho_over_rho + tidal);  
}
```

3. Full Decomposed Master Function

```
double compute_compressed_MUGE_modular(const MUGESystem& sys,  
                                       double Delta_x = 1e-10,  
                                       double Delta_p = 1e-24,  
                                       double psi_int = 1.0) {  
    double g_base = compute_compressed_base(sys);  
    double g_exp = compute_compressed_expansion(sys);  
    double g_super = compute_compressed_super_adj(sys);  
    double g_env = compute_compressed_envelope(sys);  
    double g_cosm = compute_compressed_cosm();  
    double g_quant = compute_compressed_quantum(Delta_x, Delta_p, psi_int);  
    double g_fluid = compute_compressed_fluid(sys);  
    double g_pert = compute_compressed_perturbation(sys);  
  
    return g_base * g_exp * g_super * g_env + g_cosm + g_quant + g_fluid + g_pert;  
}
```

4. Unit Test Matrix

Function	Test Input	Expected Output	Tolerance
compute_base	M=1e30, r=1e11	6.67×10^8	1%
compute_expansion	t=0	1.0000	<0.01%
compute_super_adj	B=0	1.0000	exact
compute_super_adj	B=B_crit	0.0000	exact
compute_cosm	$\Lambda=1.1e-52$	3.293×10^{-36}	1%
compute_quantum	$\Delta x \Delta p = \hbar/2, \psi=1$	varies	order of mag.
compute_fluid	$\rho=1.29, V=1, g=9.81$	12.66	1%
compute_perturbation	$\delta\rho/\rho=0.1, M_{DM}/M=10$	varies	order of mag.

5. CP Integration

CP1 (CondensedPhysics.py): Add CompressedMUGEModularCalculator with 8 sub-methods. **CP2 (CondensedPhysics2.py):** Refactor existing compute_compressed_MUGE into modular form.

Status: □ Complete | **CP Stage:** CP1/CP2 **Supersedes:** N/A (extends PAPER_090) | **Related:** PAPER_090 (9-term compressed), PAPER_158 (hybrid blending uses g_comp), PAPER_164 (quantum term calibration from CERN)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis
 ###
 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac,[SCm]}}/\rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

$\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac, [SCm]}}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.174

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io6

con-

nects

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

###

§B.2

Dipole

Vor-

tex

Primes

(DVP)

The

DVP

en-

cod-

ing

maps

the

sys-

tem's

char-

ac-

teris-

tic

pa-

ram-

eter

onto

the

prime

lat-

tice:

$p_{\text{DVP}} =$

43, $n_{\text{channel}} =$

8/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

43 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which

ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

###

§B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.174

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
432
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.