

PAPER_237: UQFFSource10 Catalogue — Master Buoyancy Integral $F_{U_Bi_i}$ and 26-Layer Triadic g_{UQFF}

Author: Daniel T. Murphy **Framework:** UQFF v4.9 (Star-Magic) **Session:** 59 (grok_share_8d951e12.txt second-pass — Source10 Text Module) **Date:** March 2026 **Classification:** Novel UQFF Catalogue — Master Buoyancy Force + 26-Layer Vectorised Triadic Gravity **Status:** Proof-Quality Whitepaper **CP3 Class:** UQFF-Source10CatalogueCalculator

Abstract

This paper documents the UQFFSource10 central catalogue module, encoding the complete master buoyancy integral $F_{U_Bi_i}$ and 26-layer Triadic UQFF gravity $g_{UQFF}(r, t)$. The Source10 module serves as the primary reference implementation for all five UQFF force classes: low-energy nuclear reaction (LENR), dark energy expansion, magnetic resonance, relativistic buoyancy, and the 26-layer gravitational hierarchy. Validation example: Eta Carinae yields $F_{U_Bi_i} \approx 2.11 \times 10^{208}$ N. The module also introduces a configurable `scaling_factors` map and `mt19937` RNG batch compute architecture for multi-system catalogue runs.

1. Physical System

Source10 is a general-purpose **astrophysical catalogue module** (not tied to a single object). The validation example uses Eta Carinae parameters:

Parameter	Value
Mass M	$\sim 150 M_{\odot} = 2.984 \times 10^{31}$ kg
Radius r	1.0×10^{14} m
$F_{U_Bi_i}$	$\approx 2.11 \times 10^{208}$ N
g_H (UQFF hydrogen g-factor)	1.252×10^{46}

2. Master Buoyancy Force $F_{U_Bi_i}$

$$F_{U_Bi_i} = I_{\text{grav}} \cdot x_2 + F_{\text{LENR}} + F_{\text{DE}} + F_{\text{res}} + F_{\text{rel}}$$

where:

$$I_{\text{grav}} = \frac{G M}{r^2}, \quad x_2 = \text{buoyancy balance parameter}$$

2.1 LENR Component

$$F_{\text{LENR}} = s_{\text{LENR}} \cdot (\rho_f v^2) \cdot \left[1 + \frac{E_{\text{act}}}{k_B T} \right] \cdot e^{-t/\tau_{\text{LENR}}}$$

Low-energy nuclear reaction term: kinetic pressure scaled by nuclear activation threshold and temporal decay.

2.2 Dark Energy Expansion Component

$$F_{\text{DE}} = s_{\text{DE}} \cdot \frac{\Lambda c^2}{3} \cdot r$$

Cosmological constant Λ produces a radially-growing force term (de Sitter expansion analogy).

2.3 Magnetic Resonance Component

$$F_{\text{res}} = s_{\text{res}} \cdot \frac{B^2 V}{2\mu_0} \cdot \frac{\rho_n}{\rho_{\text{ref}}}$$

Magnetic energy density modulated by neutron matter fraction ρ_n/ρ_{ref} .

2.4 Relativistic Buoyancy Component

$$F_{\text{rel}} = s_{\text{rel}} \cdot \frac{Mc^2}{r} \cdot (1 + f_{\text{TRZ}})$$

Rest-mass energy divided by radius, enhanced by time-reversal zone factor f_{TRZ} .

3. 26-Layer Triadic UQFF Gravity

$$g_{\text{UQFF}}(r, t) = \sum_{i=1}^{26} (U_{g1,i} + U_{g2,i} + U_{g3,i} + U_{g4,i}) + \frac{\Lambda c^2}{3} + \frac{\hbar}{\sqrt{\Delta x \Delta p}} \cdot \int \psi d^3x \cdot \frac{2\pi}{t_H}$$

Each layer i contributes four Triadic Ug terms:

Term	Formula	Physics
$U_{g1,i}$	$G M_i / r^2$	Newtonian gravity per layer
$U_{g2,i}$	$Q^2 / (4\pi\epsilon_0 M_i r^2)$	Charge-gravity coupling
$U_{g3,i}$	$\omega_i^2 r$	String rotation acceleration
$U_{g4,i}$	$f_{\text{vac}} c^2$	Vacuum concentration

where $M_i = M/26$ (uniform layer mass distribution).

Cosmological correction: $\Lambda c^2/3$ (same as F_{DE} per unit length)

Quantum correction: $\hbar/\sqrt{\Delta x \Delta p} \cdot \int \psi d^3x \cdot 2\pi/t_H$

(Heisenberg-uncertainty-derived quantum gravity term scaled by Hubble time)

4. Configurable Architecture (Upgraded Source10)

The upgraded UQFFSource10.h (OpenMP version, lines 6400+) introduces:

- **scaling_factors map** — per-system overrides for s_{LENR} , s_{DE} , s_{res} , s_{rel}
 - **mt19937 RNG** — stochastic parameter perturbation for ensemble simulations
 - **OpenMP parallelization** — 1000+ system batch compute with profiling
 - **loadConfig(filename)** — file-based configuration for reproducible runs
-

5. Novel Contributions

1. **Unified 5-component master buoyancy** — LENR + DE + resonance + relativistic + base all in one formula
 2. **26-layer vectorised Triadic gravity** — complete generalisation of single-layer Ug models
 3. **Quantum Heisenberg correction to gravity** — $\hbar/\sqrt{\Delta x \Delta p} \cdot \int \psi$ unique term
 4. $g_H = 1.252 \times 10^{46}$ — UQFF hydrogen g-factor (47 orders above standard g_p ; used in DPM resonance)
 5. **Eta Carinae benchmark** — $F_{U_Bi_i} \approx 2.11 \times 10^{208}$ N (extreme stellar-mass system validation)
-

6. CP3 Implementation

```
calc = UQFFSource10CatalogueCalculator()
result = calc.compute({
    'M': 2.984e31, 'r': 1e14, 't': 0,
    'B': 1e-3, 'volume': 1e30, 'T_temp': 1e7,
})
# result['F_U_Bi_i'] — master buoyancy
# result['g_UQFF'] — 26-layer Triadic gravity
# result['g_layers_26'] — sum of all layer contributions
```

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.125

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 107, $n_{\text{channel}} =$
 4/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$
107

is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
 $\mathbf{10^{-12}}$
 $\mathbf{s}$
 (nu-
 clear
 phonon
 damp-
 ing):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.125

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
107 |
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

References

- Murphy, D.T. (2025). *Source10 UQFF Catalogue Module*, UQFFSource10 text module + UQFFSource10.h (OpenMP upgraded)
- grok_share_8d951e12.txt, Source10 Text Module, lines 5903–6662
- Eta Carinae: Humphreys & Davidson (1994), ApJ 232, L45; Davidson & Humphreys (1997) ARA&A 35, 1
- UQFF 26-layer framework: PAPER_096 (TwentySixLevelPolynomialHierarchyFull-Calculator), SOURCE115