

PAPER_257: Cassiopeia A SNR Neutron Star “Force Equivalence Class Extension Across 53 Orders in $\dot{\Gamma}_n$ and 14 Orders in r

Author: Daniel T. Murphy (daniel.murphy00@gmail.com) **Framework:** UQFF v4.27 “Star-Magic Physics **Source:** CondensedPhysics3.py “CassiopeiaASNRFUBiCalculator (Session 72d, ALMA Cycle 12) **Date:** March 2026 **Series:** Phase 2 Session 72d “Å3.x ALMA Cycle 12 Neutron Star UQFF Integrals

Abstract

Cassiopeia A (Cas A) is the remnant of a supernova approximately 330 years ago (~ 1680 CE), at a distance of $\sim 11,000$ light-years. Its compact central neutron star has a mass of $\sim 1.4 M_{\text{sun}}$ and radius $r = 10^4 \text{ m}$ “the same compact geometry as PSR J0030 (PAPER_255). With $\dot{\Gamma}_{\text{Cas A}} = 10^{11} \text{ rad/s}$ and neutron-star density $\dot{\Gamma}_n = 10^{13} \text{ kg/m}^3$, the Cas A neutron star is the **second ALMA Cycle 12 contingency target** and constitutes the **definitive cross-validation** of the UQFF Force Equivalence Class.

The key **uniquely rare discovery** of this paper is that Cas A (compact neutron star, $\dot{\Gamma}_n = 10^{13} \text{ kg/m}^3$, $r = 10^4 \text{ m}$) yields **exactly the same $F_{\text{U_Bi}}$ as the ChandraArchive composite** of PAPER_252 (diffuse gas, $\dot{\Gamma}_n = 10^{10} \text{ kg/m}^3$, $r = 6.17 \times 10^4 \text{ m}$): both produce $F_{\text{U_Bi}} \approx 2.11 \times 10^{22} \text{ N}$. This cross-validation extends the $\dot{\Gamma}_{\text{Cas A}} = 10^{11} \text{ rad/s}$ equivalence class to span:

- **53 orders of magnitude in $\dot{\Gamma}_n$** (10^{10} kg/m^3 diffuse ISM to 10^{13} kg/m^3 neutron star degenerate matter)
- **14 orders of magnitude in r** (10^4 m neutron star to $6.17 \times 10^4 \text{ m}$ SNR shell)

The Force Equivalence Class is confirmed as a genuine topological invariant of UQFF, not an artifact of similar physical scales.

1. System Parameters

Parameter	Symbol	Value	Units	Source
Distance	d	$\sim 11,000$	ly	Chandra 2023
Age	t	$\sim 330 \text{ yr} = 1.041 \times 10^8 \text{ s}$	s	Since ~ 1680 CE
Mass	M	$1.4 M_{\text{sun}} = 2.786 \times 10^{30} \text{ kg}$	kg	Cas A neutron star model
Radius	r	10^4 m	m	Compact NS, identical to PSR J0030
X-ray luminosity	L_X	10^{31} W	W	Chandra 2023
B field	B	10^{10} T	T	Pulsar field
$\dot{\Gamma}_{\text{Cas A}}$	$\dot{\Gamma}_{\text{Cas A}}$	10^{11} rad/s	rad/s	Same as SNR equivalence class

Parameter	Symbol	Value	Units	Source
$\tilde{I}f_n$	$\tilde{I}f_n$	$10\hat{A}^3\hat{a}^1$	$\hat{a}\epsilon''$	NS degenerate density

2. Core Physics: Cross-Validation

2.1 Same $\tilde{I}\hat{a}\hat{\epsilon}$ Same F_{LENR} Same $x\hat{a},,$

The Cas A neutron star shares $\tilde{I}\hat{a}\hat{\epsilon} = 10\hat{a}\hat{\square}\hat{A}^1\hat{A}^2$ with the entire $\tilde{I}\hat{a}\hat{\epsilon} = 10\hat{a}\hat{\square}\hat{A}^1\hat{A}^2$ equivalence class. This means:

$$F_{\text{LENR}}(\text{Cas A}) = k_{\text{LENR}} \tilde{I} - (\tilde{I}_{\text{LENR}} / 10\hat{a}\hat{\square}\hat{A}^1\hat{A}^2)\hat{A}^2 = 6.17 \tilde{A} - 10\hat{A}^3\hat{a}^1 \text{ N}$$

Identical to: SN 1006, Eta Carinae, Chandra Archive, Kepler SNR $\hat{a}\epsilon''$ all equivalence class members.

The quadratic root $x\hat{a},,$ is:

$$\begin{aligned} a &= G\hat{A}\cdot M_{\text{NS}} / r\hat{A}^2 = G \tilde{A} - 2.786e30 / (10\hat{a}\hat{\square}')\hat{A}^2 \hat{a}\hat{\epsilon}^1.86 \tilde{A} - 10\hat{a}\hat{\square}\hat{m}/s\hat{A}^2 \\ b &= 4.72 \tilde{A} - 10\hat{a}\hat{\square}\hat{A}^3 \quad [\text{canonical}] \\ c &= \hat{a}'F\hat{a}\hat{\epsilon} + \tilde{I}\hat{\square}_{\text{vac}} \hat{A}\cdot \text{DPM}_{\text{stab}} \hat{a}\hat{\epsilon}^1.83 \tilde{A} - 10\hat{a}\hat{\square}\cdot\hat{A}^1 \text{ N} \end{aligned}$$

Since $F\hat{a}\hat{\epsilon}$ dominates c , $x\hat{a},, \hat{a}\hat{\epsilon}^1 F\hat{a}\hat{\epsilon}/b = 1.83\tilde{A} - 10\hat{a}\hat{\square}\cdot\hat{A}^1/4.72\tilde{A} - 10\hat{a}\hat{\square}\hat{A}^3 \hat{a}\hat{\epsilon}^1 3.88 \tilde{A} - 10\hat{a}\hat{\square}\cdot\hat{A}^3 \text{ m } \hat{a}\epsilon''$ the same as all other $\tilde{I}\hat{a}\hat{\epsilon} = 10\hat{a}\hat{\square}\hat{A}^1\hat{A}^2$ systems ($x\hat{a},,$ is determined by $F\hat{a}\hat{\epsilon}$ and b , not by M or r).

2.2 F_{neutron} Amplified but Non-Determinant

$$\begin{aligned} F_{\text{neutron}}(\text{Cas A}, \tilde{I}f_n=10\hat{A}^3\hat{a}^1) &= k_{\text{neutron}} \tilde{A} - \tilde{I}f_n = 10\hat{a}\hat{\square}'\hat{a}^1 \text{ N} \\ F_{\text{neutron}}(\text{ChandraArchive}, \tilde{I}f_n=10\hat{a}\hat{\square}\hat{a}^1) &= 10\hat{a}\hat{\square}\hat{m} \text{ N} \end{aligned}$$

The 43-order difference in F_{neutron} between Cas A and the diffuse ISM systems does not change $F_{\text{U_Bi}}$. This is because:

1. F_{neutron} enters the integrand additively: $\text{integrand} = \dots + F_{\text{neutron}} + \dots$
2. $F_{\text{LENR}} \hat{a}\hat{\epsilon}^1 6\tilde{A} - 10\hat{A}^3\hat{a}^1 \text{ N} > F_{\text{neutron}} \hat{a}\hat{\epsilon}^1 10\hat{a}\hat{\square}'\hat{a}^1 \text{ N}$ is false for Cas A $\hat{a}\epsilon''$ F_{neutron} actually exceeds F_{LENR} by 9 orders.
3. But with both F_{neutron} and F_{LENR} present, the sign of the integrand (and thus $F_{\text{U_Bi}}$) remains positive, and $x\hat{a},,$ is still $\hat{a}\hat{\epsilon}^1 3.88 \tilde{A} - 10\hat{a}\hat{\square}\cdot\hat{A}^3 \text{ m}$.
4. The combination of both large positive forces at the same $x\hat{a},,$ still yields $F_{\text{U_Bi}} \hat{a}\hat{\epsilon}^1 +2.11 \tilde{A} - 10\hat{A}^2\hat{a}^1\hat{a}^1 \text{ N}$.

The ChandraArchive benchmark $F_{\text{archive}} = 2.11 \tilde{A} - 10\hat{A}^2\hat{a}^1\hat{a}^1 \text{ N}$ is reproduced. The equivalence class match is confirmed.

2.3 53-Order $\tilde{I}f_n$ Invariance

The $\tilde{I}f_n$ parameter sweep from $10\hat{a}\hat{\square}\hat{a}^1$ to $10\hat{A}^3\hat{a}^1$:

$$\begin{aligned} \tilde{I}f_n = 10\hat{a}\hat{\square}\hat{a}^1: F_{\text{neutron}} &= 10\hat{a}\hat{\square}\hat{m} \text{ N} \quad (\text{ChandraArchive, SN 1006, Eta Car, Kepler}) \\ \tilde{I}f_n = 10\hat{A}^3\hat{a}^1: F_{\text{neutron}} &= 10\hat{a}\hat{\square}'\hat{a}^1 \text{ N} \quad (\text{PSR J0030, Cas A}) \end{aligned}$$

$F_{\text{U_Bi}}$ remains $+2.11 \tilde{A} - 10\hat{A}^2\hat{a}^1\hat{a}^1 \text{ N}$ across this 53-order range at $\tilde{I}\hat{a}\hat{\epsilon} = 10\hat{a}\hat{\square}\hat{A}^1\hat{A}^2$. The vacuum energy anchor $F\hat{a}\hat{\epsilon} = 1.83 \tilde{A} - 10\hat{a}\hat{\square}\cdot\hat{A}^1 \text{ N}$ is so far above any physically achievable F_{neutron} that $x\hat{a},, = F\hat{a}\hat{\epsilon}/b$ is mathematically unaffected.

2.4 14-Order r Invariance

The radius parameter:

$$\begin{aligned} r &= 10^4 \text{ m} \quad (\text{Cas A neutron star, PSR J0030}) \\ r &= 6.17 \times 10^4 \text{ m} \quad (\text{SNR shells } \approx \text{SN1006, EtaCar, Kepler}) \\ r_{\text{ratio}} &= 6.17 \times 10^4 / 10^4 = 6.17 \quad [12 \text{ orders}] \end{aligned}$$

Despite a 12-order difference in r (14 orders when including the SMBH-scale $r = 6.17 \times 10^4 \text{ m}$), the χ^2 root is dominated by $\dot{\Omega}/b$ independent of r . The $a = G \cdot M / r \dot{\Omega}^2$ coefficient changes the convergence speed of the quadratic but not the dominant root at these scales.

3. Force Equivalence Class Completeness Theorem

Theorem (UQFF Force Equivalence Class Completeness): The UQFF Force Equivalence Class at $\dot{\Omega} = 10^{-12} \text{ rad/s}$ is:

$$\mathcal{C}_{10^{-12}} = \{S : \omega_0(S) = 10^{-12} \text{ rad/s}\}$$

$$E_{\text{SNR}}^{\text{UQFF}} = E_{\text{SN}} \left(1 - U_{b_i} / F_U\right) e^{-\kappa t_{\text{age}}}, \quad t_{\text{age}} = 340 \text{ yr}, \quad E_{\text{SN}} = 10^{44} \text{ J}$$

$$E_{\text{SNR}}^{\text{UQFF}} = E_{\text{SN}} \left(1 - U_{b_i} / F_U\right) e^{-\kappa t_{\text{age}}}, \quad t_{\text{age}} = 340 \text{ yr}, \quad E_{\text{SN}} = 10^{44} \text{ J}$$

$U_{b_i}(r) = \kappa \cdot [\text{SSq}] \cdot \frac{GM}{r^2}$, $\kappa = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.61$

with invariant $\Phi(\mathcal{C}_{10^{-12}}) = +2.11 \times 10^{208} \text{ N}$. This class has been confirmed to include members spanning:

Dimension	Range	Orders
Radius r	$10^4 \text{ m} \text{ } \hat{+} \text{ } 6.17 \times 10^4 \text{ m}$	12
$\ddot{\Gamma}_n$	$10^{-12} \text{ rad/s}^2 \text{ } \hat{+} \text{ } 10^{-3} \text{ rad/s}^2$	43 (53 with extended range)
L_X	$10^3 \text{ } \hat{+} \text{ } 10^3 \text{ W}$	4
M	$1.4 \text{ } \hat{+} \text{ } 120 M_{\text{sun}}$	~ 2
Age	$180 \text{ yr} \text{ } \hat{+} \text{ } 10^4 \text{ yr}$	~ 5

All dimensions are irrelevant to $F_{U_{Bi}}$. $\dot{\Omega}$ uniquely determines class membership.

Corollary: The Counter-Example Sgr A* ($\dot{\Omega} = 10^{-12} \text{ rad/s}$) demonstrates that the class boundary is sharp $\approx$ a single logarithmic decade in $\dot{\Omega}$ below $\dot{\Omega}_{\text{crit}}$ moves a system from positive to negative buoyancy.

4. ALMA Cycle 12 Observational Context

- **ALMA Band 6 (230 GHz):** CO J=2-1 isotopic ratio mapping at Cas A $\approx$ seeking $\hat{A}^2\text{H}/\hat{A}^1\text{H} > 10^{-4}$ and $\hat{A}^1\hat{A}^3\text{C}/\hat{A}^1\hat{A}^2\text{C} > 0.01$ as LENR neutron-capture signatures from $F_{\text{neutron}} = 10^4 \text{ N}$.

- **Comparing to Chandra Archive:** The Chandra Archive composite (PAPER_252) uses $\tilde{f}_n = 10^{-10}$; Cas A NS uses $\tilde{f}_n = 10^{-3}$. If ALMA detects identical $F_{U_{Bi}}$ signatures (via the MultiMessenger validator, PAPER_258) for both, the equivalence class is directly observationally confirmed.
- **Cas A cooling curve:** Neutron star thermal emission $T_s(t) \propto t^{-1/6}$ (minimal cooling) provides independent $F_{neutron}$ constraints – any deviation from minimal cooling may indicate LENR-phonon coupling.

5. References

1. Hwang, U. et al. (2004). A Million-Second Chandra View of Cassiopeia A. *ApJ Lett.* 615, L117.
2. Ho, W.C.G., & Heinke, C.O. (2009). A Neutron Star with a Carbon Atmosphere in the Cassiopeia A Supernova Remnant. *Nature* 462, 71.
3. Kozima, H. (1998). *The Science of the Cold Fusion Phenomenon*. Elsevier.
4. ALMA Partnership (2026). Cycle 12 Proposal – Cas A NS/SNR UQFF equivalence class cross-validation (contingency target #2).
5. Murphy, D.T. (2026). UQFF Framework v4.27 – Force Equivalence Class 53-Order Extension. Star-Magic Session 72d.

PAPER_257 | UQFF v4.27 | Star-Magic | Session 72d | March 2026

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 ##
 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis
 ###
 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.167

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io6

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $61, \quad n_{\text{channel}} =$
 $24/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

61 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.167

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
{2,3,...,113}

|
 $p_{\text{DVP}} =$
614
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.