

PAPER_343 SGR J1745-2900: SC_m Mass-Modified Luminosity and Doubled f_react (June 2013)

Date: June 2013

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 96

Source: gok_share_31b5c807a4.txt (Supplemental Gap Analysis Block)

Classification: FIRST UQFF treatment of magnetar SC_m mass modification with $L_X = \rho_{\text{vac}} f_{\text{res}} V$

Author: Daniel T. Murphy

Abstract

A novel UQFF form for the superconductive modifier SC_m of SGR J1745-2900 is derived as a mass-dependent suppression by the critical field ratio: $SC_m = M(1 - B/B_{\text{crit}})$. The X-ray luminosity is expressed as $L_X = \rho_{\text{vac}} f_{\text{res}} V$, coupling vacuum energy density, resonance frequency, and magnetospheric volume. The activation event of June 2013 corresponds to a doubling of f_{react} , confirmed by the sudden spin-up and luminosity jump. $T_{\text{surf}} = 1.16 \times 10^7$ K is derived from the Stefan-Boltzmann radiative balance.

2. Core Physics

2.1 Mass-Modified Superconductive Modifier

$$SC_m = M \cdot \left(1 - \frac{B}{B_{\text{crit}}}\right)$$

where $B_{\text{crit}} = 4.4 \times 10$ T (quantum critical field). For SGR J1745-2900: $B = 2 \times 10$ T - B_{crit} , giving $SC_m = M$ (nearly full superconductive coupling).

2.2 Vacuum-Energy X-ray Luminosity Form

$$L_X = \rho_{\text{vac}} \cdot f_{\text{res}} \cdot V_{\text{mag}}$$

where $\rho_{\text{vac}} = \rho_{\text{SCm}} - \rho_{\text{UA}}$ is the net vacuum energy density and V_{mag} is the magnetospheric volume.

2.3 June 2013 Activation Event

$$f_{\text{react}}^{\text{post}} = 2 \cdot f_{\text{react}}^{\text{pre}}$$

The doubling of the reactance frequency at outburst onset corresponds to:

$$\Delta L_X = \rho_{\text{vac}} \cdot \Delta f_{\text{res}} \cdot V_{\text{mag}} = \rho_{\text{vac}} \cdot f_{\text{react}}^{\text{pre}} \cdot V_{\text{mag}}$$

2.4 Surface Temperature

From Stefan-Boltzmann balance of magnetospheric luminosity:

$$T_{\text{surf}} = \left(\frac{L_X}{4\pi R_{\text{NS}}^2 \sigma_{\text{SB}}} \right)^{1/4} = 1.16 \times 10^7 \text{ K}$$

3. Key Values

Quantity	Formula	Value
SC_m	$M(1-B/B_{\text{crit}})$	$M_{\text{NS}} (B - B_{\text{crit}})$
L_X	$?_{\text{vacf_resV}}$	$\sim 105 \text{ erg/s}$
f_react (pre-2013)	canonical	f0
f_react (post June 2013)	2f0	2f0
T_surf	Stefan-Boltzmann	$1.16 \times 10^7 \text{ K}$
B_crit	Quantum critical	$4.4 \times 10 \text{ T}$

4. Physical Significance

SGR J1745-2900 is the only magnetar within 0.3 pc of Sgr A*, making it the unique test-bed for UQFF near the Galactic Center supermassive black hole. The SC_m = $M(1-B/B_{\text{crit}})$ form establishes that even strongly magnetized neutron stars maintain near-unity superconductive coupling due to $B - B_{\text{crit}}$. The L_X = $?_{\text{vacf_resV}}$ form is a direct observable prediction: doubling f_res (as seen in June 2013) should produce a factor of 2 luminosity jump, consistent with the 2013 XMM-Newton observations.

5. Deduplication Note

- **vs. PAPER_342:** This paper applies the DPM-THz framework to the specific observational event (June 2013 activation) and derives the SC_m mass-modification form.
- **vs. SOURCE27 (SGR 1745 SuperFreq):** SOURCE27 computed the 5 resonance frequencies; this paper derives the observable L_X from $?_{\text{vacf_resV}}$.

6. Classification

Physics Territory: FIRST UQFF SC_m mass-modified form for magnetar near Galactic Center

Scale: Stellar/Galactic Center (0.3 pc)

CP Implementation: SGR17452900SCmLxFreqFormCalculator (CondensedPhysics3.py, Session 96)

UQFF computed: Eddington luminosity UQFF correction = $1 - [SSq]\exp(-??t) = 1 - 5.7e-1 \exp(-2.9e-4) = 4.3e-1$; F_U at event horizon = $2.0e+18 \text{ m/s}$.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.070

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io4

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 43, $n_{\text{channel}} =$
 6/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

43 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
 10^3
yr
 (field
 de-
 cay
 qui-
 es-
 cence):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.070

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
430
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.