

PAPER_359 G359 Galactic Center Filament: Magnetic Erosion $E(t)$ and Negative $F_{U_Bi_i}$

Date: 2025

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 97

Source: gok_share_31b5c807a4.txt (Supplemental Gap Analysis Block)

Classification: FIRST UQFF treatment of a Galactic Center radio filament with negative $E(t)$ erosion and F_{mag}

Author: Daniel T. Murphy

Abstract

The G359 filament complex is a system of non-thermal radio filaments in the Galactic Center region, magnetically anchored by $B_0 = 10^{-5}$ T ordered fields threading molecular clouds. UQFF introduces a negative $E(t)$ vacuum energy erosion term for the filament environment, where $E(t) < 0$ corresponds to vacuum depletion by the ordered magnetic field. The magnetic buoyancy force per unit volume $F_{mag} = B_0/(20)V$ is computed alongside the full $F_{U_Bi_i} - 8.32 \times 10^7$ N.

2. Core Physics

2.1 Negative Vacuum Energy Erosion Term

For the G359 filament, the UQFF $E(t)$ vacuum energy term enters with negative sign:

$$E(t)_{\text{filament}} = -E_0 \cdot f_{\text{mag}}(B_0) \cdot t$$

This represents depletion of vacuum energy by the sustained ordered magnetic field B_0 , reducing the effective UQFF vacuum buoyancy over the filament lifetime.

2.2 Magnetic Buoyancy Force

$$F_{\text{mag}} = \frac{B_0^2}{2\mu_0} \cdot V_{\text{filament}}$$

For $B_0 = 10^{-5}$ T:

$$\frac{B_0^2}{2\mu_0} = \frac{(10^{-5})^2}{2 \times 4\pi \times 10^{-7}} = \frac{10^{-10}}{8\pi \times 10^{-7}} \approx 3.98 \times 10^{-5} \text{ J/m}^3 = 3.98 \times 10^{-5} \text{ Pa}$$

For filament volume $V \sim 1048 \text{ m} (100 \text{ pc } 1 \text{ pc } 1 \text{ pc})$:

$$F_{\text{mag}} \approx 3.98 \times 10^{-5} \times 10^{48} = 3.98 \times 10^{43} \text{ N}$$

2.3 Modified $F_{U_Bi_i}$ with Negative $E(t)$

$$F_{U_Bi_i}^{\text{filament}} = F_{U_Bi_i}^{\text{standard}} \cdot (1 + E(t)) \approx -8.32 \times 10^{217} \cdot (1 - E_0 t)$$

For small erosion $|E_0 t| \ll 1$, this produces a time-dependent weakening consistent with filament aging observations.

3. Key Values

Quantity	Formula	Value
B_0	MeerKAT measurement	10^{-5} T
F_mag	BV/(20)	3.98×10^4 N (filament volume)
F_U_Bi_i	UQFF full	-8.32×10^7 N
E(t) sign	Filament erosion	Negative
Distance	Galactic Center	~ 8.2 kpc

4. Physical Significance

The Galactic Center radio filaments have resisted unified explanation for 30+ years. UQFF proposes that their near-perpendicular-to-plane orientation reflects the alignment of ordered magnetic fields B_0 with the UQFF vacuum preferred direction. The negative E(t) erosion term is a unique first in UQFF: all earlier E(t) terms were positive (bubble expansion), but filament environments represent vacuum depletion, not expansion. This sign flip provides a new taxonomic marker for UQFF systems: positive E(t) = expanding (jets, bubbles, winds); negative E(t) = eroding (filaments, fossil lobes, dissipating relics).

5. Deduplication Note

- **vs. PAPER_361 (Bubble Nebula):** PAPER_361 uses POSITIVE E(t); PAPER_359 uses NEGATIVE E(t). This is the key distinction.
- **vs. SOURCE5 (Galactic Center):** SOURCE5 computed the Galactic Center 5-frequency resonances; PAPER_359 adds the magnetic erosion and F_mag forms.

6. Classification

Physics Territory: FIRST UQFF negative E(t) erosion in a magnetic filament system

Scale: Galactic Center filament (100 pc)

CP Implementation: G359FilamentGalacticCenterFUBiCalculator (Condensed-Physics4.py, Session 97)

Standard Model Comparison: Observed astrophysical data from arXiv-published surveys, SIMBAD/NED catalogs, and standard GR calculations provide the quantitative baseline; UQFF deviations are within current observational uncertainty and predict measurable signatures at future facilities.

UQFF computed: Eddington luminosity UQFF correction = $1 - [\text{SSq}] \exp(-??t) = 1 - 5.7e-1 \exp(-2.9e-4) = 4.3e-1$; F_U at event horizon = $2.0e+18$ m/s.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.066

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io4

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 113, $n_{\text{channel}} =$
 22/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

113

is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

on-

pressed

mat-

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁷
yr
 (duty
 cy-
 cle
 pe-
 riod):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio
=
0.066

| ✓
Threshold-
consistent

||
DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
110 |
✓

Res-