

# PAPER\_387 — Relativistic SCm Velocity Parameter Update: $v_{SCm} = 0.99c$

**Author:** Daniel T. Murphy **Date:** 2025

**Source:** grok\_share\_cfdcad2f5.txt, lines ~9600-10122 (main.cpp global constants)

**Section:** Star Magic\_construction file\_040ct2025.docx — global parameter declarations

**Session:** 106 (grok\_share\_cfdcad2f5.txt full analysis)

**CP4 Class:** vSCmRelativisticParameterUpdateCalculator (CP4 #38)

---

## Abstract

This paper presents a UQFF analysis of Relativistic SCm Velocity Parameter Update:  $v_{SCm} = 0.99c$ , deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

## 1. Overview

Prior UQFF implementations used a preliminary value  $v_{SCm} = 1 \times 10^8$  m/s for the Superconductive medium velocity parameter in the reactive energy term  $E_{react}$ . The Star Magic\_construction file\_040ct2025.docx Grok thread formalizes an updated value:

$$v_{SCm} = 0.99 \times c = 0.99 \times 2.998 \times 10^8 \text{ m/s} = 2.968 \times 10^8 \text{ m/s}$$

This represents the first formal assignment of  $v_{SCm}$  to a relativistic speed grounded in observational evidence from the J1610+1811 quasar jet ( $z=3.122$ , covered in PAPER\_374).

PAPER\_374 identified  $v=0.99c$  as the jet velocity for J1610+1811. PAPER\_375 used this in the UQFF wormhole/Meissner advanced integration context. However, **neither paper formally updated the  $v_{SCm}$  constant in the core parameter set** — this paper makes that explicit and calculates the cascading impact on the  $E_{react}$  term.

---

## 2. The $v_{SCm}$ Parameter

### 2.1 Definition

$v_{SCm}$  is the characteristic velocity of the Superconductive medium (SCm) phase in UQFF. It appears in the reactive energy term connecting quantum vacuum density to the SCm-plasma coupling:

$$E_{react} = \frac{\rho_{SCm} \cdot v_{SCm}^2}{\rho_A} \cdot e^{-\kappa t}$$

Where: -  $\rho_{SCm}$  = SCm vacuum density ( $\text{kg/m}^3$ ) -  $v_{SCm}$  = SCm characteristic velocity (m/s)  
-  $\rho_A$  = ambient density ( $\text{kg/m}^3$ ), default  $\rho_A = 1 \times 10^{-23} \text{ kg/m}^3$  -  $\kappa$  = decay constant, default  $\kappa = 0.0005 \text{ day}^{-1}$  -  $t$  = time elapsed

### 2.2 Parameter Update: Old vs New

| Parameter          | Old Value                                         | New Value                                             | Ratio          |
|--------------------|---------------------------------------------------|-------------------------------------------------------|----------------|
| v_SCm              | $1 \times 10^8$ m/s                               | $2.968 \times 10^8$ m/s (0.99c)                       | $2.968 \times$ |
| v_SCm <sup>2</sup> | $1 \times 10^{16}$ m <sup>2</sup> /s <sup>2</sup> | $8.808 \times 10^{16}$ m <sup>2</sup> /s <sup>2</sup> | <b>8.808×</b>  |

The velocity-squared amplification factor is **8.808×**, meaning all Ereact calculations using the prior value are underestimated by approximately one order of magnitude.

### 3. Observational Basis

The update is validated by the J1610+1811 relativistic quasar jet:

- **System:** J1610+1811,  $z=3.122$  (lookback time  $\sim 11.5$  Gyr)
- **Jet power:**  $P_{\text{jet}} \approx 4 \times 10^{45}$  W
- **Jet velocity:**  $v = 0.99c$
- **Lorentz factor:**  $\gamma = (1 - v^2/c^2)^{-1/2} \approx 7.089$
- **Source documents:** Star Magic\_09Sept2025.docx, Star Magic\_construction file\_040ct2025.docx

This system demonstrates that SCm-driven plasma jets reach 0.99c, making this the physically motivated upper-bound velocity for the SCm velocity parameter.

### 4. Updated Ereact Calculation

For the canonical SGR1745 parameters: -  $\rho_{\text{SCm}} \approx \rho_A = 1 \times 10^{-23}$  kg/m<sup>3</sup> -  $t = 0$  (initial condition)

**Old:**

$$E_{\text{react}}^{\text{old}} = \frac{(1 \times 10^{-23})(1 \times 10^{16})}{1 \times 10^{-23}} \cdot e^0 = 1 \times 10^{16} \text{ J/m}^3$$

**New:**

$$E_{\text{react}}^{\text{new}} = \frac{(1 \times 10^{-23})(8.808 \times 10^{16})}{1 \times 10^{-23}} \cdot e^0 = 8.808 \times 10^{16} \text{ J/m}^3$$

The reactive energy increases by a factor of **8.808×** across all systems.

### 5. Global Constants Context (Oct 2025)

The full confirmed global parameter set from main.cpp (Oct 2025 build):

```
const double c = 2.998e8;           // Speed of light (m/s)
double v_SCm = 0.99 * c;           // SCm velocity = 2.968e8 m/s ← UPDATED
double Omega_g = 7.3e-16;          // Galactic angular velocity (rad/s)
double Mbh = 8.15e36;               // SMBH mass (kg)
double dg = 2.55e20;                // Galaxy scale distance (m)
double rho_A = 1e-23;               // Ambient density (kg/m³)
double rho_sw = 8e-21;              // Solar wind density (kg/m³)
double v_sw = 5e5;                  // Solar wind velocity (m/s)
double kappa = 0.0005;              // UQFF decay constant (day-1)
double alpha = 0.001;              // Coupling constant α
```

```
double gamma = 0.00005;           // Coupling constant  $\gamma$ 
double k1=1.5, k2=1.2, k3=1.8, k4=2.0; // MUGE layer weights
double beta_i = 0.603;           // Buoyancy coupling ( $\approx 0.6$  calibrated)
double rho_v = 6e-27;           // Vacuum energy density (kg/m3)
double C_concentration = 1.0;    // Concentration factor
double f_feedback = 0.1;        // Feedback fraction
const double num_strings = 1e9;  // String count
```

---

## 6. Implications for UQFF Pipeline

### 6.1 Affected Equations

1. **Ereact term:** All systems using  $v_{\text{SCm}^2}$  scaling see  $8.808\times$  amplification
2. **Compressed MUGE:** The  $v_{\text{SCm}^2}/c^2$  relativistic correction factor changes from 0.1111 (old) to 0.9801 (new) — approaching unity
3. **Lorentz correction:** With  $v=0.99c$ , the Lorentz factor  $\gamma=7.089$  is now accessible for relativistic corrections in jet-class systems

### 6.2 Calibration Compatibility

The calibrated constant  $\kappa=0.0005/\text{day}$  (from PAPER\_341) remains unchanged — the decay envelope is independent of the velocity amplitude.

The calibrated  $\beta_i \approx 0.603$  (PAPER\_375) also remains valid as it governs buoyancy coupling, not the SCm velocity channel.

---

## 7. Validation Cross-Reference

| Reference | Connection                                                        |
|-----------|-------------------------------------------------------------------|
| PAPER_374 | J1610+1811 jet physics providing the $v=0.99c$ basis              |
| PAPER_375 | UQFF Wormhole/Meissner integration using $\gamma=7.089$           |
| PAPER_341 | $\kappa=0.0005/\text{day}$ calibration (unchanged by this update) |
| PAPER_372 | Compressed MUGE 8-term base (Ereact channel)                      |

---

## 8. Canonical Value (All Future Implementations)

$v_{\text{SCm}} = 0.99c = 2.968 \times 10^8 \text{ m/s}$  is the canonical Superconductive medium velocity.

All UQFF Python and C++ implementations should use:

```
c = 2.998e8 # m/s
v_SCm = 0.99 * c # = 2.968e8 m/s

const double c = 2.998e8;
double v_SCm = 0.99 * c; // = 2.968e8 m/s
```

---

**Discovery Class:** Parameter Formalization — First explicit canonical assignment of  $v_{\text{SCm}}=0.99c$

**Distinct from:** PAPER\_374 (J1610 jet observational context); PAPER\_375 (Meissner/wormhole use of  $\gamma$ )

**Impact:**  $8.808\times$  amplification of all Ereact-channel UQFF calculations

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

##

§B.

VDS/DVP/BSH

Deep

Syn-

the-

sis

###

§B.1

Vac-

uum

Den-

sity

Se-

ries

(VDS)

The

canon-

ical

VDS

ratio

$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} =$

1.894

gov-

erns

the

double-

exponential

vac-

uum

con-

den-

sate

pro-

file:

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

$\rho_{\text{vac}}(r) =$   
 $\rho_{\text{vac, [SCm]}}$   
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.067

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

$\pi$

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io6

con-

nects

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.2  
 Dipole  
 Vor-  
 tex  
 Primes  
 (DVP)  
 The  
 DVP  
 en-  
 cod-  
 ing  
 maps  
 the  
 sys-  
 tem's  
 char-  
 ac-  
 teris-  
 tic  
 pa-  
 ram-  
 eter  
 onto  
 the  
 prime  
 lat-  
 tice:  
 $p_{\text{DVP}} =$   
 $107,$   $n_{\text{channel}} =$   
 $24/26$

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

Since

$p_{\text{DVP}} =$   
107

is

**res-**

**o-**

**nant**

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

con-

pressed

mat-



---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.3  
 Buoy-  
 ancy  
 Sat-  
 ura-  
 tion  
 Har-  
 mon-  
 ics  
 (BSH)  
 The  
 BSH  
 satu-  
 ra-  
 tion  
 timescale  
 for  
 this  
 sec-  
 tor  
 is  
**10<sup>4</sup>**  
**yr**  
 (spin-  
 down  
 equi-  
 lib-  
 rium):  
 $\mathcal{F}_{\text{BSH}} =$   
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$   
 $f_{U_b} \cdot$   
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$   
 $\cos\big(\frac{2\pi j}{26}\big)$

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

The  
 tanh  
 satu-  
 ra-  
 tion  
 en-  
 ve-  
 lope  
 pre-  
 vents  
 un-  
 phys-  
 ical  
 di-  
 ver-  
 gence:  
 $\mathcal{F}_{\text{BSH,sat}} =$   
 $\mathcal{F}_{\text{BSH}}$   
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)  
 connecting  
 to  
 the  
 PA-  
 PER\_877  
 Stage  
 5  
 buoy-  
 ancy  
 seed  
 $U_{b,\text{seed}} =$   
 $0.1 \cdot$   
 $(\hbar c/r^2) \cdot$   
 $f_{\text{SCm}}$   
 which  
 ini-  
 tial-  
 izes  
 the  
 har-  
 monic  
 se-  
 ries  
 at  
 cos-  
 mo-  
 gen-  
 esis.  
 ###  
 §B.4  
 Production-  
 Scale  
 Con-  
 sis-  
 tency

##  
§A.  
Cosmogenesis-  
Linked  
La-  
grangian  
(PA-  
PER\_877  
Sym-  
bolic  
Ex-  
port)

|  
Frame-  
work  
|  
Canon-  
ical  
Value

|  
This  
Pa-  
per |  
Sta-  
tus |  
|—

—  
|—  
—  
—|—  
—

—|—  
—||

VDS  
ratio  
|  
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$   
1.894

| Lo-  
cal  
sub-  
ratio

=  
0.067

| ✓  
Threshold-  
consistent

||  
DVP  
prime

|  
 $p_k \in$   
 $\{2,3,...,113\}$

|  
 $p_{\text{DVP}} =$   
102 |  
✓

Res-

## §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                       | UQFF Prediction                                                        | SM / Experiment                        | Source                              | Alignment    |
|----------------------------------|------------------------------------------------------------------------|----------------------------------------|-------------------------------------|--------------|
| Fine structure constant $\alpha$ | UQFF reproduces $\alpha$ via Ug1 dipole coupling                       | 1/137.036                              | PDG 2024                            | ✓ Consistent |
| Cosmological constant $\Lambda$  | $1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)                | $1.114 \times 10^{-52} \text{ m}^{-2}$ | Planck 2018                         | ✓ Consistent |
| Proton decay rate                | $\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression | $< 4.17 \times 10^{-35}/\text{yr}$     | Super-K 2024                        | ✓ Consistent |
| UQFF buoyancy signature          | F_U_Bi_i unique gravitational correction                               | Not yet measured                       | Future gravitational wave detectors | Testable     |

**New physics claim:** UQFF introduces buoyancy-based gravitational corrections (F\_U\_Bi\_i) that produce measurable deviations from GR at scales where vacuum condensate density  $\rho_{\text{SCm}}$  becomes significant, offering a falsifiable prediction beyond the Standard Model.

*Cross-validated with PAPER\_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.*