

PAPER_439 — NGC 3603 Extreme Star Cluster: Per-System MUGE with P(t) Cavity Pressure and Dual Wind

Author: Daniel T. Murphy **Date:** 2025

Source: grok_share_68eb34022.txt — Document 11: “Master Universal Gravity Equation_Extreme Star Cluster Bursts into Life_03May2025.docx” (lines 3430–3788) **Session:** 119 **CP4 Class:** NGC3603PerSystemMUGE_CavityPressure_DualWind_Calculator (#94)

Abstract

This paper presents a UQFF analysis of NGC 3603 Extreme Star Cluster: Per-System MUGE with P(t) Cavity Pressure and Dual Wind, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_439 provides the **complete per-system MUGE** for NGC 3603 — the most luminous young massive star cluster (YMC) in the Milky Way at $d \approx 7$ kpc, containing multiple WR stars, O-supergiants, and blue-luminous variables. The cluster age is ~ 1 Myr with $M_0 \approx 400,000 M_\odot$ and a rapidly expanding wind-blown cavity at $r = 9.5$ ly.

Novel claim (Q1): First UQFF MUGE for NGC 3603 that includes **both** a stellar wind term $T_{\text{wind}} = \rho_w v_w^2 / \rho_f$ AND a separate cavity expansion pressure term $T_P = P(t) / \rho_f$ where $P(t) = P_0 e^{-t/\tau_{\text{exp}}}$ with $P_0 = 4 \times 10^{-8}$ Pa — quantifying that the cluster simultaneously blows out material via ram pressure AND drives an expanding hot-gas cavity at pressures $\gg$ the ambient ISM, both decaying on the same $\tau = 1$ Myr timescale.

2. System Parameters

Parameter	Symbol	Value
Initial cluster mass	M_0	$400,000 M_\odot = 7.956 \times 10^{35} \text{ kg}$
Cluster half-radius	r	$9.5 \text{ ly} = 8.988 \times 10^{16} \text{ m}$
SF timescale	τ_{SF}	$1 \text{ Myr} = 3.156 \times 10^{13} \text{ s}$
Growth factor	M_f	1.0 (doubles peak mass to $800,000 M_\odot$)
Wind density	ρ_w	10^{-20} kg/m^3
Wind velocity	v_w	$2 \times 10^6 \text{ m/s}$
Fluid density	ρ_f	10^{-20} kg/m^3
Initial cavity pressure	P_0	$4 \times 10^{-8} \text{ Pa}$
Cavity decay timescale	τ_{exp}	$1 \text{ Myr} = 3.156 \times 10^{13} \text{ s}$
Magnetic field	B	10^{-5} T
Hubble constant	H_0	$2.184 \times 10^{-18} \text{ s}^{-1}$

3. Time-Dependent Functions

Mass growth:

$$M(t) = 400,000 M_{\odot} (1 + e^{-t/\tau_{\text{sf}}})$$

Cavity pressure:

$$P(t) = 4 \times 10^{-8} e^{-t/\tau_{\text{exp}}} \text{ Pa}$$

At $t = 0$: $P = 4 \times 10^{-8} \text{ Pa}$

At $t = \tau = 1 \text{ Myr}$: $P = 1.47 \times 10^{-8} \text{ Pa}$

At $t \gg \tau$: $P \rightarrow 0$ (cavity fully expanded)

4. Complete 10-Term MUGE

$$g_{\text{N3603}}(r, t) = T_1 + T_2 + T_3 + T_4 + T_5 + T_6 + T_7 + T_8 + T_9 + T_{10}$$

T1 — Newtonian + $H_0 t$ + B:

$$T_1 = \frac{GM(t)}{r^2} (1 + H_0 t) (1 - B/B_{\text{crit}})$$

$$\frac{GM_0}{r^2} = \frac{6.674 \times 10^{-11} \times 7.956 \times 10^{35}}{(8.988 \times 10^{16})^2} = \frac{5.308 \times 10^{25}}{8.078 \times 10^{33}} \approx 6.57 \times 10^{-9} \text{ m/s}^2$$

$$T_1(t=0) \approx 2 \times 6.57 \times 10^{-9} \approx 1.31 \times 10^{-8} \text{ m/s}^2 \quad [M_f = 1 \Rightarrow M(0) = 2M_0]$$

T2 — UQFF Ug with f_{TRZ} :

$$T_2 = 2 \times 1.31 \times 10^{-8} \times 1.1 \approx 2.88 \times 10^{-8} \text{ m/s}^2$$

T3 — Λ : negligible

T4 — Quantum: negligible

T5 — Scaled EM: negligible ($B=1\text{e-}5 \text{ T}$)

T6 — Fluid: minor

T7 — Oscillatory cluster modes: minor

T8 — DM perturbation: minor

T9 — Stellar wind ram pressure:

$$T_9 = \frac{\rho_w v_w^2}{\rho_f} = \frac{10^{-20} \times (2 \times 10^6)^2}{10^{-20}} = 4 \times 10^{12} \text{ m}^2/\text{s}^2 \Rightarrow a_w = \frac{4 \times 10^{12}}{r} \approx 4.45 \times 10^{-5} \text{ m/s}^2$$

T10 — Cavity pressure (novel dual term):

$$T_{10} = \frac{P(t)}{\rho_f} = \frac{4 \times 10^{-8}}{10^{-20}} = 4 \times 10^{12} \text{ m}^2/\text{s}^2 \Rightarrow a_P = \frac{4 \times 10^{12}}{r} \approx 4.45 \times 10^{-5} \text{ m/s}^2$$

5. Canonical Numerical Result

At $t = 0$:

Term	Value (m/s ²)	Fraction
T_9 Wind	4.45×10^{-5}	50.0%
T_{10} Cavity P	4.45×10^{-5}	50.0%
T_2 UQFF Ug	2.88×10^{-8}	<0.001%
T_1 Newtonian	1.31×10^{-8}	<0.001%

$$g_{\text{N3603}}(t = 0) \approx 8.90 \times 10^{-5} \text{ m/s}^2 \quad [\text{dual wind+pressure dominated}]$$

Unique feature: PAPER_439 is the first MUGE where T_9 and T_{10} are **equal magnitude** at $t = 0$ — this is because $P_0 = \rho_w v_w^2 = 10^{-20} \times 4 \times 10^{12} = 4 \times 10^{-8}$ Pa. After $t = \tau_{\text{exp}}$, the cavity pressure falls to P/e while wind persists, breaking the degeneracy.

6. Uniqueness vs Prior Papers

Prior Paper	System	Overlap	New in PAPER_439
PAPER_383	NGC 3603 tail	2-line	Full 10-term + dual wind+cavity
PAPER_422	System: NGC 3603 brief	brief	Complete numerical evaluation
PAPER_434	Wd2 wind	Wind only	Added $P(t)/\rho$ cavity term

7. Comparison to Standard Model

Standard YMC models (Pellegrini et al. 2011): Pressure-driven bubble expansion described by Weaver et al. model $R(t) \propto (L_{\text{wind}}/\rho)^{1/5} t^{3/5}$. UQFF provides the alternative: both ram pressure and thermal pressure contribute independently (T_9 and T_{10}), predicting a phase transition at $t = \tau_{\text{exp}}$ where the cavity pressure $P(t)$ falls below ram pressure: $P(\tau_{\text{exp}}) = P_0/e$, creating an observable density/velocity discontinuity in the expanding shell.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.087

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $71, \quad n_{\text{channel}} =$
 $24/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

71 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

connecting

to

the

PA-

PER_877

Stage

5

buoy-

ancy

seed

$U_{b,\text{seed}} =$

$0.1 \cdot$

$(\hbar c/r^2) \cdot$

f_{SCm}

which

ini-

tial-

izes

the

har-

monic

se-

ries

at

cos-

mo-

gen-

esis.

###

§B.4

Production-

Scale

Con-

sis-

tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—

—
—-|-

—|-

—||

VDS
ratio
|

$$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$$

| Lo-
cal
sub-
ratio

$$= 0.087$$

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in \{2,3,...,113\}$

|
 $p_{\text{DVP}} = 711$

✓
Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_T (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_T = 6.6524e-29 \text{ m}^2$	$\sigma_T = 6.6524e-29 \text{ m}^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
NGC 3603 Star Cluster luminosity X-ray + UV	UQFF MUGE g_total $\rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: $L_X \approx g_{\text{total}} \times M_{\text{env}}$	$L_X L_X \sim 10^{35} \text{ erg/s}$	Chandra CXC	✓ Consistent order of magnitude
GR Schwarzschild limit	UQFF g_total must satisfy $g \leq c^2/(2r_s)$ at event horizon	$r_s = 2GM/c^2$ (GR exact)	PDG 2024 / GR	✓ UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa = 0.0005/\text{day} \rightarrow$ timescale $\tau_{\text{UQFF}} = 2000 \text{ days}$	Observed X-ray variability τ_{obs} (instrument monitoring)	Chandra CXC	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for NGC 3603 Star Cluster through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future Chandra CXC monitoring observations.

Cite PAPER_642 (UQFFSMParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

8. Testable Predictions

Q5 Prediction 1: $T_9 = T_{10}$ at $t = 0$ predicts the initial wind-driven and pressure-driven components are equal — testable by spectral decomposition of the X-ray spectrum of the NGC 3603 hot gas bubble: UQFF predicts equal thermal (kT from pressure) and kinetic (ρv^2 from wind) contributions at the bubble boundary, verifiable with Chandra/XMM spectroscopy.

Q5 Prediction 2: $P(t)$ decays on $\tau_{\text{exp}} = 1 \text{ Myr}$ while $M(t)$ SF decays on $\tau_{\text{SF}} = 1 \text{ Myr}$ simultaneously — UQFF predicts both wind and pressure terms track each other and both cease at $t \approx 3\tau = 3 \text{ Myr}$, explaining why NGC 3603 leaves an open cluster without a dense envelope (unlike older clusters like R136, age $\sim 2 \text{ Myr}$, which retain some cavity).

Q5 Prediction 3: The mass growth factor $M_f = 1.0$ means NGC 3603 is currently at half-mass relative to its SF peak ($M_{\text{peak}} = 800,000 M_{\odot}$) — this predicts a velocity dispersion enhancement of $\sqrt{2}$ above the current σ value at the $t = 0$ epoch, testable by comparing current ($t \approx 1 \text{ Myr}$) to predicted $t = 0$ dynamics using stellar orbit integrations in the cluster potential.