

PAPER_440 — Bubble Nebula NGC 7635: Per-System MUGE with E(t) GROWING Expansion and Low-Mass Central Star

Author: Daniel T. Murphy **Date:** 2025

Source: grok_share_68eb34022.txt — Document 12: “Master Universal Gravity Equation_The Bubble Nebula Evolution_03May2025.docx” (lines 3788–4125) **Session:** 119 **CP4 Class:** BubbleNebulaPerSystemMUGE_GrowingExpansion_Calculator (#95)

Abstract

This paper presents a UQFF analysis of Bubble Nebula NGC 7635: Per-System MUGE with E(t) GROWING Expansion and Low-Mass Central Star, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_440 delivers the **complete per-system MUGE** for the Bubble Nebula (NGC 7635) — a stellar wind nebula in Cassiopeia driven by the O-star SAO 20575 (BD+60°2522), $M_\star = 46 M_\odot$, at $d \approx 11$ kly. The bubble radius is $r \approx 5$ ly = 4.731×10^{16} m, with expansion age $\tau_{\text{exp}} = 4$ Myr.

Novel claim (Q1): First UQFF MUGE for NGC 7635 with a **GROWING expansion factor** $E(t) = E_0(1 - e^{-t/\tau_{\text{exp}}})$ — in contrast to the decaying erosion in Pillars of Creation (PAPER_435). Here E INCREASES from 0 to $E_0 = 0.1$ as the stellar wind bubble inflates, meaning the $(1 - E(t))$ suppression of self-gravity GROWS over time — physically representing the process where wind energy excavates an increasingly larger volume, reducing the effective gravitational restoring force at the bubble wall. Wind velocity $v_w = 1800$ km/s is also unique to this system (vs Wd2’s 2000 km/s).

2. System Parameters

Parameter	Symbol	Value
Central star mass	$M_\star$	$46 M_\odot = 9.149 \times 10^{31}$ kg
Bubble radius	r	$5 \text{ ly} = 4.731 \times 10^{16}$ m
Expansion timescale	τ_{exp}	$4 \text{ Myr} = 1.262 \times 10^{14}$ s
Max expansion factor	E_0	0.1
Magnetic field	B	10^{-6} T
Wind density	ρ_w	10^{-21} kg/m ³
Wind velocity	v_w	1.8×10^6 m/s (1800 km/s)
Fluid density	ρ_f	10^{-21} kg/m ³
Hubble constant	H_0	2.184×10^{-18} s ⁻¹

3. Growing Expansion Function

$$E(t) = 0.1 \left(1 - e^{-t/\tau_{\text{exp}}}\right)$$

Time	$E(t)$	$(1 - E(t))$	Physical meaning
$t = 0$	0	1.000	No wind yet, full self-gravity
$t = \tau = 4 \text{ Myr}$	0.0632	0.937	6.3% suppression
$t = \infty$	0.100	0.900	10% max suppression

Contrast with Pillars (PAPER_435): $E_{\text{PoC}}(t) = E_0 e^{-t/\tau}$ DECREASES (starts high, decays to 0). Here E GROWS — fundamentally different topology.

4. Complete 10-Term MUGE

$$g_{\text{Bub}}(r, t) = T_1(1 - E(t)) + T_2(1 - E(t)) + T_3 + T_4 + T_5 + T_6 + T_7 + T_8 + T_9 + T_{10}$$

T1 — Newtonian + $H_0 t$ + $\mathbf{B} \times (\mathbf{1} - \mathbf{E}(t))$:

$$T_1 = \frac{GM_{\star}}{r^2} (1 + H_0 t) (1 - B/B_{\text{crit}}) (1 - E(t))$$

$$\frac{GM_{\star}}{r^2} = \frac{6.674 \times 10^{-11} \times 9.149 \times 10^{31}}{(4.731 \times 10^{16})^2} = \frac{6.104 \times 10^{21}}{2.238 \times 10^{33}} \approx 2.73 \times 10^{-12} \text{ m/s}^2$$

At $t = \tau_{\text{exp}} = 4 \text{ Myr}$: $T_1 \approx 2.73 \times 10^{-12} \times 0.937 \approx 2.55 \times 10^{-12} \text{ m/s}^2$

T2 — UQFF $\mathbf{Ug} \times (\mathbf{1} - \mathbf{E}(t))$: $\approx 2 \times 2.73 \times 10^{-12} \times 1.1 \times 0.937 \approx 5.62 \times 10^{-12} \text{ m/s}^2$

T3-T8: All negligible or minor

T9 — Wind ram pressure:

$$T_9 = \frac{\rho_w v_w^2}{\rho_f} = \frac{10^{-21} \times (1.8 \times 10^6)^2}{10^{-21}} = 3.24 \times 10^{12} \text{ m}^2/\text{s}^2 \Rightarrow a_w = \frac{3.24 \times 10^{12}}{r} \approx 6.85 \times 10^{-5} \text{ m/s}^2$$

5. Canonical Numerical Result

$$g_{\text{Bub}}(t = 4 \text{ Myr}) \approx 6.85 \times 10^{-5} \text{ m/s}^2 \quad [\text{wind dominant by } 10^7 \times g_{\text{self}}]$$

Wind/gravity after expansion at $t = \tau_{\text{exp}}$:

$$\frac{a_w}{g_{\text{self}} \times (1 - E)} = \frac{6.85 \times 10^{-5}}{2.55 \times 10^{-12}} \approx 2.7 \times 10^7$$

The growing $E(t)$ means the bubble is progressively more dynamically unbound as it expands.

6. Uniqueness vs Prior Papers

Prior Paper	Overlap	New in PAPER_440
PAPER_435 (PoC)	Same E form but DECAYING	GROWING E(t) — unique topology
PAPER_383	NGC 7635 brief	Full 10-term evaluation
None	$v_w = 1800$ km/s specific	Only system with this exact v_w

7. Comparison to Standard Model

Standard Weaver et al. (1977) stellar wind bubble model: $R \propto (L_w t^3 / \rho_0)^{1/5}$, purely kinematic. UQFF adds the $(1 - E(t))$ gravitational channel where the expanding bubble reduces the effective self-gravity — absent from Weaver’s model, in principle testable by comparing bubble shell deceleration profiles.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis
 ###
 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.134

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $73,$ $n_{\text{channel}} =$
 $25/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

73 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

connecting

to

the

PA-

PER_877

Stage

5

buoy-

ancy

seed

$U_{b,\text{seed}} =$

$0.1 \cdot$

$(\hbar c/r^2) \cdot$

f_{SCm}

which

ini-

tial-

izes

the

har-

monic

se-

ries

at

cos-

mo-

gen-

esis.

###

§B.4

Production-

Scale

Con-

sis-

tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio
=
0.134

| ✓
Threshold-
consistent

||
DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$
|
 $p_{\text{DVP}} =$
731
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_T (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_T = 6.6524e-29 \text{ m}^2$	$\sigma_T = 6.6524e-29 \text{ m}^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
Bubble Nebula NGC 7635 luminosity $H\alpha$ + X-ray GR Schwarzschild limit κ vacuum rate vs X-ray variability	UQFF MUGE $g_{\text{total}} \rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: $L_X \approx g_{\text{total}} \times M_{\text{env}}$ UQFF g_{total} must satisfy $g \leq c^2/(2r_s)$ at event horizon UQFF $\kappa = 0.0005/\text{day} \rightarrow$ timescale $\tau_{\text{UQFF}} = 2000 \text{ days}$	$L_X R_{\text{bubble}} \sim 3 \text{ pc}$ $r_s = 2GM/c^2$ (GR exact) Observed X-ray variability τ_{obs} (instrument monitoring)	HST + Chandra PDG 2024 / GR HST + Chandra	✓ Consistent order of magnitude ✓ UQFF respects GR horizon Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for Bubble Nebula NGC 7635 through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future HST + Chandra monitoring observations.

Cite *PAPER_642* (*UQFFSMParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

8. Testable Predictions

Q5 Prediction 1: $E_0 = 0.1$ with $\tau_{\text{exp}} = 4 \text{ Myr}$ predicts that at current age $\sim 4 \text{ Myr}$, the self-gravity at the bubble wall is suppressed by 6.3% relative to if the star had never blown a wind. UQFF predicts this appears as a 6.3% deficit in the gas column density at the bubble wall vs predictions from simple r^{-2} falloff — measurable in Herschel dust emission maps.

Q5 Prediction 2: Wind velocity $v_w = 1800 \text{ km/s}$ (vs Wd2's 2000 km/s) predicts a lower shock temperature $T_{\text{bub}} = m_p v_w^2 / (3k_B) \approx 2.4 \times 10^8 \text{ K}$ — softer X-ray spectrum ($kT \approx 2 \text{ keV}$ vs 3.5 keV for Wd2), testable with XMM-Newton or Chandra.

Q5 Prediction 3: At $t \rightarrow \infty$, $E \rightarrow E_0 = 0.1$ — UQFF predicts the bubble expansion velocity asymptotically decreases by 10% from the initial value as the full $(1 - E_0) = 0.9$ factor is reached. This predicts a $\sim 10\%$ deceleration in the observed bubble expansion rate at ages $\gg 4\tau = 16 \text{ Myr}$, testable against very old WR nebulae around evolved massive stars.