

PAPER_464 — M51 Whirlpool Galaxy: MUGE UQFF Integration with NGC 5195 Tidal Interaction, Spiral Density Waves, and BH Jets

Date: 2025

Whitepaper Series: Star-Magic UQFF Phase 2 — Spiral Galaxy Dynamics **Session:** 120 (C++ module encoded) / Whitepapers created Session 122 **Source:** grok_share_dc707f5d3.txt (Doc 46 — M51UQFFModule, “MUGE Whirlpool Galaxy M51”) **Classification:** FIRST MUGE UQFF for Whirlpool Galaxy; FIRST tidal compression term for NGC 5195 interaction; FIRST spiral density wave coupling in UQFF gravity **Author:** Daniel T. Murphy **CP4 Class:** Pending (dc707f5d3 batch) **C++ Module:** M51UQFFModule.h / M51UQFFModule.cpp

Abstract

This paper presents the complete M51 (Whirlpool Galaxy) gravitational evolution model under the Master Universal Gravity Equation (MUGE) integrated with the Unified Quantum Field Framework (UQFF). The system models M51’s gravitational dynamics incorporating tidal interaction with NGC 5195, spiral arm density wave pressure, central black hole ($M_{\text{BH}} = 1 \times 10^6 M_{\odot}$) jet/torus contribution, star formation rate $\text{SFR} = 1 M_{\odot}/\text{yr}$, and dark matter halo. The total effective gravity $g_{\text{M51}} \approx 3 \times 10^{36} \text{ m/s}^2$ at $t = 500 \text{ Myr}$ is dominated by dark matter and fluid terms, with tidal F_{env} providing the dominant environmental correction. The competing attractive ($g_{\text{base}}, U_{g1}, U_{g3'}$) and repulsive (U_{g2}, Λ) components demonstrate the UQFF’s capacity to model interacting galaxy dynamics with multi-term precision.

2. Core Physics — PAPER_464

2.1 System Parameters

Parameter	Value	Notes
M (total)	$1.6 \times 10^{11} M_{\odot}$ ($\sim 3.18 \times 10^{41} \text{ kg}$)	Total M51 mass
M_{BH}	$1 \times 10^6 M_{\odot}$	Central black hole mass
M_{NGC5195}	$1 \times 10^{10} M_{\odot}$	Companion galaxy mass
r	23.58 kpc ($\sim 7.28 \times 10^{20} \text{ m}$)	Effective radius
SFR	$1 M_{\odot}/\text{yr}$	Star formation rate
d_{NGC5195}	50 kpc	Separation from companion
B	$1 \times 10^{-5} \text{ T}$	M51 magnetic field
z	0.002	Redshift
ρ_{fluid}	$1 \times 10^{-20} \text{ kg/m}^3$	ISM gas density
M_{DM}	$\sim 0.85 \times M_{\text{total}}$	Dark matter fraction

2.2 Master Gravitational Equation

$$g_{\text{M51}}(r, t) = \frac{GM_{\text{sf}}(t)}{r(t)^2} (1 + H_z t) \left(1 - \frac{B}{B_{\text{crit}}}\right) (1 + F_{\text{env}}(t))(1 + f_{\text{TRZ}}) \\ + \sum U_{gi} + \frac{\Lambda c^2}{3} + U_i + g_{\text{quantum}} + g_{\text{fluid}} + g_{\text{DM}}$$

Where:

$$M_{\text{sf}}(t) = M_0 \left(1 + \frac{\text{SFR} \cdot t}{M_0} \right), \quad r(t) = r_0 + v_r t$$

$$H(t, z) = H_0 \sqrt{\Omega_m (1 + z)^3 + \Omega_\Lambda}$$

2.3 Environmental Force $F_{\text{env}}(t)$ — Tidal + Star Formation

The tidal interaction with NGC 5195 is modeled as:

$$F_{\text{tidal}} = \frac{GM_{\text{NGC5195}}}{d_{\text{NGC5195}}^2}$$

$$F_{\text{SF}} = k_{\text{SF}} \cdot \frac{\text{SFR}}{M_\odot/\text{yr}}$$

$$F_{\text{env}}(t) = F_{\text{tidal}} + F_{\text{SF}}$$

This is the **first UQFF environmental force term for a tidally interacting galaxy pair**. NGC 5195 acts as an external attractor modifying M51's gravitational field through compression and mass redistribution along spiral arms.

2.4 Ug Sub-terms for Spiral Galaxy

- **Ug1** (magnetic dipole): $U_{g1} = \mu_{\text{dipole}} \cdot B$, where $\mu_{\text{dipole}} = I \cdot A \cdot \omega_{\text{spin}}$
- **Ug2** (superconductor): $U_{g2} = B_{\text{super}}^2 / (2\mu_0)$, where $B_{\text{super}} = \mu_0 H_{\text{aether}}$
- **Ug3'** (external NGC 5195 gravity): $U'_{g3} = GM_{\text{NGC5195}} / d_{\text{NGC5195}}^2$
- **Ug4** (reactive decay): $U_{g4} = k_4 \cdot E_{\text{react}}(t)$, where $E_{\text{react}} = 10^{46} e^{-0.0005t}$

2.5 Dark Matter and Fluid Terms

$$g_{\text{DM}} = (M_{\text{visible}} + M_{\text{DM}}) \left(\frac{\delta\rho}{\rho} + \frac{3GM}{r^3} \right)$$

$$g_{\text{fluid}} = \rho_{\text{fluid}} \cdot V \cdot g_{\text{base}}$$

The DM fraction follows $M_{\text{DM}} = 0.85 \times M$, $M_{\text{visible}} = 0.15 \times M$.

3. Equation Summary

$$g_{\text{M51}}(r, t) = \frac{GM_{\text{sf}}(t)}{r(t)^2} (1 + H_z t) (1 - B/B_{\text{crit}}) (1 + F_{\text{tidal}} + F_{\text{SF}}) (1 + f_{\text{TRZ}}) + \sum U_{gi} + \frac{\Lambda c^2}{3} + U_i + g$$

Computed Result: $g_{\text{M51}} \approx 3 \times 10^{36} \text{ m/s}^2$ at $t = 500 \text{ Myr}$, $r = 10 \text{ kpc}$ — DM/fluid dominant; repulsive Λ and Ug2 terms advance the UQFF multi-pole framework for interacting galaxy pairs.

4. Physical Interpretation

- **Tidal compression** from NGC 5195 is the primary F_{env} driver — demonstrating that galaxy interactions can be fully captured in UQFF's modular $F_{\text{env}}(t)$ framework without SM approximations.
 - **Competing attractive/repulsive structure:** U_{g1} (dipole), $U_{g3'}$ (external) are attractive; U_{g2} (superconductor), Λ (cosmological) are repulsive — modeling the real observed spiral arm structure of M51.
 - **Spiral density waves:** reflected in SFR and $r(t)$ expansion coupling.
-

5. C++ Module Reference

Module: M51UQFFModule (root-level, Session 120 from grok_share_dc707f5d3.txt) **Key method:** `computeG(double t, double r)` — returns total g_{M51} in m/s^2 **System preset:** M51 loaded via constructor defaults **Integration point:** MAIN_1_CoAnQi.cpp SOURCE4 validation suite

```
##  
§A.  
Cosmogenesis-  
Linked  
La-  
grangian  
(PA-  
PER_877  
Sym-  
bolic  
Ex-  
port)  
##  
§B.  
VDS/DVP/BSH  
Deep  
Syn-  
the-  
sis  
###  
§B.1  
Vac-  
uum  
Den-  
sity  
Se-  
ries  
(VDS)
```


 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.124

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $47, \quad n_{\text{channel}} =$
 $23/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

47 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁶
M_{BH}/M_⊙
yr
 (quasi-
 normal
 mode
 ring-
 down):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH},\text{sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.124

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
471
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_T (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_T = 6.6524 \times 10^{-29} \text{ m}^2$	$\sigma_T = 6.6524 \times 10^{-29} \text{ m}^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
Astrophysical system luminosity X-ray / Radio	UQFF MUGE $g_{\text{total}} \rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: $L_X \approx g_{\text{total}} \times M_{\text{env}}$	$L_X L \geq 10^{37} \text{ erg/s}$	Chandra CXC	✓ Consistent order of magnitude
GR Schwarzschild limit	UQFF g_{total} must satisfy $g \leq c^2/(2r_s)$ at event horizon	$r_s = 2GM/c^2$ (GR exact)	PDG 2024 / GR	✓ UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa = 0.0005/\text{day} \rightarrow$ timescale $\tau_{\text{UQFF}} = 2000 \text{ days}$	Observed X-ray variability τ_{obs} (instrument monitoring)	Chandra CXC	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for Astrophysical system through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future Chandra CXC monitoring observations.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

QS=5 — Full UQFF integration: tidal F_{env} , Ug1-Ug4, DM/fluid terms, spiral galaxy parameters. *Copyright — Daniel T. Murphy. Encoded Oct 10, 2025.*