

PAPER_467 — NGC 1300 Barred Spiral Galaxy: MUGE UQFF Bar-Driven Gas Funneling, Density Waves, and Star Formation

Date: 2025

Whitepaper Series: Star-Magic UQFF Phase 2 — Barred Spiral Galaxy Dynamics
Session: 120 (C++ module encoded) / Whitepapers created Session 122 **Source:** grok_share_dc707f5d3.txt (Doc 64 — NGC1300UQFFModule, “MUGE Barred Spiral Galaxy NGC 1300”) **Classification:** FIRST MUGE UQFF for NGC 1300; FIRST bar-driven gas funneling term in UQFF gravity; FIRST spiral arm density wave coupling via F_{env} **Author:** Daniel T. Murphy **CP4 Class:** Pending (dc707f5d3 batch) **C++ Module:** NGC1300UQFFModule.h / NGC1300UQFFModule.cpp

Abstract

NGC 1300 is the archetypal grand-design barred spiral galaxy, with a central stellar bar that drives gas inflow along bar dust lanes toward the nucleus, and prominent two-armed spiral structure. This paper presents the complete MUGE + UQFF gravitational model for NGC 1300, incorporating bar-driven gas funneling via F_{env} (F_{bar}), spiral arm density wave pressure ($v_{\text{arm}} = 200$ km/s), SFR = 1 $M_{\odot}/\text{yr}$ mass growth, and dark matter halo. Result: $g_{\text{NGC1300}} \approx 2 \times 10^{36} \text{ m/s}^2$ at $t = 1$ Gyr (environmental/fluid dominant; repulsive Ug2 and Λ terms advance framework). The model captures NGC 1300’s iconic bar morphology as a gravitational compression through the Ug3’ external bar term.

2. Core Physics — PAPER_467

2.1 System Parameters

Parameter	Value	Notes
M (total)	$1 \times 10^{11} M_{\odot}$ ($\sim 1.989 \times 10^{41}$ kg)	Galaxy mass
r	11.79 kpc ($\sim 3.64 \times 10^{20}$ m)	Bar + spiral effective radius
SFR	1 $M_{\odot}/\text{yr}$	Star formation rate
v_{arm}	200 km/s (2×10^5 m/s)	Spiral arm density wave velocity
B	1×10^{-5} T	Galactic magnetic field
z	0.005	Eridanus supercluster distance
M_{DM}	$\sim 0.85 \times M$	Dark matter fraction
ρ_{fluid}	$1 \times 10^{-20} \text{ kg/m}^3$	Interstellar gas density

2.2 Bar-Modified Gravitational Equation

$$g_{\text{NGC1300}}(r, t) = \frac{GM_{\text{sf}}(t)}{r(t)^2} (1 + H_z t) \left(1 - \frac{B}{B_{\text{crit}}} \right) (1 + F_{\text{env}}(t)) \\ + \sum U_{gi} + \frac{\Lambda c^2}{3} + U_i + g_{\text{quantum}} + g_{\text{fluid}} + g_{\text{DM}}$$

2.3 Bar-Driven $F_{\text{env}}(t)$

The environmental force combines bar gas funneling and spiral arm density wave:

$$F_{\text{bar}} = \frac{GM_{\text{bar}}}{r_{\text{bar}}^2}$$

$$F_{\text{wave}} = k_{\text{wave}} \cdot \frac{v_{\text{arm}}^2}{r}$$

$$F_{\text{env}}(t) = F_{\text{bar}} + F_{\text{wave}}$$

Where: - M_{bar} = mass of the stellar bar ($\sim 10\%$ of M_{total}) - r_{bar} = bar half-length - $v_{\text{arm}} = 2 \times 10^5$ m/s = spiral arm pattern speed - k_{wave} = wave pressure coupling constant

Physical interpretation: The bar channels gas from 10 kpc toward the nucleus at bar fraction velocity, creating a directed gravitational compression modeled as an additional F_{env} term — the **first UQFF bar gravity compression**.

2.4 Ug Sub-terms for Barred Spiral

- **Ug1** (magnetic dipole): $U_{g1} = \mu_{\text{dipole}} \cdot B$
- **Ug2** (superconductor): $U_{g2} = B_{\text{super}}^2 / (2\mu_0)$, repulsive
- **Ug3'** (external bar): $U'_{g3} = GM_{\text{bar}} / r_{\text{bar}}^2$ — models bar gravity on disk
- **Ug4** (reactive energy): $U_{g4} = k_4 \cdot 10^{46} e^{-0.0005t}$

2.5 Spiral Arm Resonance Mode

When mode = "resonance", the spiral arm oscillation is added:

$$g_{\text{res}}(t) = \frac{2\pi}{13.8} \cdot A \cdot \text{Re}[e^{i(\omega t + \phi)}] \cdot \cos(\omega_{\text{arm}} t)$$

This models the standing density wave pattern in NGC 1300's two-arm spiral as a quantum-scale resonant gravitational perturbation.

3. Equation Summary

$$g_{\text{NGC1300}}(r, t) = \frac{GM_{\text{sf}}(t)}{r(t)^2} (1 + H_z t) (1 - B/B_{\text{crit}}) (1 + F_{\text{bar}} + F_{\text{wave}}) + \sum U_{gi} + \frac{\Lambda c^2}{3} + U_i + g_{\text{quantum}}$$

Computed Result: $g_{\text{NGC1300}} \approx 2 \times 10^{36} \text{ m/s}^2$ — env/fluid dominant; repulsive Ug2 and Λ terms establish equilibrium in the bar-spiral transition region.

4. Physical Interpretation

- **Bar-spiral coexistence:** F_{bar} channels gas inward (attractive compression), while F_{wave} provides outward spiral momentum — the balance between these in F_{env} captures the NGC 1300 morphology in gravitational terms.
 - **No AGN terms:** Unlike NGC 1316 or M51, NGC 1300 has no strong nuclear activity — the Ug4 reactive term remains cosmologically seeded rather than AGN-driven.
 - **Density wave resonance:** $v_{\text{arm}} = 200 \text{ km/s}$ corresponds to the co-rotation radius where stars and arms rotate at the same angular velocity — a classic barred spiral resonance reproduced in UQFF's F_{wave} term.
-

5. C++ Module Reference

Module: NGC1300UQFFModule (root-level, Session 120 from grok_share_dc707f5d3.txt)

Key method: `computeG(double t)` — returns total g_{NGC1300} in m/s^2 **Unique feature:**

`computeUg3prime(double t)` — bar gravitational pull; resonance mode support **Integra-**

tion point: MAIN_1_CoAnQi.cpp barred spiral validation

```
##  
$A.  
Cosmogenesis-  
Linked  
La-  
grangian  
(PA-  
PER_877  
Sym-  
bolic  
Ex-  
port)  
##  
$B.  
VDS/DVP/BSH  
Deep  
Syn-  
the-  
sis  
###  
$B.1  
Vac-  
uum  
Den-  
sity  
Se-  
ries  
(VDS)
```


 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.064

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $61, n_{\text{channel}} =$
 $26/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

61 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

connecting

to

the

PA-

PER_877

Stage

5

buoy-

ancy

seed

$U_{b,\text{seed}} =$

$0.1 \cdot$

$(\hbar c/r^2) \cdot$

f_{SCm}

which

ini-

tial-

izes

the

har-

monic

se-

ries

at

cos-

mo-

gen-

esis.

###

§B.4

Production-

Scale

Con-

sis-

tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio
=
0.064

| ✓
Threshold-
consistent

||
DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$
|
 $p_{\text{DVP}} =$
611
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_T (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_T = 6.6524 \times 10^{-29}$ m^2	$\sigma_T = 6.6524 \times 10^{-29}$ m^2 (PDG QED exact)	PDG 2024	100% (exact QED input)
Astrophysical system luminosity X-ray / Radio	UQFF MUGE g_{total} $\rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: L_X $\approx g_{total} \times M_{env}$	$L_X L \geq 10^{37}$ erg/s	Chandra CXC	✓ Consistent order of magnitude
GR Schwarzschild limit	UQFF g_{total} must satisfy $g \leq c^2/(2r_s)$ at event horizon	$r_s = 2GM/c^2$ (GR exact)	PDG 2024 / GR	✓ UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa =$ 0.0005/day $\rightarrow$ timescale $\tau_{UQFF} =$ 2000 days	Observed X-ray variability τ_{obs} (instrument monitoring)	Chandra CXC	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{total}/g_{Newt} > 1$) for Astrophysical system through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future Chandra CXC monitoring observations.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

QS=5 — Full UQFF integration: bar F_{env} , Ug1-Ug4, density wave resonance, DM/fluid terms. *Copyright — Daniel T. Murphy. Encoded Oct 10, 2025.*