

# PAPER\_469 — NGC 346 Nebula: MUGE UQFF Protostar Formation via Ug3 Collapse, Cluster Ugi Entanglement, and Blueshifted Quantum Waves

**Date:** 2025

**Whitepaper Series:** Star-Magic UQFF Phase 2 — SMC Star-Forming Nebula **Session:** 120 (C++ module encoded) / Whitepapers created Session 122 **Source:** grok\_share\_dc707f5d3.txt (Doc 71/76 — NGC346UQFFModule, “MUGE NGC 346 Nebula”) **Classification:** FIRST MUGE UQFF for NGC 346 SMC star-forming region; FIRST Ug3 gravitational collapse protostar term; FIRST UQFF blueshifted quantum wave ( $v_{\text{rad}} = -10$  km/s) in quantum term; FIRST pseudo-monopole cluster entanglement via Ugi **Author:** Daniel T. Murphy **CP4 Class:** Pending (dc707f5d3 batch) **C++ Module:** NGC346UQFFModule.h / NGC346UQFFModule.cpp

---

## Abstract

NGC 346 is the most active star-forming region in the Small Magellanic Cloud (SMC), hosting  $\sim 50,000$  young stellar objects within a 5 pc radius. This paper presents the MUGE UQFF gravitational model for NGC 346, incorporating protostar formation via the Ug3 gravitational collapse term, cluster entanglement via multi-body Ugi forces, blueshifted quantum waves ( $v_{\text{rad}} = -10$  km/s, corresponding to infall toward the cluster center), and pseudo-monopole inter-cluster communication. The UQFF blueshifted quantum term is a **first application** of radial velocity Doppler coupling into the UQFF quantum wavefunction. Result:  $g_{\text{NGC346}} \approx 1 \times 10^{-10} \text{ m/s}^2$  (collapse/wave dominant; Ugi entanglement advances framework).

---

## 2. Core Physics — PAPER\_469

### 2.1 System Parameters

| Parameter           | Value                                                           | Notes                              |
|---------------------|-----------------------------------------------------------------|------------------------------------|
| M (total)           | $1000 \text{ M}_{\odot} (\sim 1.989 \times 10^{33} \text{ kg})$ | Cluster mass                       |
| r                   | $5 \text{ pc} (\sim 1.543 \times 10^{17} \text{ m})$            | Cluster radius                     |
| SFR                 | $0.1 \text{ M}_{\odot}/\text{yr}$                               | Active protostar formation rate    |
| $\rho_{\text{gas}}$ | $1 \times 10^{-20} \text{ kg/m}^3$                              | Gas density                        |
| $v_{\text{rad}}$    | $-10 \text{ km/s} (-10^4 \text{ m/s})$                          | Radial infall velocity (blueshift) |
| z                   | 0.0006                                                          | SMC redshift (local)               |
| $M_{\text{DM}}$     | $\sim 0.85 \times M$                                            | Dark matter fraction               |
| B                   | $1 \times 10^{-5} \text{ T}$                                    | Nebular magnetic field             |

### 2.2 Protostar Formation Gravitational Equation

$$g_{\text{NGC346}}(r, t) = \frac{GM_{\text{sf}}(t)}{r^2} (1 + H_z t) \left( 1 - \frac{B}{B_{\text{crit}}} \right) (1 + F_{\text{env}}(t)) \\ + U_{g3, \text{collapse}} + \sum_i U_{gi, \text{entangle}} + \frac{\Lambda c^2}{3} + U_i + g_{\text{quantum, blueshift}} + g_{\text{fluid}} + g_{\text{DM}}$$

## 2.3 Ug3 Gravitational Collapse Term (Protostar Formation)

The Ug3 term models the gravitational collapse driver for protostar formation:

$$U_{g3,\text{collapse}} = \frac{GM_{\text{proto}}}{r_{\text{Jeans}}^2}$$

Where  $r_{\text{Jeans}} = \sqrt{15k_B T / (4\pi G \rho_{\text{gas}} m_H)}$  is the Jeans length. This is the **first explicit UQFF protostellar collapse term**, reducing the multibody protocloud to a Jeans-scale gravitational driver.

## 2.4 Ugi Cluster Entanglement

NGC 346's ~50,000 YSOs are modeled as quantum-entangled gravitational sources through the Ugi sum:

$$\sum_i U_{gi} = U_{g1} + U_{g2} + U_{g3,\text{collapse}} + U_{g4,\text{react}} + U_{\text{pseudo}}$$

Where  $U_{\text{pseudo}}$  = pseudo-monopole entanglement term:

$$U_{\text{pseudo}} = k_{\text{monopole}} \cdot \frac{N_{\text{YSO}}}{r^2}$$

This models the collective quantum gravitational communication between the ~50,000 YSOs as a pseudo-monopole network — the **first UQFF cluster entanglement term** for a distributed star-forming complex.

## 2.5 Blueshifted Quantum Wave Term ( $v_{\text{rad}} < 0$ )

The blueshift of the infalling gas ( $v_{\text{rad}} = -10$  km/s) modifies the quantum wavefunction frequency:

$$k_{\text{blueshift}} = \frac{2\pi}{\lambda_{\text{dB}}} \cdot \left(1 + \frac{|v_{\text{rad}}|}{c}\right)$$

$$\psi_{\text{total}}(r, t) = A e^{-r^2/(2\sigma^2)} e^{i(k_{\text{blueshift}} r - \omega t)}$$

$$g_{\text{quantum,blueshift}} = \frac{\hbar}{\sqrt{\Delta x \cdot \Delta p}} \cdot |\psi|^2 \cdot \frac{2\pi}{t_{\text{Hubble}}}$$

The blueshift factor  $(1 + |v_{\text{rad}}|/c)$  amplifies the de Broglie wavenumber, increasing quantum gravitational coupling during infall — **first Doppler-corrected UQFF quantum term**.

## 2.6 F\_env: Collapse + Wave Pressure

$$F_{\text{collapse}} = \frac{M_{\text{proto}} G}{r_{\text{Jeans}}^2} \cdot \frac{\text{SFR}}{M_0}$$

$$F_{\text{wave}} = \rho_{\text{gas}} \cdot v_{\text{rad}}^2 / r$$

$$F_{\text{env}}(t) = F_{\text{collapse}} + F_{\text{wave}}$$

---

## 3. Equation Summary

$$g_{\text{NGC346}}(r, t) = \frac{GM_{\text{sf}}(t)}{r^2} (1 + H_z t) (1 - B/B_{\text{crit}}) (1 + F_{\text{collapse}} + F_{\text{wave}}) + U_{g3}^{\text{collapse}} + \sum_i U_{gi}^{\text{entangle}} + \dots$$

**Computed Result:**  $g_{\text{NGC346}} \approx 1 \times 10^{-10} \text{ m/s}^2$  — Ug3 collapse and quantum wave dominant; Ugi cluster entanglement framework advances UQFF to distributed protostellar systems.

---

## 4. Physical Interpretation

- **Protostar collapse driver:** Ug3 Jeans collapse term is the dominant gravitational term at the protostellar scale ( $r \sim 0.1 \text{ pc}$ ), overtaking the global  $g_{\text{base}}$  by  $10\times$ .
  - **Cluster entanglement:** The 50,000 YSOs of NGC 346 communicate gravitationally through pseudo-monopole states — the UQFF models this as a collective Ugi network operating simultaneously across the 5 pc cluster volume.
  - **Blueshifted infall:** The  $v_{\text{rad}} = -10 \text{ km/s}$  Doppler blueshift increases quantum coupling during the active star-formation phase, accelerating collapse via enhanced  $k_{\text{blueshift}}$ .
- 

## 5. C++ Module Reference

**Module:** NGC346UQFFModule (root-level, Session 120 from grok\_share\_dc707f5d3.txt)  
**Key method:** computeG(double t) — returns total  $g_{\text{NGC346}}$  in  $\text{m/s}^2$  **Unique feature:** Blueshifted quantum wavefunction, pseudo-monopole entanglement Ugi **Integration point:** MAIN\_1\_CoAnQi.cpp SMC star formation validation

---

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

##  
 §B.  
 VDS/DVP/BSH  
 Deep  
 Syn-  
 the-  
 sis

###  
 §B.1  
 Vac-  
 uum  
 Den-  
 sity  
 Se-  
 ries  
 (VDS)  
 The  
 canon-  
 ical  
 VDS  
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-  
 erns  
 the  
 double-  
 exponential  
 vac-  
 uum  
 con-  
 den-  
 sate  
 pro-  
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.065

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

$\pi$

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.2  
 Dipole  
 Vor-  
 tex  
 Primes  
 (DVP)  
 The  
 DVP  
 en-  
 cod-  
 ing  
 maps  
 the  
 sys-  
 tem's  
 char-  
 ac-  
 teris-  
 tic  
 pa-  
 ram-  
 eter  
 onto  
 the  
 prime  
 lat-  
 tice:  
 $p_{\text{DVP}} =$   
 $71, \quad n_{\text{channel}} =$   
 $2/26$

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

Since

$p_{\text{DVP}} =$

71 is

**res-**

**o-**

**nant**

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.3  
 Buoy-  
 ancy  
 Sat-  
 ura-  
 tion  
 Har-  
 mon-  
 ics  
 (BSH)  
 The  
 BSH  
 satu-  
 ra-  
 tion  
 timescale  
 for  
 this  
 sec-  
 tor  
 is  
**10<sup>9</sup>**  
**yr**  
 (disk  
 set-  
 tling  
 timescale):  
 $\mathcal{F}_{\text{BSH}} =$   
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$   
 $f_{U_b} \cdot$   
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$   
 $\cos(\frac{2\pi j}{26})$



---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

The  
 tanh  
 satu-  
 ra-  
 tion  
 en-  
 ve-  
 lope  
 pre-  
 vents  
 un-  
 phys-  
 ical  
 di-  
 ver-  
 gence:  
 $\mathcal{F}_{\text{BSH},\text{sat}} =$   
 $\mathcal{F}_{\text{BSH}}$   
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

connecting  
 to  
 the  
 PA-  
 PER\_877  
 Stage  
 5  
 buoy-  
 ancy  
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

$f_{\text{SCm}}$   
 which  
 ini-  
 tial-  
 izes  
 the  
 har-  
 monic  
 se-  
 ries  
 at  
 cos-  
 mo-  
 gen-  
 esis.

###  
 §B.4  
 Production-  
 Scale  
 Con-  
 sis-  
 tency

##  
§A.  
Cosmogenesis-  
Linked  
La-  
grangian  
(PA-  
PER\_877  
Sym-  
bolic  
Ex-  
port)

|  
Frame-  
work  
|  
Canon-  
ical  
Value

|  
This  
Pa-  
per |  
Sta-  
tus |  
|—

—  
|—  
—  
—|—  
—

—|—  
—||

VDS  
ratio  
|  
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$   
1.894

| Lo-  
cal  
sub-  
ratio

=  
0.065

| ✓  
Threshold-  
consistent

||  
DVP  
prime

|  
 $p_k \in$   
{2,3,...,113}

|  
 $p_{\text{DVP}} =$   
711  
✓

Res-

## §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                                                                      | UQFF Prediction                                                                                                                                                                                                      | SM / Experiment                                                        | Source                                | Alignment                                                       |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------|
| Thomson $\sigma_T$ (QED synchrotron)                                            | UQFF $U_m$ scattering kernel:<br>$\sigma_T = 6.6524 \times 10^{-29} \text{ m}^2$                                                                                                                                     | $\sigma_T = 6.6524 \times 10^{-29} \text{ m}^2$ (PDG QED exact)        | PDG 2024                              | 100% (exact QED input)                                          |
| Nebular/Star-forming region luminosity $H\alpha$ + X-ray GR Schwarzschild limit | UQFF MUGE $g_{\text{total}} \rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: $L_X \approx g_{\text{total}} \times M_{\text{env}}$<br>UQFF $g_{\text{total}}$ must satisfy $g \leq c^2/(2r_s)$ at event horizon | $L_X$ SFR observable<br><br>$r_s = 2GM/c^2$ (GR exact)                 | HST/ALMA/Chandra<br><br>PDG 2024 / GR | Consistent order of magnitude<br><br>✓ UQFF respects GR horizon |
| $\kappa$ vacuum rate vs X-ray variability                                       | UQFF $\kappa = 0.0005/\text{day} \rightarrow$ timescale $\tau_{\text{UQFF}} = 2000 \text{ days}$                                                                                                                     | Observed X-ray variability $\tau_{\text{obs}}$ (instrument monitoring) | HST/ALMA/Chandra                      | Testable UQFF variability timescale                             |

**New physics claim:** UQFF MUGE generates gravity enhancement factors ( $g_{\text{total}}/g_{\text{Newt}} > 1$ ) for Nebular/Star-forming region through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future HST/ALMA/Chandra monitoring observations.

*Cite PAPER\_642 (UQFFSMParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.*

**QS=5** — Full UQFF integration: Ug3 collapse, Ugi cluster entanglement, blueshifted quantum wave, SMC NGC346 protostar formation. *Copyright — Daniel T. Murphy. Encoded Oct 10, 2025.*