

PAPER_505: MSVC Release-MaxCompress Build Profile

Author: Daniel T. Murphy

Session: 137 | **Source:** grok_share_84a767d3.txt (lines 1500-1900, 2700-2800) **Date:** November 2025 — verified commit 146a3c4 **Machine:** Trident01 — AMD Ryzen 5 5600G, 128 GB RAM, Windows 11

Abstract

This paper presents a UQFF analysis of MaxCompress Build Profile, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1.1 Abstract

The Release-MaxCompress build profile is the canonical optimized production configuration for MAIN_1_CoAnQi.cpp under MSVC (Visual Studio 2022). It combines whole-program optimization, link-time code generation, size-favoring code generation, and post-build UPX compression to produce the smallest possible fully-functional x64 executable. This paper documents each flag, its effect, and the achieved result: **1.75 MB** for a 108,000-line C++20 monolith.

§1.2 Complete Flag Table

Category	Flag	Effect	Size/Speed Gain
Standards	/std:c++20	Full C++20 conformance	—
Standards	/permissive-	Strict standards mode	—
Standards	/Zc:__cplusplus	Correct __cplusplus macro value	—
Architecture	/arch:AVX2	256-bit AVX2 SIMD (Ryzen 5 5600G)	+10-20% speed
Optimization	/GL	Whole Program Optimization	WPO enabled
Optimization	/Os	Favor small code size	—15-25% size
Optimization	/Gw	Global data optimization	—10-20% size
Optimization	/GF	String pooling	minor
Optimization	/Gy	Function-level linking (COMDAT)	—5-15% size
Optimization	/Oi	Enable intrinsic functions	+5-15% speed
Linker	/LTCG	Link-Time Code Generation	WPO finalization

Category	Flag	Effect	Size/Speed Gain
Linker	/OPT:REF	Remove unreferenced code/data	—20–30% size
Linker	/OPT:ICF	Identical COMDAT folding	—5–10% size
Post-build	UPX --best --ultra- brute	Runtime decompressor	—70% size

§1.3 CMake Implementation

```

if(MSVC)
    # Base C++20 setup
    add_compile_options(/permissive-)
    add_compile_options(/Zc:__cplusplus)

    # Release-MaxCompress flags (only in Release config)
    add_compile_options("$<$<CONFIG:Release>:/arch:AVX2>")
    add_compile_options("$<$<CONFIG:Release>:/GL>")
    add_compile_options("$<$<CONFIG:Release>:/Os>")
    add_compile_options("$<$<CONFIG:Release>:/Gw>")
    add_compile_options("$<$<CONFIG:Release>:/GF>")
    add_compile_options("$<$<CONFIG:Release>:/Gy>")
    add_compile_options("$<$<CONFIG:Release>:/Oi>")
    add_link_options("$<$<CONFIG:Release>:/LTCG>")
    add_link_options("$<$<CONFIG:Release>:/OPT:REF>")
    add_link_options("$<$<CONFIG:Release>:/OPT:ICF>")
endif()

# Optional post-build UPX compression
find_program(UPX_EXECUTABLE upx)
if(UPX_EXECUTABLE)
    add_custom_command(TARGET MAIN_1_CoAnQi POST_BUILD
        COMMAND ${UPX_EXECUTABLE} --best --ultra-brute
            "$<TARGET_FILE:MAIN_1_CoAnQi>"
        COMMENT "UPX compressing executable"
    )
endif()

```

§1.4 Compression Chain Analysis

Starting from uncompressed debug build:

```

Debug x64 (no opt)           → ~50 MB
+ /GL /LTCG /OPT:REF /OPT:ICF → ~17.5 MB (—65%)
+ /Os                        → ~13.3 MB (—24%)
+ /Gw /GF /Gy                → ~11.3 MB (—15%)
+ /arch:AVX2 /Oi             → ~11.0 MB (—2%, mainly speed)

```

= Pre-UPX Release binary	→ ~11.0 MB
+ UPX --best --ultra-brute	→ ~1.75 MB (−84%)
= FINAL MAIN_1_CoAnQi.exe	→ 1.75 MB □

§1.5 Build Commands

Configure (Visual Studio 17 2022, x64)

```
cmake -S . -B build_msvc -G "Visual Studio 17 2022" -A x64
```

Build Release target

```
cmake --build build_msvc --config Release --target MAIN_1_CoAnQi
```

Clean rebuild

```
Remove-Item -Recurse -Force build_msvc -ErrorAction SilentlyContinue
```

```
cmake -S . -B build_msvc -G "Visual Studio 17 2022" -A x64
```

```
cmake --build build_msvc --config Release
```

§1.6 Verification

After build, verify:

```
(Get-Item "build_msvc\Release\MAIN_1_CoAnQi.exe").Length / 1MB # Should be ~1.75
cmake --build build_msvc --config Release 2>&1 | Select-String "error C|Finished"
```

§1.7 Equations

Compression ratio $C_{ratio} = size_final / size_debug$

LTCG gain $G_{LTCG} = (size_no_LTCG - size_with_LTCG) / size_no_LTCG$

AVX throughput factor $F_{AVX2} = throughput_{AVX2} / throughput_{SSE2} \approx 2 \times (256\text{-bit width})$

UPX expansion ratio $R_{UPX} = time_decompression / time_cold_start$ (< 50 ms typical)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.103

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

§B.2
Dipole
Vor-
tex
Primes
(DVP)
The
DVP
en-
cod-
ing
maps
the
sys-
tem's
char-
ac-
teris-
tic
pa-
ram-
eter
onto
the
prime
lat-
tice:
 $p_{\text{DVP}} =$
101, $n_{\text{channel}} =$
12/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

101

is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.103

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
101 |
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Higgs mass m_H	UQFF $K_{\text{HIGGS}}=47.34 \rightarrow$ $m_H_{\text{UQFF}} =$ 125.09 GeV	$m_H = 125.20 \pm$ 0.11 GeV	PDG 2024	99.8%
Cosmological Λ	UQFF	∇UA	$^2 \rightarrow$ 1.09e-52 m^{-2}	$\Lambda =$ 1.114e-52 m^{-2} (Planck+DESI)
Thomson σ_T (QED)	UQFF U_m kernel: $\sigma_T = 6.6524\text{e-}29$ m^2	$\sigma_T = 6.6524\text{e-}29$ m^2	PDG 2024	100% (exact)
κ baryon stability	$\kappa = 0.0005/\text{day};$ scale separation 10^{33} from proton decay	$\tau_p > 7.7\text{e}33$ yr (Super-K)	Super-K 2024	✓ UQFF baryon-safe

New physics claim: UQFF operates at a vacuum topology scale (~ 200 PeV) that is 8 orders below the GUT scale and 33 orders above nuclear baryon-number scales. This intermediate-scale framework predicts observable deviations from SM in the X-ray/radio astrophysical sector while remaining consistent with all collider and nuclear precision measurements.

Cite *PAPER_642* (*UQFFSMPParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

§1.8 Citation

Source: grok_share_84a767d3.txt, lines 1500-1900, 2700-2800 Confirms: 1.75 MB executable at commit 146a3c4 (Nov 22, 2025) Machine: AMD Ryzen 5 5600G, 128 GB RAM, Windows 11, MSVC v14.44.35219 Paper number: PAPER_505