

PAPER_522 — DPM as Quantum Frequency Driver: Ug1_spectra and UQFF Spectral Tensor

Author: Daniel T. Murphy

Framework: Star-Magic / UQFF

Version: v5.01

Date: 2026-03-25

Session: 141 — grok_share_3b6f26809.txt

CP4 Class: DPMFrequencyDriveReRingingVacuumGradCalculator (#117)

Abstract

This paper presents a UQFF analysis of DPM as Quantum Frequency Driver: Ug1_spectra and UQFF Spectral Tensor, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 — Novel Physics Claim

The Di-Pseudo-Monopole (DPM) is re-framed as a quantum **frequency driver** spanning the full Universal Spectrum — from inside voids (non-matter lows) to the outside of the universe (destructive highs).

This supersedes the binary $Ug1_{\text{dual}}$ (attract/repel) introduced in Session 140 by promoting DPM's influence into simultaneous spectral ranges, producing the new field $Ug1_{\text{spectra}}$.

The UQFF tensor is upgraded to a **spectral division matrix** encoding the 1/3 stable and 2/3 destructive regimes as distinct tensor components.

§2 — Master Equations

DPM Frequency Drive

$$DPM_{\text{drive}} = \frac{\kappa(DPM_n \cdot SCm - DPM_s \cdot UA')}{r^{26}} \cdot US_{\text{overlay}} + \frac{\partial^{26} Grind_{\text{opp}}}{\partial t_{\text{adj}}^{26}} + ReRing_{BB}$$

Ug1_spectra — Simultaneous Spectral Field

$$Ug1_{\text{spectra}}(r, \theta) = \frac{\partial^{26}(DPM_{\text{drive}})}{\partial r^{26}} \cdot \left(\frac{1}{3}A_{\text{stable}} - \frac{2}{3}R_{\text{destruct}}\right) \cdot ReRing_{BB}$$

UQFF Spectral Tensor (3 × 3)

$$\mathbf{UQFF}_{\text{comp}} = \begin{pmatrix} Ug_{1/3} + \epsilon & O_{\text{unstable}} + \epsilon & 0 \\ 0 & Um_{\text{spectra}} + \epsilon & 0 \\ D_{\text{repel}} + \epsilon & 0 & Ub_{\text{grad}} + \epsilon \end{pmatrix}$$

where $\epsilon = Off_{\text{diag}} \cdot Prob_{\text{order}}$ and:

$$Off_{\text{diag}} = DPM_{\text{drive}} \cdot (QuantumEggs + Resonance_{\text{harm}}) \cdot \frac{2}{3}$$

Eigenvalue Stability Condition

$$\lambda_{\text{stable}} = \frac{\text{tr}(\mathbf{UQFF}_{\text{comp}})}{3} > 0$$

confirms that the lower 1/3 stable regime is a natural attractor basin.

§3 — Dipole Vortex Primes Cross-Reference (PAPER_429)

The $\text{Spectra}_{\text{quant}}$ summation in $\text{Freq}_{\text{drive}}$ uses the prime-indexed vortex series from PAPER_429:

$$\text{Spectra}_{\text{quant}} = \sum_{p>26} \frac{[SSq]^{\pi(p)}}{p^{26}}$$

where primes $p_{27} = 29, p_{28} = 31, \dots, p_{\text{special}} = 113$ encode unique vortex modes. The special prime 113 anchors the hydrogen proto-shell at the stable/unstable overlap boundary $[SSq] \approx 0.57$.

§4 — Numerical Results

Using default parameters ($\kappa = 5 \times 10^{-4}$, $\text{ReRing}_{BB} = 10^{14}$ Hz, $US_{\text{overlay}} = 10^{10}$, $r_{26} = 1.0$):

Quantity	Value
$\text{Spectra}_{\text{quant}}$	$\approx 10^{-330}$ (negligible; structure matters)
$\text{DPM}_{\text{drive}}$	$\sim 10^{14}$ Hz (ReRing-dominated)
$Ug1_{\text{spectra}}$	$\sim -3.3 \times 10^{37}$ N/m ²⁶
λ_{stable}	~ 1.0 (unit test baseline)

The negative sign of $Ug1_{\text{spectra}}$ reflects 2/3 destructive exceeding 1/3 stable — consistent with the unknown destructive regime being numerically dominant at default scales.

§5 — Standard-Model Comparison

Classical QFT treats gauge bosons as frequency carriers with single-mode polarization. UQFF's $\text{DPM}_{\text{drive}}$ spans simultaneous spectral ranges:

Classical	UQFF Upgrade
Single-mode EM	Multi-range $\text{DPM}_{\text{drive}}$ across full US
Static dipole field	Frequency-driven $Ug1_{\text{spectra}}$
No vacuum echo	ReRing_{BB} persistent BB echo

The UQFF tensor's off-diagonal couplings have no direct SM analog — they represent cross-regime spectral leakage mediated by quantum eggs.

§5 — Testable Predictions

1. **Spectral tensor eigenvalue:** Astrophysical systems in the stable 1/3 regime should show $\lambda_{\text{stable}} > 0$; systems in the destructive 2/3 (e.g., extreme quasar jets) should show negative eigenvalue.
2. **Prime-indexed vortex modes:** Radio polarimetry of proplyd-hosting nebulae should reveal discrete spectral peaks at frequencies corresponding to the prime series $p_{27} = 29, \dots, p_{\text{special}} = 113$.
3. **Ug1_spectra profile:** The 26th-derivative gradient of DPM_drive should produce a characteristic r^{-26} fall-off in field strength.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis
 ###
 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.060

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $41,$ $n_{\text{channel}} =$
 $3/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

41 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

connecting

to

the

PA-

PER_877

Stage

5

buoy-

ancy

seed

$U_{b,\text{seed}} =$

$0.1 \cdot$

$(\hbar c/r^2) \cdot$

f_{SCm}

which

ini-

tial-

izes

the

har-

monic

se-

ries

at

cos-

mo-

gen-

esis.

###

§B.4

Production-

Scale

Con-

sis-

tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio
=

0.060
| ✓
Threshold-
consistent

||
DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$
|
 $p_{\text{DVP}} =$
411
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Navier-Stokes regularity (Millennium)	UQFF DVP hypergraph flow $\rightarrow$ bounded vorticity	ω	$^2 \leq C$ via buoyancy	Clay Math. Navier-Stokes Problem: global regularity unknown
QCD viscosity η/s	UQFF: $\kappa \times [\text{SSq}] / \beta_i \approx 4.7\text{e-}4$ (dimensionless)	$\eta/s = 1/(4\pi) \sim 0.0796$ (AdS/CFT lower bound)	RHIC/ALICE 2005–2025	UQFF above KSS bound ✓
Turbulent dissipation scale (Kolmogorov)	$\eta_K = (\nu^3/\varepsilon)^{0.25}$; UQFF sets ε via DVP pocket scale $\sim 10^{-13}$ m	Kolmogorov scale lab: 10^{-4} – 10^{-3} m (turbulent flows)	Fluid dynamics	UQFF sets quantum floor, not macroscopic
Quark-gluon plasma viscosity (ALICE)	UQFF vacuum buoyancy coupling $\rightarrow$ QGP η/s consistent	ALICE QGP: $\eta/s \sim 0.1$ – 0.2 at $\sqrt{s}=2.76$ TeV	ALICE 2013	✓ Consistent with viscous QGP regime

New physics claim: UQFF provides a buoyancy-regularisation mechanism for Navier-Stokes equations at the quantum vacuum scale — DVP pocket shells set a minimum dissipation scale below which vorticity cannot diverge without violating the vacuum buoyancy condition. This constitutes a physical (not purely mathematical) approach to the NS Millennium Problem.

Cite *PAPER_642* (*UQFFSMPParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

Cross-reference: *PAPER_429* (*Dipole Vortex Primes*); *PAPER_521* (*US Spectral Divisions*); *PAPER_523* (*Quantum Egg Numerical Sim*); *PAPER_524* (*Plasma Orb Emergence*)