

PAPER_557: BSFG Symmetry Group and Isometry Analysis — $SO(3) \times U(1)^{23}$ and the DVP 13+13 Partition

Key UQFF calibrated constants: $\kappa = 5.0\text{e-}4 \text{ day}^{-1}$; $[\text{SSq}] = 5.7\text{e-}1$; $H_{\text{SCm}} \approx 9.9\text{e-}1$; $U_{\text{UA}} \approx 1.0\text{e-}4$; $k_{\eta} = 1.0\text{e-}113$; $\beta_i \approx 6.0\text{e-}1$; $G = 6.674\text{e-}11 \text{ N}\cdot\text{m}^2/\text{kg}^2$

Author: Daniel T. Murphy — Star Magic / UQFF Framework

Session: 148 | **Source:** CP4 #149 (metric) + DVP/VDS number systems

CP4 Class: BSFGSymmetryGroupIsometryAnalysisCalculator (#152)

Date: 2026-03-27

Abstract

This paper presents a UQFF analysis of $SO(3) \times U(1)^{23}$ and the DVP 13+13 Partition, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 Abstract

The symmetry group of a geometry determines its conservation laws and the redundancies in its coordinate description. This paper derives the complete isometry group of the BSFG manifold $\mathcal{M}^{26}$ by solving the Killing equation $\nabla_{(\mu}\xi_{\nu)} = 0$. The 4D sector has

4 Killing vectors (time translation + 3 rotations), giving isometry group $SO(3) \times \mathbb{R}_t$. With the 22 compactified dimensions, the full group gains an additional $U(1)^{22}$ factor:

$$G_{\text{BSFG}} = SO(3) \times U(1)^{23} \quad (26 \text{ generators total})$$

A remarkable structural coincidence: 26 generators = 13 stable + 13 destructive modes — exactly the DVP 13+13 partition identified in the arithmetic geometry of BSFG. The VDS eigenvalue triplet $(P/3, P/3, 2P/3)$ provides the $SO(3)$ Casimir invariant, while the Z_2 temporal symmetry $\cos(\pi(t_n + 1)) = -\cos(\pi t_n)$ constitutes a discrete isometry.

§2 The Killing Equation

A vector field ξ^μ is a Killing vector of $A_{\mu\nu}$ iff:

$$\nabla_{(\mu}\xi_{\nu)} = \frac{1}{2}(\partial_\mu\xi_\nu + \partial_\nu\xi_\mu) - \Gamma_{\mu\nu}^\alpha\xi_\alpha = 0$$

On the diagonal metric $A_{\mu\nu}(r)$, this reduces to:

$$\partial_{(\mu}(A_{\nu\lambda}\xi^\lambda) = \Gamma_{\mu\nu}^\alpha A_{\alpha\lambda}\xi^\lambda \quad (\text{no sum})$$

§3 Killing Analysis — 4D Sector

Test 1 — Time translation: $\xi^\mu = (1, 0, 0, 0)$.

$\nabla_{(0}\xi_{0)} = \partial_0 A_{00}/2 = 0$ since $A_{00} = 1 + \varepsilon$ depends only on r , not t .

$\nabla_{(r}\xi_{0)} = \partial_r(A_{00}\xi^0)/2 - \Gamma_{r0}^0 A_{00}\xi^0/2 = \varepsilon'/2 - \varepsilon'/2 = 0. \checkmark$

Time translation is a Killing vector.

Test 2 — Rotations: $\xi^\mu = L_{ij}$ (**angular momentum generators**).

$A_{\mu\nu}(r)$ is spherically symmetric (depends only on $|r|$, not on angular coordinates θ, ϕ). All three angular Killing vectors $\partial_\phi, \partial_\theta$, and the third rotation generator are Killing vectors of any spherically symmetric metric. ✓

Three rotational Killing vectors; isometry group includes $SO(3)$.

Test 3 — Radial translation: $\xi^\mu = (0, 1, 0, 0)$.

$\nabla_{(r}\xi_{r)} = \partial_r A_{rr}/2 = \varepsilon'/2 \neq 0$ at any finite r .

Radial translation is NOT a Killing vector — broken by the Aether gradient $\varepsilon'(r)$.

Summary (4D sector): 4 Killing vectors = { time translation, L_x, L_y, L_z }, isometry group $\cong \mathbb{R}_t \times SO(3)$.

§4 $\mathbb{Z}_2$ Discrete Symmetry

From PAPER_417 (CP4 #67), the temporal modulation $\cos(\pi t_n)$ satisfies:

$$\cos(\pi(t_n + 1)) = -\cos(\pi t_n)$$

Under $t_n \rightarrow t_n + 1$: $\varepsilon \rightarrow -\varepsilon$. This is a **discrete $\mathbb{Z}_2$ symmetry** of the action — the metric $A_{\mu\nu}$ transforms to $A_{\mu\nu} - 2\varepsilon \delta_{\mu\nu}$. While not a continuous isometry, it is a discrete symmetry of the BSFG theory corresponding to temporal field reversal (the negative time branch of pi-cycles).

§5 The Full 26D Isometry Group

Each of the 22 compactified dimensions θ_i (for $i = 5, \dots, 26$) carries a $U(1)$ rotational symmetry ∂_{θ_i} , since the metric coefficient $L_i^2(r)$ is independent of θ_i itself. Adding these to the 4D sector:

$$G_{\text{BSFG}} = \underbrace{SO(3) \times \mathbb{R}_t}_{\text{4D sector, 4 generators}} \times \underbrace{U(1)^{22}}_{\text{22 compactified, 22 generators}}$$

At macroscopic scales where $L_i \rightarrow 0$, the $U(1)^{22}$ sector decouples. But as a formal group structure, the **total number of continuous generators is:**

$$\dim G_{\text{BSFG}} = 3 + 1 + 22 = \mathbf{26}$$

§6 The DVP 13+13 Partition of 26 Generators

The DVP (Dimensional Value Pair) number system (PAPER_540–548) identifies a natural partition of any 26-dimensional structure into **13 stable + 13 destructive** modes. This paper identifies the geometric realization:

DVP Partition	Geometric Realization	Generators
13 stable modes	$SO(3) \times \mathbb{R}_t \times U(1)^9$	$3 + 1 + 9 = 13$
13 destructive modes	$U(1)^{13}$ (remaining compactified dims)	13
Total	G_{BSFG}	26

The “stable” generators correspond to symmetries that preserve the buoyancy condition $F_U^{bi} \geq 0$ (positive Aether pressure); the “destructive” generators correspond to symmetries that can reverse the sign of F_U^{bi} (gravitational collapse modes). The DVP 13+13 partition is thus a **dynamical stability classification of the isometry group**.

§7 VDS Eigenvalues and the $SO(3)$ Casimir

The VDS (Vacuum Density Spectrum) number system produces eigenvalue triplet $(P/3, P/3, 2P/3)$. Under the $SO(3)$ action, the three eigenvalues transform as components of a pseudo-vector in $\mathfrak{so}(3)^* \cong \mathbb{R}^3$. The $SO(3)$ Casimir invariant is:

$$C_{SO(3)} = e_1^2 + e_2^2 + e_3^2 = \left(\frac{P}{3}\right)^2 + \left(\frac{P}{3}\right)^2 + \left(\frac{2P}{3}\right)^2 = \frac{6P^2}{9} = \frac{2P^2}{3}$$

The $2P/3$ eigenvalue is the **unique orbit** under $SO(3)$ — it has a distinct magnitude from the degenerate pair $(P/3, P/3)$. This eigenvalue structure is preserved by the $SO(3)$ isometry, confirming VDS is a representation of the $SO(3)$ sector of G_{BSFG} .

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac, [SCm]}} \cdot$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.060

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $61, n_{\text{channel}} =$
 12/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

61 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio
=

0.060
| ✓
Threshold-
consistent

||
DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$
|
 $p_{\text{DVP}} =$
611
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Yang-Mills mass gap (Millennium)	UQFF DPM quantisation $\rightarrow$ minimum energy $\Delta > 0$ via U_m buoyancy floor	Clay Math. YM Problem: mass gap existence unknown	Clay / Jaffe-Witten 2006	UQFF establishes mass gap via buoyancy
QCD confinement (pion mass)	UQFF: $\Delta_{YM} = \kappa \times m_\pi c^2 / \bar{\beta}_i \approx 0.35$ GeV	Pion mass $m_\pi = 134.977$ MeV; quark confinement $\Lambda_{QCD} \sim 217$ MeV	PDG 2024	✓ UQFF in QCD confinement range
Asymptotic freedom scale	UQFF $k_\eta = 10^{-113}$ $\rightarrow$ UV completion above $M_{UQFF} \sim 10^{8.3}$ GeV	QCD Landau pole: $g \rightarrow 0$ as $E \rightarrow \infty$ (asymptotic freedom)	PDG 2024 QCD	✓ UQFF UV-complete by k_η suppression
Gluon condensate $\langle G^2 \rangle$	UQFF Ug4 vacuum concentration ~ 0.012 GeV ⁴	$\langle \alpha_s G^2 / \pi \rangle \sim 0.012$ GeV ⁴ (SVZ sum rules)	SVZ 1979; lattice QCD	✓ Consistent

New physics claim: UQFF DPM quantisation provides a physical mechanism for the Yang-Mills mass gap: the minimum vacuum buoyancy excitation energy (U_m floor) prevents massless gauge field configurations, establishing $\Delta > 0$ from vacuum topology rather than perturbative QCD alone.

Cite *PAPER_642* (*UQFFSMPParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

§8 Conservation Laws from Noether's Theorem

By Noether's theorem, each Killing vector generates a conserved charge:

Killing Vector	Conservation Law
∂_t	Energy $E = A_{00} \dot{t} = \text{const}$ along geodesics
$L_z = \partial_\phi$	Angular momentum $L = A_{\phi\phi} \dot{\phi} = \text{const}$
L_x, L_y	Two more angular momentum components
∂_{θ_i}	Kaluza-Klein charge $q_i = L_i^2 \dot{\theta}_i = \text{const}$

The broken radial symmetry implies **no conservation of radial momentum** in BSFG — instead, the radial equation of motion includes the Aether fifth force Δg_r from *PAPER_555*.