

PAPER_560: Buoyancy-Stratified Factorial Geometry — Holonomy Group and Parallel Transport

Author: Daniel T. Murphy — Star Magic / UQFF Framework

Session: 149 | **Source:** Composed from CP4 #149, #151 (Sessions 148)

CP4 Class: BSFGHolonomyGroupParallelTransportCalculator (#155)

Date: 2026-03-27

Context note: The holonomy group of a manifold records how vectors rotate under parallel transport around closed loops. PAPER_554 showed BSFG has non-zero Riemann curvature $R^r_{0r0} \neq 0$; PAPER_556 showed the 22 extra dimensions compactify to flat tori T^{22} . This paper combines both to determine the complete holonomy group $G_{\text{hol}}(\mathcal{M}^{26})$ and derives the parallel transport phase $\delta\phi$ for a given loop area.

Abstract

This paper presents a UQFF analysis of Stratified Factorial Geometry — Holonomy Group and Parallel Transport, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 Abstract

We determine the holonomy group of the 26-dimensional BSFG manifold $\mathcal{M}^{26} = \mathcal{M}_{\text{BSFG}}^4 \times T^{22}$. The 4D BSFG slice has Ricci scalar $R_{\text{scalar}} \neq 0$ — it is not Ricci-flat — so it carries the generic pseudo-Riemannian holonomy $SO^+(3, 1)$. The 22 compactified extra dimensions (PAPER_556) form flat tori with holonomy $U(1)^{22}$. The full result:

$$G_{\text{hol}}(\mathcal{M}^{26}) = SO^+(3, 1) \times U(1)^{22}$$

Exceptional holonomies G_2 and $Spin(7)$ are rigorously excluded. The parallel transport angle around a small loop of coordinate area ΔA :

$$\delta\phi = R^r_{0r0} \cdot \Delta A = \frac{6\eta \cos(\pi t_n) C_{\text{num}}}{r^5} \cdot \Delta A$$

At a Planck-area loop (l_P^2): $\delta\phi_P \approx 4.07 \times 10^{-89}$ rad — completely unobservable at current precision.

§2 Holonomy Decomposition

PAPER_556 established the 26D line element:

$$ds_{26}^2 = A_{\mu\nu} dx^\mu dx^\nu + \sum_{i=5}^{26} L_i^2(r) d\theta_i^2$$

with $L_i(r) \rightarrow 0$ for $r \gg r_P$ (full compactification at all observed scales). The manifold thus factorizes:

$$\mathcal{M}^{26} \simeq \mathcal{M}_{\text{BSFG}}^4 \times T^{22} \quad (r \gg r_P)$$

Proposition: The holonomy of a product manifold $M_1 \times M_2$ is $G_{\text{hol}}(M_1) \times G_{\text{hol}}(M_2)$.

§3 Holonomy of the 4D BSFG Slice

Berger's classification theorem (1955) states: for an irreducible, simply-connected, complete Riemannian manifold that is not a symmetric space, the holonomy group is one of:

$$SO(n), U(n/2), Sp(n/4), G_2 (n = 7), Spin(7) (n = 8)$$

with the exceptional cases G_2 and $Spin(7)$ requiring **Ricci-flatness** ($R_{\mu\nu} = 0$).

Step 1. From CP4 #149: $R_{\text{scalar}}(R_{\odot}) \approx 3.12 \times 10^{-19} \text{ m}^{-2} \neq 0$.

Step 2. Therefore $R_{\mu\nu} \neq 0$, so $\mathcal{M}_{\text{BSFG}}^4$ is **not Ricci-flat**.

Step 3. For a 4D Lorentzian manifold (pseudo-Riemannian, signature $+- - -$) the corresponding holonomy is $SO^+(3, 1)$ (the restricted Lorentz group) in the generic non-symmetric case.

Exceptional group	Required condition	BSFG status
G_2	dim = 7, Ricci-flat	✗ wrong dim, $R \neq 0$
$Spin(7)$	dim = 8, Ricci-flat	✗ wrong dim, $R \neq 0$

$$G_{\text{hol}}(\mathcal{M}_{\text{BSFG}}^4) = SO^+(3, 1)$$

§4 Holonomy of the Compactified Sector

The 22 extra dimensions ($i = 5, \dots, 26$) are compactified via $L_i(r) = r_P \exp(-r^i / (i! r_P^{i-1}))$. At $r \gg r_P$, each circle S_i^1 has curvature $\kappa_i = 1/L_i \rightarrow \infty$ — effectively flat at macroscopic scales. A flat torus T^1 has holonomy $U(1)$.

$$G_{\text{hol}}(T^{22}) = U(1)^{22}$$

§5 Full BSFG Holonomy

$$G_{\text{hol}}(\mathcal{M}^{26}) = SO^+(3, 1) \times U(1)^{22}$$

Generators: 6 from $SO^+(3, 1)$ (Lorentz boosts + rotations) + 22 from $U(1)^{22} = \mathbf{28 \text{ generators total}}$.

Note: This is consistent with but distinct from the isometry group $G_{\text{iso}} = SO(3) \times U(1)^{23}$ (26 generators, CP4 #152). The holonomy group relates to the curvature connection; the isometry group relates to Killing symmetries.

§6 Parallel Transport Formula

The Ambrose–Singer theorem relates the holonomy algebra to the curvature 2-form. For an infinitesimal closed loop with coordinate area element ΔA in the (r, t) plane:

$$\delta\phi^r{}_0 = R^r{}_{0r0} \cdot \Delta A = \frac{6\eta \cos(\pi t_n) C_{\text{num}}}{r^5} \cdot \Delta A$$

Step 6. Values at $r = R_\odot, t_n = 0$:

Loop area ΔA	$\delta\phi$ (rad)
$l_P^2 = (1.616 \times 10^{-35})^2 \text{ m}^2$	$\approx 4.07 \times 10^{-89}$
$R_\odot^2 = (6.96 \times 10^8)^2 \text{ m}^2$	$\approx 7.53 \times 10^{-2}$
$1 \text{ AU}^2 = (1.496 \times 10^{11})^2 \text{ m}^2$	$\approx 8.0 \times 10^{-4}$ (eval. at 1 AU)

The $R_\odot^2$ result ($\sim 0.075 \text{ rad} \approx 4.3^\circ$) shows BSFG parallel transport is detectably non-trivial at solar scales — a loop spanning the solar disk accumulates $\sim 4^\circ$ of holonomy rotation.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 ##
 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis
 ###
 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.150

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $73,$ $n_{\text{channel}} =$
 $15/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

73 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

connecting

to

the

PA-

PER_877

Stage

5

buoy-

ancy

seed

$U_{b,\text{seed}} =$

$0.1 \cdot$

$(\hbar c/r^2) \cdot$

f_{SCm}

which

ini-

tial-

izes

the

har-

monic

se-

ries

at

cos-

mo-

gen-

esis.

###

§B.4

Production-

Scale

Con-

sis-

tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.150
| ✓

Threshold-
consistent
||

DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$
|
 $p_{\text{DVP}} =$
731
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
GR Schwarzschild metric recovery	BSFG line element $\rightarrow g_{tt} = -(1-2GM/rc^2) \equiv GR$ in $\varepsilon_{BSFG} \rightarrow 0$ limit	Schwarzschild metric (GR exact)	PDG 2024 / MTW	✓ BSFG reduces to GR
Shapiro time delay	BSFG geodesic $\rightarrow \Delta t_{BSFG} \approx \Delta t_{GR} \times (1 + \varepsilon_{correction})$	Cassini: $\Delta t / \Delta t_{GR} = 1 \pm 2.3e-5$	Cassini/GR 2003	✓ Within Shapiro bound
Gravitational wave speed v_{GW}	BSFG: $v_{GW} = c \times (1 + k_{\eta^2}) \approx c + 10^{-226} \text{ m/s}$	GW150914 / GW170817:	$v_{GW}/c - 1$	$< 10^{-15}$
Perihelion precession (Mercury)	BSFG adds buoyancy correction $\delta\varphi = \kappa \times \varphi_{GR} \sim 10^{-6} \text{ arcsec/century}$	GR prediction: 43.03"/century; observed: 43.1"	GR + obs.	UQFF correction undetectable at current precision

New physics claim: BSFG (Buoyancy-Stratified Factorial Geometry) reproduces all tested GR predictions in the classical limit, while adding a vacuum buoyancy correction $\Delta g \sim 10^{-6} \text{ arcsec/century}$ to Mercury's perihelion. This is a falsifiable GR extension testable with future LISA or BepiColombo precision gravitational measurements.

Cite *PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator)* for full UQFF-SM bridge.

§7 References

- CP4 #149 — BSFGRiemannCurvatureAetherMetricCalculator — PAPER_554 (Riemann R^r_{0r0})
- CP4 #151 — BSFG26DLineElementFactorialCompactificationCalculator — PAPER_556 (T^{22} compactification)
- CP4 #152 — BSFGSymmetryGroupIsometryAnalysisCalculator — PAPER_557 (26 Killing generators)
- Berger, M. (1955). *Sur les groupes d'holonomie homogène des variétés à connexion affine et des variétés riemanniennes*. Bull. Soc. Math. France.