

PAPER_772: AG Carinae Nebula — UQFF LBV Eruptive Shell Dynamics

Author: Daniel T. Murphy

Framework: UQFF (Universal Quantum Field Superconductive Framework)

Session: 181 | v5.41

Date: 2026

CP4 Class: #356 — AGCarinaeNebulaUQFFCalculator

Abstract

AG Carinae (~6,000 ly) is one of the brightest and most luminous stars in the Milky Way, an LBV surrounded by an ejected nebular shell spanning ~3 ly. The 2022 Hubble 31st anniversary image revealed intricate gaseous structures — clumps, dust lanes, and ionized filaments — driven by AG Car’s eruptive mass-loss episodes with terminal wind speeds of ~1,000 km/s. Under UQFF, the LBV eruptive wind Aether correction ($v = 10^6$ m/s) yields $g_{AGCar} \approx 1.053 \times 10^{-2} \text{ m/s}^2$, placing AG Carinae in the high-LBV velocity class.

1. Introduction

AG Carinae (or AG Car) oscillates between hot and cool phases, driving alternating fast-wind and slow-wind episodes that sculpt its surrounding nebula into a layered structure visible in Hubble’s UV and optical imagery. The mass of the nebula (~20 $M_{\odot}$) is concentrated within ~1 ly, making it one of the densest stellar nebulae known. The current fast-wind phase drives material at ~1,000 km/s into the older slow-wind shell. Under UQFF, the combination of no ongoing star formation (it is a single evolved star), high wind velocity, and moderate B-field places AG Car in the wind-dominated regime.

2. Master UQFF Gravity Equation

$$g_{AGCar}(r, t) = (G \times M) / r^2 \times (1 + f_{TRZ}) + a_{EM}$$

2.1 Parameters

Parameter	Symbol	Value	Source
Nebula + star mass	M	$20 M_{\odot} = 3.978 \times 10^{31} \text{ kg}$	Hubble
Shell radius	r	$1 \times 10^{16} \text{ m}$ (~1.06 ly)	Hubble
LBV wind velocity	v_wind	$1 \times 10^6 \text{ m/s}$ (1,000 km/s)	Observation
B-field	B	10^{-5} T	Nebular field
Redshift	z	0.002	Distance
f_TRZ	—	0.1	UQFF
t	—	$9.468 \times 10^{10} \text{ s}$ (3,000 yr)	Shell age

3. Long-Form Derivation

Step 1: Base Gravitational Term

$$\begin{aligned} g_{\text{grav}} &= (6.6743\text{e-}11 \times 3.978\text{e}31) / (1\text{e}16)^2 \\ &= 2.654\text{e}21 / 1\text{e}32 = 2.654\text{e-}11 \text{ m/s}^2 \end{aligned}$$

Step 2: Cosmic Expansion (negligible at 3,000 yr)

$$\begin{aligned} H(z) &= 2.269\text{e-}18 \text{ s}^{-1}; t = 9.468\text{e}10 \text{ s} \\ H(z) \times t &= 2.148\text{e-}7 \approx 0 \\ 1 + H(z) \times t &\approx 1.0000002 \end{aligned}$$

Step 3: Aether Electromagnetic Correction (LBV Eruptive Wind)

$$\begin{aligned} v_{\text{wind}} &= 1 \times 10^6 \text{ m/s (fast wind phase)} \\ B &= 10^{-5} \text{ T} \end{aligned}$$

$$\begin{aligned} q \times (v \times B) &= 1.602\text{e-}19 \times 1\text{e}6 \times 1\text{e-}5 = 1.602\text{e-}18 \text{ N} \\ a &= 1.602\text{e-}18 / m_p = 1.602\text{e-}18 / 1.673\text{e-}27 = 9.575\text{e}8 \text{ m/s}^2 \\ a_{\text{EM}} &= 9.575\text{e}8 \times 11 \times 1\text{e-}12 = 1.053\text{e-}2 \text{ m/s}^2 \end{aligned}$$

Step 4: Time-Reversal Correction

$$1 + f_{\text{TRZ}} = 1.1$$

Step 5: Final Solution

$$\begin{aligned} g_{\text{AGCar}} &= (2.654\text{e-}11) \times (1.1) + 1.053\text{e-}2 \\ &= 2.920\text{e-}11 + 1.053\text{e-}2 \\ &\approx 1.053\text{e-}2 \text{ m/s}^2 \end{aligned}$$

4. Physical Interpretation

AG Carinae's wind at 1,000 km/s — twice Eta Car's 500 km/s — yields $g \approx 1.053 \times 10^{-2} \text{ m/s}^2$, exactly double the Eta Car result (5.267×10^{-3}). This confirms UQFF's linear velocity sensitivity in the Aether EM term, with $g \propto v$. The result places AG Car in the same UQFF class as NGC 1792 (starburst spirals at SFR-driven EM velocities), but with distinct physical interpretation: AG Car's result reflects pure stellar wind dynamics rather than collective star-forming activity.

5. UQFF Framework Advancement

- Confirmed UQFF linear velocity scaling: v doubles from 500→1,000 km/s doubles g
 - Single-star LBV eruptive physics integrated as a limiting case
 - AG Car establishes the evolved-star wind reference point at $1.053 \times 10^{-2} \text{ m/s}^2$
-

6. Conclusions

UQFF applied to AG Carinae yields $g_{\text{AGCar}} \approx 1.053 \times 10^{-2} \text{ m/s}^2$, driven by the LBV eruptive wind at 1,000 km/s. The linear velocity mapping (Eta Car 500 km/s $\rightarrow 5.267 \times 10^{-3}$; AG Car 1,000 km/s $\rightarrow 1.053 \times 10^{-2}$) confirms UQFF's internal consistency. AG Car's position in the UQFF hierarchy differentiates evolved LBV wind systems from both star-forming regions and planetary nebulae with similar mass scales.

PAPER_772, CP4 class #356. v5.41.

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

§B.
VDS/DVP/BSH
Deep
Syn-
the-
sis

§B.1
Vac-
uum
Den-
sity
Se-
ries
(VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.126

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $83, n_{\text{channel}} =$
 $19/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

83 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
 $\mathbf{10^6}$
yr
 (Jeans
 col-
 lapse
 timescale):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j}.$
 $f_{U_b}.$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.126

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$
|

$p_{\text{DVP}} =$
831
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.