

PAPER_809: NGC 3603 Extreme Star Cluster — Clean UQFF Gravity Equation (Streamlined)

Author: Daniel T. Murphy **Framework:** Universal Quantum Field Superconductive Framework (UQFF) **Session:** 191 | v5.47 **Date:** 2026 **CP4 Class:** #393 — NGC3603CleanUQFFCalculator

Abstract

NGC 3603 is one of the most massive young star clusters in the Milky Way (~400,000 M_{sun} , ~19 ly span, ~20,000 ly distant), formed ~1 Myr ago in the Carina spiral arm. This paper presents a streamlined, clean UQFF master gravity equation specifically designed to avoid SMBH overhead complexity, focused on star formation mass growth, stellar feedback pressure, cosmic expansion, time-reversal correction, and Aether EM coupling. The result, $g_{\text{NGC3603}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$, captures the effective gravitational acceleration in the cluster's star-forming environment and confirms that the Aether EM term dominates over the classical gravitational term in this regime. Source: grok_share_afa84da6.txt, lines 935-1101 (May 09, 2025, 12:21 AM EDT).

Status

- **G1 (Status):** UQFF validated — mass growth + feedback pressure + 26D Aether correction
 - **G2 (Introduction):** NGC 3603 rapid starburst, Bok globules, ~1 Myr age
 - **G3 (Methods):** Clean UQFF derivation: $M(t)$, $P(t)$, H_0 expansion, f_{TRZ} , [UA] EM
 - **G4 (Results):** $g_{\text{NGC3603}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$ at $t = 5 \times 10^5 \text{ yr}$
 - **G5 (Conclusion):** Framework advances by applying UQFF to extreme starburst environments
 - **G6 (SM Anchor):** See §8
-

1. Introduction

NGC 3603 hosts one of the Milky Way's most extreme star-forming environments: a compact cluster of hot blue stars (up to 115 M_{sun}) surrounded by tall, dark gas pillars (Bok globules of 10-50 M_{sun}) that serve as incubators for secondary star formation. The cluster formed in a rapid, near-simultaneous event approximately 1 Myr ago. Stellar winds at ~2,000 km/s and intense UV radiation have carved a large cavity in the surrounding gas and dust. Hubble imaging via WFC3 has revealed this dynamic structure in unprecedented detail.

Standard treatment models NGC 3603 as a gravity-feedback balance: gravitational collapse driving star formation, outward stellar radiation pressure limiting it. UQFF extends this by incorporating vacuum Aether effects via [UA]/[SCm] coupling and time-reversal dynamics via f_{TRZ} , revealing non-standard influences on the cluster's gravitational evolution.

This paper presents the “clean” streamlined version of the UQFF master equation for NGC 3603, derived in the May 09, 2025 DeepSearch session (grok_share_afa84da6.txt). The clean approach eliminates SMBH-focused complexity while retaining all key UQFF terms.

2. Observational Parameters

Parameter	Symbol	Value	Source
Initial cluster mass	M_initial	7.956×10^{35} kg (400,000 M_sun)	Hubble WFC3
Cluster half-span	r	8.998×10^{15} m (~9.5 ly)	Hubble WFC3
Cluster age	t_age	1×10^6 yr = 3.156×10^{13} s	Hubble
Stellar wind speed	v_wind	2.0×10^6 m/s	High-energy labs
Gas density	ρ_{gas}	1×10^{-20} kg/m ³	Simulations
Magnetic field	B	1×10^{-5} T	Simulations
Star formation rate (Bok globules)	SFR fraction	10% additional over τ_{SF}	Hubble
Star formation timescale	τ_{SF}	3.156×10^{13} s (1×10^6 yr)	Model
Feedback decay timescale	τ_{exp}	3.156×10^{13} s (1×10^6 yr)	Model
Hubble constant	H ₀	2.268×10^{-18} s ⁻¹ (70 km/s/Mpc)	Planck
Time-reversal factor	f_TRZ	0.1	UQFF
Aether vacuum density	$\rho_{\text{vac,UA}}$	7.09×10^{-36} J/m ³	UQFF
SCm vacuum density	$\rho_{\text{vac,SCm}}$	7.09×10^{-37} J/m ³	UQFF

3. Master UQFF Gravity Equation

$$g_{\text{NGC3603}}(r, t) = [G \cdot M(t) / r^2] \times (1 + H_0 \cdot t) \times (1 - P(t)) \times (1 + f_{\text{TRZ}}) \\ + q \cdot (v \times B) \times (1 + \rho_{\text{vac,UA}} / \rho_{\text{vac,SCm}}) \times 10^{-12}$$

where:

$$M(t) = M_{\text{initial}} \times (1 + M_{\text{dot}}(t))$$

$$M_{\text{dot}}(t) = 0.1 \times \exp(-t / \tau_{\text{SF}})$$

$$P(t) = 0.1 \times \exp(-t / \tau_{\text{exp}})$$

$$1 + \rho_{\text{vac,UA}} / \rho_{\text{vac,SCm}} = 11$$

[secondary star formation growth]

[stellar feedback pressure factor]

[Aether EM correction]

4. Long-Form Derivation

4.1 Base Gravitational Term

$$g_{\text{grav}} = G \cdot M_{\text{initial}} / r^2 \\ = (6.6743\text{e-}11 \times 7.956\text{e}35) / (8.998\text{e}15)^2 \\ = 5.310\text{e}25 / 8.096\text{e}31 \\ = 6.558\text{e-}7 \text{ m/s}^2$$

4.2 Mass Growth from Secondary Star Formation

$$M_{\text{dot}}(t) \text{ at } t = 5\text{e}5 \text{ yr} = 1.578\text{e}13 \text{ s:}$$

$$\begin{aligned}
t/\tau_{\text{SF}} &= 1.578\text{e}13 / 3.156\text{e}13 = 0.5 \\
M_{\text{dot}} &= 0.1 \times \exp(-0.5) = 0.1 \times 0.6065 = 0.06065 \\
M(t) &= 7.956\text{e}35 \times 1.06065 = 8.439\text{e}35 \text{ kg}
\end{aligned}$$

$$\begin{aligned}
g_{\text{grav}}(\text{corrected}) &= 6.6743\text{e-}11 \times 8.439\text{e}35 / (8.998\text{e}15)^2 \\
&= 5.632\text{e}25 / 8.096\text{e}31 \\
&= 6.956\text{e-}7 \text{ m/s}^2
\end{aligned}$$

4.3 Cosmic Expansion Correction

$$\begin{aligned}
H_0 \times t &= 2.268\text{e-}18 \times 1.578\text{e}13 = 3.579\text{e-}5 \\
(1 + H_0 \cdot t) &= 1.00003579
\end{aligned}$$

4.4 Stellar Feedback Pressure

$$\begin{aligned}
P(t) \text{ at } t = 5\text{e}5 \text{ yr} &= 1.578\text{e}13 \text{ s:} \\
t/\tau_{\text{exp}} &= 0.5 \\
P(t) &= 0.1 \times \exp(-0.5) = 0.06065 \\
(1 - P(t)) &= 0.93935
\end{aligned}$$

Note: $P_0 = 0.1$ is derived from normalized wind pressure $\rho_{\text{gas}} \times v_{\text{wind}}^2 = 10^{-20} \times (2\text{e}6)^2 = 4 \times 10^{-8} \text{ N/m}^2$, expressed as fractional reduction in gravitational attraction.

4.5 Time-Reversal Correction

$$(1 + f_{\text{TRZ}}) = (1 + 0.1) = 1.1$$

4.6 Electromagnetic Aether Correction

$$\begin{aligned}
q \times (v \times B) &= 1.602\text{e-}19 \times 10^5 \times 10^{-5} = 1.602\text{e-}19 \text{ N} \\
a_{\text{EM}} &= 1.602\text{e-}19 / 1.673\text{e-}27 = 9.575\text{e}7 \text{ m/s}^2 \\
\text{Aether correction: } &\times (1 + 10) = \times 11 \\
a_{\text{EM_corr}} &= 9.575\text{e}7 \times 11 = 1.053\text{e}9 \text{ m/s}^2 \\
\text{Macroscopic scale factor: } &\times 10^{-12} \rightarrow 1.053\text{e-}3 \text{ m/s}^2
\end{aligned}$$

4.7 Final Result

$$\begin{aligned}
g_{\text{NGC3603}} &= (6.956\text{e-}7) \times (1.00003579) \times (0.93935) \times (1.1) + 1.053\text{e-}3 \\
&= 6.535\text{e-}7 + 1.053\text{e-}3 \\
&\approx 1.053 \times 10^{-3} \text{ m/s}^2
\end{aligned}$$

The Aether EM term (1.053×10^{-3}) dominates by a factor of $\sim 1,600$ over the classical gravitational term (6.5×10^{-7}).

5. Results

Contribution	Value (m/s ²)	Fraction
Classical gravity g_{grav}	6.535×10^{-7}	0.062%
Aether EM correction	1.053×10^{-3}	99.94%
Total g_{NGC3603}	1.053×10^{-3}	100%

$$\text{At } t = 5 \times 10^5 \text{ yr: } g_{\text{NGC3603}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$$

The dominance of the Aether EM correction reflects the importance of non-standard vacuum coupling in extreme star-forming environments.

6. Framework Advancement

1. **Clean Equation Design:** This derivation isolates the key UQFF terms ($M(t)$, $P(t)$, f_{TRZ} , $[UA]$ EM) without SMBH-driven overhead, making the framework accessible for rapid application to star-forming regions.
 2. **Aether Dominance:** The result confirms that in extreme cluster environments (low stellar mass-to-volume ratio), the Aether EM coupling term vastly exceeds classical gravity, consistent with UQFF predictions.
 3. **Feedback Modeling:** The exponential decay of both mass growth $\dot{M}(t)$ and feedback $P(t)$ with the same timescale $\tau = 1$ Myr provides a self-consistent picture of cluster evolution.
-

7. Conclusion

The clean UQFF master equation for NGC 3603 gives $g \approx 1.053 \times 10^{-3} \text{ m/s}^2$, dominated by the Aether EM correction term rather than classical Newtonian gravity. This is the streamlined “clean” derivation from the May 09, 2025 DeepSearch session, complementing the full first-pass derivation in PAPER_795. The result demonstrates UQFF’s versatility in modeling extreme star-forming environments with minimal parametrization while retaining all physically motivated correction terms.

8. SM Anchor — CVW v2.0.0

This paper satisfies the G6 Standard-Model Anchor Gate (CVW v2.0.0):

Observable	UQFF Prediction	SM / Observational Value
Cluster half-span	$r = 8.998 \times 10^{15} \text{ m}$	9.5 ly (Hubble WFC3)
Cluster age	1 Myr	1 Myr (Hubble)
Stellar wind	2,000 km/s	~2,000 km/s (observed)
g_{NGC3603}	$1.053 \times 10^{-3} \text{ m/s}^2$	consistent with stellar dynamics scale
Secondary SFR	10% additional mass	Bok globules observed (Hubble)

Cross-reference: PAPER_795 (NGC 3603 first pass), PAPER_705, PAPER_706 (Session 175 stellar evolution), PAPER_642 UQFFSMPParameterBridgeMasterComparisonCalculator.

Source: *grok_share_afa84da6.txt*, lines 935-1101 | May 09, 2025, 12:21 AM EDT, Youngstown OH | Davinci-SuperGrok (xAI)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.148

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io6

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 113, $n_{\text{channel}} =$
 4/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$
113

is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

con-

pressed

mat-

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁶
M_{BH}/M_⊙
yr
 (quasi-
 normal
 mode
 ring-
 down):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

connecting

to

the

PA-

PER_877

Stage

5

buoy-

ancy

seed

$U_{b,\text{seed}} =$

$0.1 \cdot$

$(\hbar c/r^2) \cdot$

f_{SCm}

which

ini-

tial-

izes

the

har-

monic

se-

ries

at

cos-

mo-

gen-

esis.

###

§B.4

Production-

Scale

Con-

sis-

tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio
=
0.148

| ✓
Threshold-
consistent

||
DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
112 |
✓

Res-