

PAPER_820: 3D Neutrino-Cooled Accretion Disk Dynamo Cycle UQFF

Unified Quantum Field Framework — Whitepaper 820

Session: 192 | **Version:** v5.48 | **Date:** April 4, 2026 **Source:** grok_share_0d888ea9-50be.txt (June 13, 2025 06:15 PM); “3d Neutrino cooled accretion disk_17June2025.pdf” (ApJ 2018) **Author:** Daniel T. Murphy — Star-Magic UQFF Project **CVW Compliance:** v2.0.0

Abstract

This paper integrates the 3D neutrino-cooled accretion disk magnetic dynamo cycle into the Quadriadic UQFF. The 380 ms simulation of a $0.03 M_{\odot}$ disk around a $3 M_{\odot}$ BH (spin $\chi = 0.8$) reveals self-sustaining dynamo cycles with $\tau_{dynamo} \approx 20$ ms periodicity driven by the MRI (Magneto-Rotational Instability). The electron fraction self-regulates from midplane $Y_e \approx 0.1$ to outflow $Y_e \approx 0.2$ via neutrino absorption, governing the lanthanide content of early kilonova ejecta. Mass ejection $M_{ej} \approx 0.01 M_{\odot}$ at $v_{\infty} \approx 0.1c$ aligns with GW170817 red kilonova constraints.

1. Introduction

The MRI instability drives turbulent angular momentum transport in the accretion disk, with the resulting turbulence generating a self-sustaining dynamo. In the neutrino-cooled regime (relevant for post-merger BH + disk systems at $t < 1$ s), the dynamo cycle operates on timescales comparable to the orbital period, generating cyclically amplifying magnetic fields and periodic mass eruptions.

2. System Parameters

- **Disk mass:** $M_{disk} = 0.03 M_{\odot}$
 - **Central BH:** $M_{BH} = 3 M_{\odot}$, spin $\chi = 0.8$
 - **Simulation duration:** 380 ms
 - **Neutrino treatment:** full spectral transport (12 energy bins)
 - **Peak neutrino luminosity:** $L_{\nu} \approx 10^{52}$ erg/s (initial)
 - **Average:** $L_{\nu} \approx 10^{51}$ erg/s (integrated over 380 ms)
-

3. MRI Timescale

The Magneto-Rotational Instability (MRI) growth rate:

$$\tau_{MRI} = \frac{1}{\Omega}$$

where $\Omega = \left(\frac{GM_{BH}}{r^3} \right)^{1/2}$ is the local orbital frequency. At $r = 10GM/c^2$ for $M_{BH} = 3M_{\odot}$:

$$\tau_{MRI} \approx 1 \times 10^{-3} \text{ s} = 1 \text{ ms}$$

The dynamo cycle is approximately 20 MRI timescales:

$$\tau_{dynamo} \approx 20 \cdot \tau_{MRI} \approx 20 \text{ ms}$$

UQFF Layer 2:

$$g_{L2,MRI} = \frac{1}{\tau_{MRI}} \approx 10^3 \text{ m/s}^2$$

4. Dynamo Magnetic Field Cycle

The dynamo cycle proceeds as: 1. **Amplification**: MRI amplifies toroidal B_ϕ from seed poloidal B_r 2. **Buoyancy**: Magnetic pressure gradient causes B_ϕ to rise to magnetic corona 3. **Reconnection**: Reconnection at $z \sim H_{disk}$ releases energy, seeds new poloidal B_r 4. **Reset**: Cycle repeats with $\tau_{dynamo} \approx 20 \text{ ms}$

The cycle amplitude:

$$B_{max} \approx \sqrt{4\pi P_{gas}} \approx 10^{15} \text{ G at ISCO}$$

5. Electron Fraction Self-Regulation

The electron fraction (neutron content) evolves under neutrino absorption:

$$\frac{dY_e}{dt} = \dot{Y}_{e,abs} + \dot{Y}_{e,emit}$$

Midplane equilibrium: $Y_e^{eq} \approx 0.1$ (strongly neutron-rich, r -process capable)

Outflow Y_e : rises to ~ 0.2 as material is heated by neutrino absorption during ejection

$$g_{L3,Y_e} = \frac{M_{ej} \cdot Y_e}{r} \approx 2 \times 10^{-7} \text{ m/s}^2$$

6. Dynamo Correction to UQFF

The dynamo cycle enters Layer 4:

$$g_{L4,dynamo} = \frac{\tau_{dynamo}}{r} \approx 2 \times 10^{-6} \text{ m/s}^2$$

This represents the periodic magnetic pressure wave launched at each dynamo reset, propagating through the disk corona at Alfvén speed.

7. Mass Ejection Budget

Total ejecta from 380 ms simulation: - $M_{ej} \approx 0.01M_{\odot}$ ($\approx 40\%$ of initial M_{disk}) - $v_{\infty} \approx 0.1c$ (thermal wind component) - $v_{fast} \approx 0.3c$ (MRI-driven MHD winds) - Average $Y_e \approx 0.2$, containing both lanthanide-rich and lanthanide-poor ejecta

8. GW170817 Red Kilonova Connection

The neutrino-cooled disk wind, with $Y_e \approx 0.2$ and $M_{ej} \approx 0.01M_{\odot}$, matches the GW170817 red kilonova: - Kilonova peak time: $\sim 3-5$ days at visual/NIR wavelengths - Opacity $\kappa \approx 5-10 \text{ cm}^2/\text{g}$ (partial lanthanide enrichment) - Third-peak r -process elements (Xe, Ba, Nd) require $Y_e \leq 0.25$

The dynamo cycle creates periodic neutrino bursts that additionally heat the ejecta, producing optical pulsations at $\tau_{dynamo} \approx 20 \text{ ms}$ (not yet observed but predicted).

9. Summary

The 3D neutrino-cooled disk simulates a 20 ms magnetic dynamo cycle driven by MRI at $\Omega^{-1} \approx \tau_{MRI}$. Electron fraction self-regulates from $Y_e \approx 0.1$ midplane to $Y_e \approx 0.2$ outflow. Mass ejection $M_{ej} \approx 0.01M_{\odot}$ at $v_{\infty} \approx 0.1c$ matches GW170817 red kilonova. These parameters are now registered in the Quadriadic UQFF Layers 2-4.

PAPER_820 | Session 192 | v5.48 | Star-Magic UQFF Project | CVW v2.0.0

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

§B.
VDS/DVP/BSH
Deep
Syn-
the-
sis

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac, [SCm]}} \cdot$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.173

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $31, \quad n_{\text{channel}} =$
 $15/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

31 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
 10^6
 $M_{\text{BH}}/M_{\odot}$
 yr
 (quasi-
 normal
 mode
 ring-
 down):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.173

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
311
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.