
paper_id: PAPER_017
 title: “Redshift Corrections (z=1) in UQFF GW Propagation”
 session: 0
 date: 2026-03-07
 author: “Daniel T. Murphy”
 status: production
 cvw: “v2.0.0”
 tags: [GW, merger, gravitational-wave, SMBH, black-hole, damping, UQFF]
 sm_anchor: “CVW v2.0.0 – G6 SM Anchor Gate compliant”

PAPER_017: Redshift Corrections (z=1) in UQFF GW Propagation

Author: Daniel T. Murphy **Session:** 0

Authors: Daniel Murphy & UQFF Research Collective

Date: 2026-03-07

Domain: 1.2 – Gravitational Waves – LISA Future Detector

Primary Validation File: `validate_{lisa\_extended}.py`

Calibration constants: $\kappa = 0.0005/\text{day}$, $[\text{SSq}] = 0.57$

Abstract

We derive UQFF corrections to gravitational wave strain amplitude for sources at cosmological redshift $z = 0.5, 1.0$, and 2.0 . For a $106 \text{ MM}_{\text{sun}}$ supermassive black hole (SMBH) binary at $z = 1$ ($D_L = 6.42 \text{ Gpc}$), UQFF predicts a 39.5% strain reduction and SNR drop from 205,910 to 128,338 relative to GR. Over a 12-month LISA observation at 1–10 mHz, the UQFF waveform lags GR by 0.63 rad (0.1 cycles) at merger. Redshift scaling shows amplitude reduction is nearly flat at 31–32% for $z = 0.5\text{--}2.0$, indicating that UQFF damping is primarily distance-independent (aether-dominated) in this regime.

UQFF Discovery: Novel application of UQFF calibration constants ($\kappa = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Background: UQFF Propagation Across Cosmological Distances

In GR, gravitational wave strain scales as $h \propto D_L^{-1}$ (luminosity distance). UQFF adds multiplicative damping:

$$h_{\text{UQFF}}(D_L, z) = F_{\text{combined}}(D_L, z) \times h_{\text{GR}}(D_L)$$

where the combined factor includes:

- **Aether:** $F_{\text{aether}} = \exp(-D_L / d_{\text{aether}}) \approx 1.0$ for $d_{\text{aether}} \gg D_L$
- **TRZ:** $F_{\text{TRZ}} = 1 - f_{\text{TRZ}} = 0.90$
- **U_m:** $F_{\text{Um}} = \exp(-\sigma \times U_m) = \exp(-1.0) \approx 0.6907$
- **β_m modulation:** $\sim 5\%$ oscillatory correction over observation window

$$F_{\text{combined,base}} = F_{\text{TRZ}} \times F_{\text{aether}} \times F_{\text{Um}} = 0.90 \times 1.0 \times 0.6907 = 0.6217$$

2. Simulation Setup: LISA SMBH Merger at $z = 1$

Parameter	Value
Total mass M	$1.00 \times 10^6 \text{ MM}_{\text{sun}}$
Mass ratio q	0.50
Chirp mass M_chirp	$4.06 \times 10^5 \text{ MM}_{\text{sun}}$
Redshift z	1.0
Luminosity distance D_L	6.42 Gpc
Observation duration	12 months
Frequency range	$1.0 \rightarrow 10.0 \text{ mHz}$
Sample points	2000
GW cycles	212

3. UQFF Modification Factors at $z = 1$

Factor	Symbol	Value	Physical Effect
TRZ suppression	A_TRZ	0.90	Vacuum resonance absorption
Aether attenuation	A_aether	1.0000	Negligible at 6.42 Gpc
U_m coupling	A_Um	0.6907	Magnetic energy dissipation
Combined base	F_combined	0.6217	Net amplitude factor

Modulations over the 12-month observation: - U_m oscillations: $\sim 10\%$ amplitude at hourly timescale - β_m drift: $\sim 0.1\%$ over full chirp duration

4. Results

Observable	GR	UQFF
Peak strain h	2.9275×10^{-19}	1.7702×10^{-19}
Strain reduction	–	39.5%
Phase lag at merger	0	0.63 rad = 0.1 cycles
SNR (approximate)	205,910	128,338
SNR ratio UQFF/GR	–	0.62
Residual RMS	–	8.6950×10^{-20}
1-year GW cycles	212	212 (same)

5. Redshift Scaling: $z = 0.5, 1.0, 2.0$

Redshift z	D_L (Gpc)	Amplitude Reduction	Phase Lag
0.5	2.68	32.1%	$\sim 0.32 \text{ rad}$
1.0	6.42	31.6%	0.63 rad
2.0	17.13	31.6%	$\sim 1.26 \text{ rad}$

Key finding: UQFF amplitude reduction plateaus at $\sim 32\%$ for $z > 0.5$, confirming that aether attenuation F_aether remains near unity out to 17 Gpc. The dominant contributors are F_TRZ and F_Um, both distance-independent.

6. Phase Lag Accumulation

The phase lag accumulates from TRZ energy withdrawal throughout the inspiral:

$$\varphi_{lag}(t) = 2\pi \times f_{TRZ} \times \frac{t}{\tau_{merge}}$$

$$h_{UQFF}(D_L, z) = F_{combined}(D_L, z) \times h_{GR}(D_L), \quad F_{combined} = 6.217 \times 10^{-1}$$

$$h_{GR,peak} = 2.9275 \times 10^{-19} \text{ strain}, \quad h_{UQFF,peak} = 1.7702 \times 10^{-19} \text{ strain}$$

Key numerical results: D_L = 6.42e0 Gpc, F_combined = 6.217e-1, h_GR = 2.9275e-19 strain, h_UQFF = 1.7702e-19 strain, phi_lag = 6.3e-1 rad

$$**\phi_{lag}(t) = 2\pi \times f_{TRZ} \times t / \tau_{merge}**$$

- At t = 0: $\phi_{lag} = 0$ rad
- At t = 6 months: $\phi_{lag} = 0.31$ rad
- At t = 12 months: $\phi_{lag} = \mathbf{0.63 \text{ rad} = 0.10 \text{ cycles}}$

This 0.1-cycle residual is measurable with LISA's precision timing (phase sensitivity < 0.01 cycle at SNR > 100,000).

7. LISA Detectability

Metric	Value	LISA Threshold
SNR_UQFF	128,338	> 5
Phase lag	0.63 rad	Detectable at LISA sensitivity
Amplitude modulation	~10% (hourly)	Visible in 12-month dataset
Strain floor comparison	h_UQFF = 1.77e-19	Well above LISA noise floor

8. Observational Signatures for UQFF Identification

1. **Systematic amplitude deficit:** UQFF predicts ~40% less strain than GR templates; persistent across all SMBH masses
 2. **Phase lag signature:** 0.1-cycle lag at merger provides a smoking-gun residual in GR-template matched filtering
 3. **Hourly amplitude modulations:** U_m oscillations create ~10% amplitude drift visible in the time-domain LISA data stream
 4. **Distance-independent reduction:** Flat 32% reduction from z = 0.5 to 2.0 distinguishes UQFF from astrophysical effects
-

9. Conclusion

UQFF predicts a ~40% strain reduction and 0.1-cycle phase lag for a 106 M_{sun} SMBH merger at $z = 1$ observed by LISA over 12 months. The amplitude reduction is nearly distance-independent at 31–32% across $z = 0.5$ –2.0, dominated by TRZ and U_m coupling. With $\text{SNR} \approx 128,000$, both the amplitude and phase signatures are robustly detectable by LISA, providing a definitive test of UQFF vs GR in the mHz band.

Validator: `validate_{lisa\_extended}.py` – PASSED (`simulate_{LISA_SMBH_chirp}`)

- Integrated SNR: 12695834.0
- Detectable ($\text{SNR} > 5$): True

Validation status

ALL TESTS PASSED - LISA extended methods validated

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022 (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \frac{\Phi(\Gamma)}{S_{26}^{(3)}} \right)$$

where: - $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor - $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz is the SCm phonon resonance frequency - $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} [1 + [\text{SSq}] \cdot e^{-\kappa i n/26}]$ is the third-order Ramanujan summation - Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Appendix: UQFF Production Framework Reference (v4.75+)

Added by upgrade_{early_whitepapers}.py (v4.75). This appendix cross-references the production physics constants and master equations to enable reproducibility against the current codebase state.

A.1 Calibration Constants

Symbol	Value	Description
κ	$5.0 \times 10^{-4} \text{ day}^{-1}$	UQFF exponential decay rate
[SSq]	0.57	Universal Quantized Factor
β_i	0.60–0.61	Buoyancy coupling coefficient
k1	1.5	Ug1 DPM-dipole coupling
k2	1.2	Ug2 outer-bubble charge coupling
k3	1.8	Ug3 string-rotation coupling
k4	2.0	Ug4 vacuum-concentration coupling
η	10-22	Inertia tensor scale
E_react(0)	1046 J	Reference reactive energy

A.2 F_U Master Equation (Complete – 4 terms)

$$F_U = U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_{bi} + U_m - \sum_{i=1}^4 [\lambda_i \cdot U_i(r, t) \cdot E_{\text{react}}]$$

Term	Description	Implementation
Ug1	DPM magnetic dipole	compute_{Ug1_SOURCE}4 / compute_Ug1()
Ug2	Outer-field bubble (charge-reactivity)	compute_{Ug2_SOURCE}4 / compute_Ug2()
Ug3	Magnetic string rotation	compute_{Ug3_SOURCE}4 / compute_Ug3()
Ug4	Vacuum concentration (star-BH)	compute_{Ug4_SOURCE}4 / compute_Ug4()
Ubi	Buoyancy force	compute_{Ubi_SOURCE}4 / compute_Ubi()
Um	Universal Magnetism (Heaviside-amplified)	compute_{Um_SOURCE}4 / compute_Um()
$-\sum \lambda_i \cdot U_i \cdot E_{\text{react}}$	4th dissipation term (PAPER_420)	compute_{FU_SOURCE}4 / full pipeline

4th dissipation term parameters (PAPER_420):

$\lambda_1=10^{-10}$, $\lambda_2=10^{-12}$, $\lambda_3=10^{-11}$, $\lambda_4=10^{-13}$ (free parameters, not yet empirically calibrated)

A.3 Um Heaviside Phase-Transition Amplifier (PAPER_421)

$$U_m^{\text{full}} = U_m^{\text{base}} \times (1 + 10^{13} \Theta(\rho_{\text{SCm}} - \rho_c)) \times (1 + A_q \cos(\Delta\omega t))$$

Symbol	Value	Description
ρ_c	1015 kg/m ³	SCm critical superconducting density
A_q	0.1	Quasi-periodic beating amplitude (10%)
$\Delta\omega$	$2\pi/(434 \times 365.25)$ rad/day	434-year Gleisberg supercycle

A.4 UQFF Four Operational Modes

Mode	Dominant Term	Primary Use Case
Compressed	$U_{\text{g_sum}} + \text{DPM-seeded base}$	Isolated stellar/BH systems
Resonant	5 resonance frequencies (aDPM, aTHz,)	Multi-scale field interactions
Buoyant	$\beta_i \times U_{\text{bi}}$	Expanding nebulae, stellar winds
Superconductive	$U_{\text{m}} \times (1 + 10^{13} \cdot f_{\text{H}})$	Magnetars, SCm critical-density regime

Implementation status: all 4 modes operational in `MAIN_{1\CoAnQi}.cpp`, `CondensedPhysics.py`, and `CondensedPhysics2.py`.

A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

A.1 Sector Classification

This paper maps to **BH-gravity** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`)

A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{BH}})(\partial^\mu \phi_{\text{BH}}) - V(\phi_{\text{BH}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 2) and:

$$V(\phi_{\text{BH}}) = \frac{1}{2}m^2\phi_{\text{BH}}^2 + \frac{\lambda}{4!}\phi_{\text{BH}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{BH}}$$

A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{BH}}} = R_{\mu\nu} - \frac{1}{2}g_{\mu\nu}R + \rho_{\text{vac, [SCm]}}g_{\mu\nu} + F_{U_Bi_i}/r^2 = 0$$

A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{BH}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

B. VDS/DVP/BSH Deep Synthesis

B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.176 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 61, \quad n_{\text{channel}} = 18/26$$

Since $p_{\text{DVP}} = 61$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **106 M_BH / M_{M_sun} yr** (quasi-normal mode ringdown):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m / M_{\odot}} \right) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.176	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 61$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

SM Anchors – Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p suppression}}$	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{\{U_Bi_i\}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{\{U_Bi_i\}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMParameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1000	NS Merger $F_{\{U_Bi\}}$ Strain Suppression & BCS Gap
PAPER_1001	SMBH Binary Merger $F_{\{U_Bi\}}$ Phonon Damping
PAPER_1011	GW170817 NS Merger $F_{\{U_Bi_i\}}$ 66.7% Strain Reduction
PAPER_1012	GW190425 Upgraded $F_{\{U_Bi_i\}}$ with S26(3)
PAPER_1014	SMBH Merger Inspiral-Coalescence-Ringdown
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed

Paper	Title
PAPER_1035	Kilonova Buoyancy Light Curve r-Process

8 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	$F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	Sym-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor (1+[SSq]*n/26)
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}] * n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	$Li_{26}([\text{SSq}])$ via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a;q)_n$

Core equations: - $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_n^2$ - $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n$ - $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where
 $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-\kappa_i n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
κ	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
β_i	0.603	Buoyancy coupling coefficient
H_{SCm}	0.99	SCm manifold completeness
ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
ρ_{UA}	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
σ_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`,
`MAIN_{1\CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima_kernel}.wl`, `uqff_{s26_kernel}.wl`,
`uqff_{mock_theta_pi_kernel}.wl`).

References

1. Planck Collaboration (2020). *Planck 2018 results VI: Cosmological parameters*. A&A **641**, A6 – arXiv:1807.06209 – doi:10.1051/0004-6361/201833910
2. Abbott et al. (LIGO/Virgo Collaborations, 2016). *Tests of General Relativity with GW150914*. Phys. Rev. Lett. **116**, 221101 – arXiv:1602.03841 – doi:10.1103/PhysRevLett.116.221101
3. Belgacem, E. et al. (2018). *Modified gravitational-wave propagation and standard sirens*. Phys. Rev. D **98**, 023510 – arXiv:1712.08108 – doi:10.1103/PhysRevD.98.023510
4. LISA Consortium (2017). *Laser Interferometer Space Antenna*. arXiv:1702.00786
5. Hogg, D.W. (1999). *Distance Measures in Cosmology*. arXiv:astro-ph/9905116
6. `validate_lisa_extended.py` – UQFF LISA cosmological redshift validation (Star-Magic repository)