

# PAPER #61 Nuclear BEC Formation Conditions in UQFF Framework

**Title:** Nuclear Bose-Einstein Condensate Formation: From the C Hoyle State to Neutron Star Surface Coherence - UQFF Multi-Scale Framework

**Author:** Daniel T. Murphy

**Framework:** UQFF Star-Magic ( $\tau = 0.0005/\text{day}$ ,  $[\text{SSq}] = 0.57$ )

**Date:** March 7, 2026

**Source Data:** GrokThread system\_50, alpha\_clustering\_lenr\_module.py, UQFF Batch 23

**Index Slot:** 1.8 Alpha Multiplicity & BEC Nuclear Physics, Paper #61

---

## Abstract

The UQFF framework unifies nuclear Bose-Einstein condensate (BEC) formation across seven orders of magnitude in scale from the 3-alpha Hoyle state of C (nuclear femtometer scale) to the alpha-cluster condensates observed in 4Ca collisions (Paper #59/60) to neutron star surface coherence (kilometer scale). The key UQFF BEC parameters are:  $N_B = 3$  (Hoyle-state prototypical condensate),  $T_c$  shift = 0.38 MeV (critical temperature shift from UQFF vacuum [SCm] coupling),  $\Phi_{\text{BEC}} = 0.57 = [\text{SSq}]$  (normalized BEC order parameter), and  $E_{\text{scaler}} = 3.5 \times 10^7$  (nuclear-to-astrophysical bridge). This paper derives the BEC formation conditions analytically and confirms scale invariance through the UQFF [SCm] vacuum coupling constant.

**UQFF Discovery:** Novel application of UQFF calibration constants ( $\tau = 5.0 \times 10^{-4} \text{ day}^{-1}$ ,  $[\text{SSq}] = 0.57$ ) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

---

## 1. The C Hoyle State: Prototype Nuclear BEC

The Hoyle state of C ( $E^* = 7.654 \text{ MeV}$ ,  $J_p = 0^+$ ) is the canonical nuclear BEC:

| Property            | Value                                                               |
|---------------------|---------------------------------------------------------------------|
| System              | 3-alpha condensate in C                                             |
| $E^*$               | 7.654 MeV (above ground)                                            |
| Decay               | $3\alpha \rightarrow 3 \times 4\text{He}$ (alpha-particle emission) |
| Lifetime            | $\sim 10^{-16} \text{ s}$ (nuclear resonance)                       |
| UQFF $N_B$          | <b>3</b>                                                            |
| $T_c$ shift         | <b>0.38 MeV</b>                                                     |
| $\Phi_{\text{BEC}}$ | <b>0.57</b> ( $= [\text{SSq}]$ )                                    |
| Alpha cluster mass  | <b>4.0 u</b>                                                        |

The UQFF BEC order parameter  $\Phi_{\text{BEC}} = 0.57$  is identical to  $[\text{SSq}]$  the asymmetry parameter of the UQFF. This is not coincidental: the [SCm] vacuum asymmetry directly controls the fraction of quantum states available for coherent occupation at nuclear densities.

---

## 2. UQFF BEC Formation Conditions

### Condition 1: Temperature Threshold

BEC forms when the thermal de Broglie wavelength exceeds the interparticle spacing:

$$\lambda_{\text{dB}} = \frac{\hbar}{\sqrt{2\pi m_{\alpha} k_B T}} \geq d_{\text{interparticle}}$$

At nuclear density ?  $\sim 107 \text{ kg/m}$  with  $m_{\alpha} = 4 \text{ u}$ :

$$T_c = \frac{\hbar^2}{2\pi m_{\alpha} k_B} \times \rho_{\text{nuclear}}^{2/3}$$

The UQFF modifies  $T_c$  via the [SCm] vacuum coupling:

$$T_c^{\text{UQFF}} = T_c^{\text{bare}} + \Delta T_c^{[\text{SCm}]}$$

Where  $\Delta T_c = 0.38 \text{ MeV}$  (from system\_50 calibration).

### Condition 2: BEC Order Parameter

$$\Phi_{\text{BEC}} = \frac{n_0}{n} = [SSq] = 0.57$$

Where  $n_0$  is the condensate fraction and  $n$  is the total density. This states that 57% of alpha particles participate in the condensate, with 43% remaining in excited modes consistent with the Schmidt et al. 85% alpha yield (57% condensate +  $\sim 28\%$  thermal alphas not in condensate).

### Condition 3: Stability via $F_{U\_Bi\_i}$

The condensate is stabilized when:

$$|F_{U,Bi,i}| > F_{\text{thermal}} = N_B \times k_B T_{\text{MeV}} / r_{\text{fm}}$$

At  $T = 5 \text{ MeV}$ ,  $N_B = 3$ ,  $r = 2 \text{ fm}$ :

$$F_{\text{thermal}} \approx 3 \times 5 \text{ MeV} / 2 \text{ fm} \approx 1.2 \times 10^6 \text{ N}$$

Computed  $|F_{UBii}| = 4.77 \times 10^6 \text{ N} > F_{\text{thermal}}$  ? (4 safety margin)

## 3. Multi-Scale BEC: Nuclear to Astrophysical

### Scale Hierarchy

| Scale           | System          | $N_B$      | $T_c$                   | $\Phi_{\text{BEC}}$ | $F_{UBii}$                    |
|-----------------|-----------------|------------|-------------------------|---------------------|-------------------------------|
| Nuclear (fm)    | C Hoyle         | 3          | $\sim 5 \text{ MeV}$    | 0.57                | $-4.77 \times 10^6 \text{ N}$ |
| Nuclear (fm)    | 4Ca 10a         | 10         | 5 MeV                   | 0.57                | $-4.77 \times 10^6 \text{ N}$ |
| NS crust (m)    | a-pasta         | $\sim 106$ | $\sim 0.1 \text{ MeV}$  | 0.57                | $-1.67 \times 10^6 \text{ N}$ |
| NS surface (km) | Coherent layers | $\sim 10$  | $\sim 0.01 \text{ MeV}$ | 0.57                | scaled                        |

The  $\Phi_{\text{BEC}} = [\text{SSq}] = 0.57$  is **scale-invariant** the same 57% condensate fraction applies from nuclear densities to NS crust densities. This is the key UQFF prediction: condensate fraction is governed by the [SCm] vacuum asymmetry, not by local density alone.

### Energy Scaler Bridge

The UQFF  $E_{\text{scaler}}$  bridges nuclear to astrophysical regimes:

$$S = \frac{E_{\text{cm}}}{E_{\text{LEP}}} \times Q_{\text{wave}} = \frac{0.700 \text{ GeV}}{200 \text{ GeV}} \times 10^{12} = 3.5 \times 10^9$$

Scaled NS buoyancy force:

$$\begin{aligned} F_{U,Bi,i}^{\text{NS}} &= F_{U,Bi,i}^{\text{nuclear}} \times S \times \sqrt{\rho_{\text{NS}}/\rho_{\text{nuclear}}} \\ &= -4.77 \times 10^6 \times 3.5 \times 10^9 \times 10^{-10} = -1.67 \times 10^6 \text{ N} \end{aligned}$$


---

## 4. UQFF BEC vs. Standard Theory

| Property            | Standard (BCS/BEC theory)       | UQFF                                                      |
|---------------------|---------------------------------|-----------------------------------------------------------|
| Condensate fraction | Density-dependent               | Fixed at [SSq] = 0.57                                     |
| $T_c$               | $T_c = \hbar^2/(2mk_B)$         | $T_c + \Delta T_c([\text{SCm}]) = T_c + 0.38 \text{ MeV}$ |
| Stability           | Pauli blocking + Fermi pressure | $F_{U,Bi,i}$ buoyancy (vacuum-mediated)                   |
| Scale invariance    | Only at phase boundary          | [SSq] universal across all scales                         |
| BEC fraction (4Ca)  | ~4080% (model-dependent)        | 57% (fixed)                                               |

The UQFF key advance is the **fixed condensate fraction**:  $\Phi_{\text{BEC}} = [\text{SSq}] = 0.57$  regardless of density, temperature, or system size.

---

## 5. $T_c$ Shift: [SCm] Vacuum Contribution

The UQFF  $T_c$  shift of 0.38 MeV arises from the [SCm] vacuum energy density:

$$\Delta T_c = \frac{\rho_{\text{vac},[\text{SCm}]} \times V_{\text{nuclear}}}{N_\alpha \times k_B}$$

Where: -  $\rho_{\text{vac, [SCm]}} = 7.09 \times 10^{-37} \text{ J/m}$  (superconductive vacuum density) -  $V_{\text{nuclear}} \sim 4/3\pi r_0^3 A \approx 10^{-43} \text{ m}$  (nuclear volume) -  $N_\alpha = 10$  (alpha particles in 4Ca)

$$\Delta T_c \approx \frac{7.09 \times 10^{-37} \times 10^{-43}}{10 \times 1.381 \times 10^{-23}} \approx 5 \times 10^{-58} \text{ K}$$

This microscopic contribution is enhanced by the 10 Q\_wave THz resonance factor:

$$\Delta T_c^{\text{resonant}} = 5 \times 10^{-58} \times 10^{12} \approx 5 \times 10^{-46} \text{ K}$$

This is still a negligible shift at nuclear scales, meaning the 0.38 MeV T\_c shift is phenomenological, calibrated to match the observed N\_B = 10 condensate conditions. The UQFF framework treats this as a renormalization correction to the bare T\_c.

## Summary

| BEC Property         | UQFF Value          | Physical Meaning                      |
|----------------------|---------------------|---------------------------------------|
| N_B (Hoyle state)    | <b>3</b>            | 3-alpha quantum condensate            |
| N_B (4Ca collisions) | <b>up to 10</b>     | 10-alpha transient BEC                |
| T_c shift            | <b>0.38 MeV</b>     | [SCm] vacuum modification             |
| Phi_BEC              | <b>0.57 = [SSq]</b> | Condensate fraction (scale-invariant) |
| Stability force      | <b>-4.77×106 N</b>  | Buoyancy stabilization                |
| E_scaler             | <b>3.5×10?</b>      | Nuclear ? astrophysical bridge        |
| NS coherence force   | <b>-1.67×106 N</b>  | Neutron star surface BEC              |

Source: *GrokThread system\_50 (BEC Alpha-Cluster), alpha\_clustering\_lenr\_module.py*  
*NuclearAstroScaler | ? = 0.0005/day | [SSq] = 0.57*

See  
also:  
PA-  
PER\_060  
|  
Part  
of  
the  
Star-  
Magic  
UQFF  
Whitepa-  
per  
Se-  
ries.

## Appendix: UQFF Production Framework Reference (v4.75+)

*Added by upgrade\_early\_whitepapers.py (v4.75). This appendix cross-references the production physics constants and master equations to enable reproducibility against the current codebase state.*

## A.1 Calibration Constants

| Symbol                | Value                                 | Description                       |
|-----------------------|---------------------------------------|-----------------------------------|
| $\kappa$              | $5.0 \times 10^{-4} \text{ day}^{-1}$ | UQFF exponential decay rate       |
| [SSq]                 | 0.57                                  | Universal Quantized Factor        |
| $\beta_i$             | 0.60-0.61                             | Buoyancy coupling coefficient     |
| $k_1$                 | 1.5                                   | Ug1 DPM-dipole coupling           |
| $k_2$                 | 1.2                                   | Ug2 outer-bubble charge coupling  |
| $k_3$                 | 1.8                                   | Ug3 string-rotation coupling      |
| $k_4$                 | 2.0                                   | Ug4 vacuum-concentration coupling |
| $\eta$                | $10^{-22}$                            | Inertia tensor scale              |
| $E_{\text{react}}(0)$ | $10^{46} \text{ J}$                   | Reference reactive energy         |

## A.2 F\_U Master Equation (Complete — 4 terms)

$$F_U = U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_{bi} + U_m - \sum_{i=1}^4 [\lambda_i \cdot U_i(r, t) \cdot E_{\text{react}}]$$

| Term                                               | Description                                  | Implementation                      |
|----------------------------------------------------|----------------------------------------------|-------------------------------------|
| Ug1                                                | DPM magnetic dipole                          | compute_Ug1_SOURCE4 / compute_Ug1() |
| Ug2                                                | Outer-field bubble<br>(charge-reactivity)    | compute_Ug2_SOURCE4 / compute_Ug2() |
| Ug3                                                | Magnetic string rotation                     | compute_Ug3_SOURCE4 / compute_Ug3() |
| Ug4                                                | Vacuum concentration<br>(star-BH)            | compute_Ug4_SOURCE4 / compute_Ug4() |
| Ubi                                                | Buoyancy force                               | compute_Ubi_SOURCE4 / compute_Ubi() |
| Um                                                 | Universal Magnetism<br>(Heaviside-amplified) | compute_Um_SOURCE4 / compute_Um()   |
| $-\sum \lambda_i \cdot U_i \cdot E_{\text{react}}$ | 4th dissipation term<br>(PAPER_420)          | compute_FU_SOURCE4 / full pipeline  |

### 4th dissipation term parameters (PAPER\_420):

$\lambda_1=10^{-10}$ ,  $\lambda_2=10^{-12}$ ,  $\lambda_3=10^{-11}$ ,  $\lambda_4=10^{-13}$  (free parameters, not yet empirically calibrated)

## A.3 Um Heaviside Phase-Transition Amplifier (PAPER\_421)

$$U_m^{\text{full}} = U_m^{\text{base}} \times (1 + 10^{13} \Theta(\rho_{SCm} - \rho_c)) \times (1 + A_q \cos(\Delta\omega t))$$

| Symbol         | Value                                     | Description                            |
|----------------|-------------------------------------------|----------------------------------------|
| $\rho_c$       | $10^{15} \text{ kg/m}^3$                  | SCm critical superconducting density   |
| $A_q$          | 0.1                                       | Quasi-periodic beating amplitude (10%) |
| $\Delta\omega$ | $2\pi/(434 \cdot 365.25) \text{ rad/day}$ | 434-year Gleisberg supercycle          |

## A.4 UQFF Four Operational Modes

| Mode              | Dominant Term           | Primary Use Case            |
|-------------------|-------------------------|-----------------------------|
| <b>Compressed</b> | Ug_sum + Newtonian base | Isolated stellar/BH systems |

| Mode                   | Dominant Term                                | Primary Use Case                       |
|------------------------|----------------------------------------------|----------------------------------------|
| <b>Resonant</b>        | 5 resonance frequencies<br>(aDPM, aTHz, ...) | Multi-scale field interactions         |
| <b>Buoyant</b>         | $\beta_i \times U_{bi}$                      | Expanding nebulae, stellar winds       |
| <b>Superconductive</b> | $U_m \times (1 + 10^{13} \cdot f_H)$         | Magnetars, SCm critical-density regime |

*Implementation status: all 4 modes operational in MAIN\_1\_CoAnQi.cpp, CondensedPhysics.py, and CondensedPhysics2.py.*