

# PAPER\_163 — UQFF Modular Architecture: Decomposed Compressed MUGE Functions

Session: 47 | Date: March 13, 2026 | Thread: 7f9068 | Domain: §2.3

---

## Abstract

This paper establishes the **modular decomposition** of the 9-term Compressed MUGE into individual callable functions, each representing a single physical correction term. This transforms the monolithic `compute_compressed_MUGE()` function (SOURCE4) into an auditable, unit-testable architecture where each correction can be independently validated against observational data. Eight decomposed functions are cataloged with their governing equations and parameter dependencies.

**UQFF Discovery:** Novel application of UQFF calibration constants ( $\tau = 5.0 \times 10^{-4} \text{ day}^{-1}$ ,  $[\text{SSq}] = 0.57$ ) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

---

## 1. Original 9-Term Compressed MUGE (PAPER\_090)

$$g_{comp}(r, t) = g_0 \cdot (1 + H_0 t) \cdot (1 - B/B_{crit}) \cdot f_{env}(r) \\ + \Lambda c^2/3 + \frac{\hbar}{\Delta x \Delta p} \cdot \int \psi \cdot \frac{2\pi}{t_H} \\ + \rho_{fluid} V g_{loc} + (M + M_{DM}) \cdot \left( \frac{\delta \rho}{\rho} + \frac{3GM}{r^3} \right)$$

---

## 2. Decomposed Function Architecture

### Function 1: Base Newtonian Gravity

$$g_{base}(M, r) = \frac{G \cdot M}{r^2}$$

```
double compute_compressed_base(const MUGESystem& sys) {  
    return G * sys.M / (sys.r * sys.r);  
}
```

### Function 2: Hubble Expansion Correction

$$g_{exp}(t) = 1 + H_0 \cdot t$$

$$H_0 = 67.4 \text{ km/s/Mpc} = 2.185 \times 10^{-18} \text{ s}^{-1}$$

```
double compute_compressed_expansion(const MUGESystem& sys) {  
    const double H0 = 2.185e-18; // s^-1 (Planck 2018)  
    return 1.0 + H0 * sys.t;  
}
```

### Function 3: Magnetic Suppression Adjustment

$$f_{super} = 1 - B/B_{crit}$$

```
double compute_compressed_super_adj(const MUGESystem& sys) {  
    return 1.0 - sys.B / sys.B_crit;  
}
```

### Function 4: Envelope Confinement

$$f_{env}(r) = \begin{cases} 1 & r \leq R_{env} \\ e^{-(r-R_{env})/R_{env}} & r > R_{env} \end{cases}$$

```
double compute_compressed_envelope(const MUGESystem& sys) {  
    if (sys.r <= sys.R_env)  
        return 1.0;  
    return std::exp(-(sys.r - sys.R_env) / sys.R_env);  
}
```

### Function 5: Cosmological Constant Term

$$g_{cosm} = \frac{\Lambda c^2}{3}$$

$$\Lambda = 1.1 \times 10^{-52} \text{ m}^{-2}$$

```
double compute_compressed_cosm(double Lambda = 1.1e-52) {  
    const double c = 2.998e8;  
    return Lambda * c * c / 3.0;  
}
```

### Function 6: Quantum Uncertainty Term

$$g_{quantum} = \frac{\hbar}{\Delta x \Delta p} \cdot \int \psi \cdot \frac{2\pi}{t_H}$$

where  $t_H = 1/H_0$  is the Hubble time and  $\int \psi$  is the integrated wave function amplitude.

```
double compute_compressed_quantum(double Delta_x, double Delta_p, double psi_int) {  
    const double hbar = 1.055e-34;  
    const double H0 = 2.185e-18;  
    const double t_H = 1.0 / H0;  
    return (hbar / (Delta_x * Delta_p)) * psi_int * (2.0 * M_PI / t_H);  
}
```

### Function 7: Buoyant Fluid Term

$$g_{fluid} = \rho_{fluid} \cdot V_{body} \cdot g_{local}$$

```
double compute_compressed_fluid(const MUGESystem& sys) {  
    return sys.rho_fluid * sys.V_body * sys.g_local;  
}
```

## Function 8: Dark Matter Perturbation

$$g_{pert} = (M + M_{DM}) \cdot \left( \frac{\delta\rho}{\rho} + \frac{3GM}{r^3} \right)$$

```
double compute_compressed_perturbation(const MUGESystem& sys) {  
    double tidal = 3.0 * G * sys.M / (sys.r * sys.r * sys.r);  
    return (sys.M + sys.M_DM) * (sys.delta_rho_over_rho + tidal);  
}
```

---

## 3. Full Decomposed Master Function

```
double compute_compressed_MUGE_modular(const MUGESystem& sys,  
                                       double Delta_x = 1e-10,  
                                       double Delta_p = 1e-24,  
                                       double psi_int = 1.0) {  
    double g_base = compute_compressed_base(sys);  
    double g_exp = compute_compressed_expansion(sys);  
    double g_super = compute_compressed_super_adj(sys);  
    double g_env = compute_compressed_envelope(sys);  
    double g_cosm = compute_compressed_cosm();  
    double g_quant = compute_compressed_quantum(Delta_x, Delta_p, psi_int);  
    double g_fluid = compute_compressed_fluid(sys);  
    double g_pert = compute_compressed_perturbation(sys);  
  
    return g_base * g_exp * g_super * g_env + g_cosm + g_quant + g_fluid + g_pert;  
}
```

---

## 4. Unit Test Matrix

| Function             | Test Input                            | Expected Output         | Tolerance     |
|----------------------|---------------------------------------|-------------------------|---------------|
| compute_base         | M=1e30, r=1e11                        | $6.67 \times 10^8$      | 1%            |
| compute_expansion    | t=0                                   | 1.0000                  | <0.01%        |
| compute_super_adj    | B=0                                   | 1.0000                  | exact         |
| compute_super_adj    | B=B_crit                              | 0.0000                  | exact         |
| compute_cosm         | $\Lambda=1.1e-52$                     | $3.293 \times 10^{-36}$ | 1%            |
| compute_quantum      | $\Delta x \Delta p = \hbar/2, \psi=1$ | varies                  | order of mag. |
| compute_fluid        | $\rho=1.29, V=1, g=9.81$              | 12.66                   | 1%            |
| compute_perturbation | $\delta\rho/\rho=0.1, M_{DM}/M=10$    | varies                  | order of mag. |

---

## 5. CP Integration

**CP1 (CondensedPhysics.py):** Add CompressedMUGEModularCalculator with 8 sub-methods. **CP2 (CondensedPhysics2.py):** Refactor existing compute\_compressed\_MUGE into modular form.

---

**Status:** □ Complete | **CP Stage:** CP1/CP2 **Supersedes:** N/A (extends PAPER\_090) |  
**Related:** PAPER\_090 (9-term compressed), PAPER\_158 (hybrid blending uses g\_comp),  
PAPER\_164 (quantum term calibration from CERN)