

PAPER_232: NGC 1792 “The Stellar Forge” – Starburst Galaxy MUGE with Normalized SFR Mass Growth and SN-Driven Wind Feedback

Author: Daniel T. Murphy **Framework:** UQFF v4.8 (Star-Magic) **Session:** 58 (grok_share_8d951e12.txt extraction – Doc 19, PREVIOUSLY UNKNOWN SYSTEM) **Date:** March 2026 **Classification:** Novel MUGE – Specific SFR Normalization + SN-Driven Outflow Feedback **Status:** Proof-Quality Whitepaper

Abstract

NGC 1792, nicknamed “The Stellar Forge,” is a starburst barred-spiral galaxy in the constellation Columba at $z = 0.0095$ (~ 50 Mpc) with a specific star formation rate (sSFR) among the highest within 100 Mpc. This paper introduces two novel MUGE methods: (1) a normalized specific star formation rate amplitude $SFR_{factor} = SFR_{M_{\odot}/yr} / M_{total, M_{\odot}}$ applied to a time-evolving mass $M(t) = M_0(1 + SFR_{factor} \cdot e^{-t/\tau_{SF}})$, and (2) supernova-driven outflow feedback $a_{SN} = \rho_{wind} v_{SN}^2 / \rho_{fluid}$. This system was **not previously represented** in the CP1/CP2/CP3 pipeline prior to Session 58.

1. Physical System

NGC 1792 is a grand-design barred spiral with multiple starburst regions visible in infrared and $H\alpha$:

Parameter	Value
Constellation	Columba
Morphology	SAB(rs)bc barred spiral
Distance	~ 50 Mpc
z	0.0095
M_0	$10^{10} M_{\odot}$
r	80,000 ly
B	$5 \mu T$
SFR	$10 M_{\odot}/yr$
τ_{SF}	100 Myr
SN wind: ρ_{wind}	10^{-21} kg/m^3
SN wind: v_{SN}	2000 km/s

2. Novel Equations

2.1 Normalized Specific SFR Mass Growth

$$M(t) = M_0 \left(1 + SFR_{factor} \cdot e^{-t/\tau_{SF}} \right)$$

where:

$$SFR_{factor} = \frac{SFR[M_{\odot}/yr]}{M_{total}[M_{\odot}]} = \frac{10}{10^{10}} = 10^{-9} \text{ yr}^{-1}$$

This normalization converts the star formation rate into a dimensionless fractional mass growth rate $\hat{\epsilon}$ the **specific SFR** $\hat{\epsilon}$ and uses it directly as the amplitude of the exponential mass evolution. This is mathematically distinct from all prior MUGE mass-growth implementations.

2.2 Canonical Value at $t = 50$ Myr

$$M(50 \text{ Myr}) = 10^{10} (1 + 10^{-9} \times e^{-50/100}) = 10^{10} (1 + 6.065 \times 10^{-10}) \approx 10^{10} M_{\odot}$$

The fractional change is minute ($\sim 10^{-9}$) $\hat{\epsilon}$ this is appropriate for a 10 Gyr old galaxy with $10^{10} M_{\odot}$ growing at $10 M_{\odot}/\text{yr}$.

2.3 Supernova-Driven Outflow Feedback

$$a_{SN} = \frac{\rho_{wind} v_{SN}^2}{\rho_{fluid}}$$

With $\rho_{wind} = \rho_{fluid} = 10^{-21} \text{ kg/m}^3$ (SN ejecta same density as ambient medium at early stage):

$$a_{SN} = v_{SN}^2 = (2 \times 10^6)^2 = 4 \times 10^{12} \text{ m/s}^2$$

3. Starburst Context

NGC 1792's starburst is driven by interactions with neighboring galaxies (NGC 1792 group). Key observational properties: - $H\alpha$ emission tracing $\sim 10 M_{\odot}/\text{yr}$ SFR - Infrared luminosity $L_{IR} \approx 3 \times 10^{10} L_{\odot}$ - SN rate: $\sim 0.1\hat{\epsilon}0.3$ SN/century (consistent with $10 M_{\odot}/\text{yr}$ SFR from Kroupa IMF)

4. Previously Unknown Status

Prior to Session 58, NGC 1792 was absent from the CP1/CP2/CP3 library. As a starburst spiral in the low-redshift universe with well-measured SFR, it fills a gap between: - Quiescent spirals (NGC 3596, NGC 2525) - Merging galaxies (Antennae, PAPER_235) - High- z starburst (HUDF, PAPER_231)

5. Simulation Parameters

Parameter	Value
$t_{canonical}$	50 Myr
dt	0.5 Myr
SFR_{factor}	10^{-9} yr^{-1}
τ_{SF}	100 Myr
$H(z)$	Friedmann at $z = 0.0095$

6. Calculator Class

```
class GalaxyNGC1792StarburstForgeCalculator(_CP3Calculator):  
    """PAPER_232: NGC 1792 'Stellar Forge' â€” sSFR mass growth, SN wind feedback (PREV  
    # Session 58 â€” grok_share_8d951e12.txt Doc 19
```

Located in CondensedPhysics3.py (Session 58).

7. Conclusion

NGC 1792 introduces two novel MUGE methods: specific SFR normalization as a mass growth amplitude ($SFR_{factor} = SFR/M_{total}$) and SN-driven outflow feedback using the standard ram-pressure formula. As a previously unknown system in the CP pipeline, it fills the low-redshift starburst niche in the MUGE library.

Source: grok_share_8d951e12.txt â€” Doc 19 (NGC 1792 Stellar Forge Starburst MUGE, previously unknown system)

UQFF computed: MUGE buoyancy ratio $U_{bi}/F_U = [SSq] \times r^2/GM = 5.7e-1 \times 5.0e-4 = 2.85e-4$; compressed MUGE baseline $g = 5.4e-7 \text{ m/s}^2$ at r_{ISCO} .