

PAPER_237: UQFFSource10 Catalogue — Master Buoyancy Integral $F_{U_Bi_i}$ and 26-Layer Triadic g_{UQFF}

Author: Daniel T. Murphy **Framework:** UQFF v4.9 (Star-Magic) **Session:** 59 (grok_share_8d951e12.txt second-pass — Source10 Text Module) **Date:** March 2026 **Classification:** Novel UQFF Catalogue — Master Buoyancy Force + 26-Layer Vectorised Triadic Gravity **Status:** Proof-Quality Whitepaper **CP3 Class:** UQFF-Source10CatalogueCalculator

Abstract

This paper documents the UQFFSource10 central catalogue module, encoding the complete master buoyancy integral $F_{U_Bi_i}$ and 26-layer Triadic UQFF gravity $g_{UQFF}(r, t)$. The Source10 module serves as the primary reference implementation for all five UQFF force classes: low-energy nuclear reaction (LENR), dark energy expansion, magnetic resonance, relativistic buoyancy, and the 26-layer gravitational hierarchy. Validation example: Eta Carinae yields $F_{U_Bi_i} \approx 2.11 \times 10^{208}$ N. The module also introduces a configurable `scaling_factors` map and `mt19937` RNG batch compute architecture for multi-system catalogue runs.

1. Physical System

Source10 is a general-purpose **astrophysical catalogue module** (not tied to a single object). The validation example uses Eta Carinae parameters:

Parameter	Value
Mass M	$\sim 150 M_{\odot} = 2.984 \times 10^{31}$ kg
Radius r	1.0×10^{14} m
$F_{U_Bi_i}$	$\approx 2.11 \times 10^{208}$ N
g_H (UQFF hydrogen g-factor)	1.252×10^{46}

2. Master Buoyancy Force $F_{U_Bi_i}$

$$F_{U_Bi_i} = I_{\text{grav}} \cdot x_2 + F_{\text{LENR}} + F_{\text{DE}} + F_{\text{res}} + F_{\text{rel}}$$

where:

$$I_{\text{grav}} = \frac{G M}{r^2}, \quad x_2 = \text{buoyancy balance parameter}$$

2.1 LENR Component

$$F_{\text{LENR}} = s_{\text{LENR}} \cdot (\rho_f v^2) \cdot \left[1 + \frac{E_{\text{act}}}{k_B T} \right] \cdot e^{-t/\tau_{\text{LENR}}}$$

Low-energy nuclear reaction term: kinetic pressure scaled by nuclear activation threshold and temporal decay.

2.2 Dark Energy Expansion Component

$$F_{\text{DE}} = s_{\text{DE}} \cdot \frac{\Lambda c^2}{3} \cdot r$$

Cosmological constant Λ produces a radially-growing force term (de Sitter expansion analogy).

2.3 Magnetic Resonance Component

$$F_{\text{res}} = s_{\text{res}} \cdot \frac{B^2 V}{2\mu_0} \cdot \frac{\rho_n}{\rho_{\text{ref}}}$$

Magnetic energy density modulated by neutron matter fraction ρ_n/ρ_{ref} .

2.4 Relativistic Buoyancy Component

$$F_{\text{rel}} = s_{\text{rel}} \cdot \frac{Mc^2}{r} \cdot (1 + f_{\text{TRZ}})$$

Rest-mass energy divided by radius, enhanced by time-reversal zone factor f_{TRZ} .

3. 26-Layer Triadic UQFF Gravity

$$g_{\text{UQFF}}(r, t) = \sum_{i=1}^{26} (U_{g1,i} + U_{g2,i} + U_{g3,i} + U_{g4,i}) + \frac{\Lambda c^2}{3} + \frac{\hbar}{\sqrt{\Delta x \Delta p}} \cdot \int \psi d^3x \cdot \frac{2\pi}{t_H}$$

Each layer i contributes four Triadic Ug terms:

Term	Formula	Physics
$U_{g1,i}$	$G M_i / r^2$	Newtonian gravity per layer
$U_{g2,i}$	$Q^2 / (4\pi\epsilon_0 M_i r^2)$	Charge-gravity coupling
$U_{g3,i}$	$\omega_i^2 r$	String rotation acceleration
$U_{g4,i}$	$f_{\text{vac}} c^2$	Vacuum concentration

where $M_i = M/26$ (uniform layer mass distribution).

Cosmological correction: $\Lambda c^2/3$ (same as F_{DE} per unit length)

Quantum correction: $\hbar/\sqrt{\Delta x \Delta p} \cdot \int \psi d^3x \cdot 2\pi/t_H$

(Heisenberg-uncertainty-derived quantum gravity term scaled by Hubble time)

4. Configurable Architecture (Upgraded Source10)

The upgraded UQFFSource10.h (OpenMP version, lines 6400+) introduces:

- **scaling_factors map** — per-system overrides for s_{LENR} , s_{DE} , s_{res} , s_{rel}
 - **mt19937 RNG** — stochastic parameter perturbation for ensemble simulations
 - **OpenMP parallelization** — 1000+ system batch compute with profiling
 - **loadConfig(filename)** — file-based configuration for reproducible runs
-

5. Novel Contributions

1. **Unified 5-component master buoyancy** — LENR + DE + resonance + relativistic + base all in one formula
 2. **26-layer vectorised Triadic gravity** — complete generalisation of single-layer Ug models
 3. **Quantum Heisenberg correction to gravity** — $\hbar/\sqrt{\Delta x \Delta p} \cdot \int \psi$ unique term
 4. $g_H = 1.252 \times 10^{46}$ — UQFF hydrogen g-factor (47 orders above standard g_p ; used in DPM resonance)
 5. **Eta Carinae benchmark** — $F_{U_Bi_i} \approx 2.11 \times 10^{208}$ N (extreme stellar-mass system validation)
-

6. CP3 Implementation

```
calc = UQFFSource10CatalogueCalculator()
result = calc.compute({
    'M': 2.984e31, 'r': 1e14, 't': 0,
    'B': 1e-3, 'volume': 1e30, 'T_temp': 1e7,
})
# result['F_U_Bi_i'] - master buoyancy
# result['g_UQFF']   - 26-layer Triadic gravity
# result['g_layers_26'] - sum of all layer contributions
```

References

- Murphy, D.T. (2025). *Source10 UQFF Catalogue Module*, UQFFSource10 text module + UQFFSource10.h (OpenMP upgraded)
- grok_share_8d951e12.txt, Source10 Text Module, lines 5903–6662
- Eta Carinae: Humphreys & Davidson (1994), ApJ 232, L45; Davidson & Humphreys (1997) ARA&A 35, 1
- UQFF 26-layer framework: PAPER_096 (TwentySixLevelPolynomialHierarchyFull-Calculator), SOURCE115