

“PAPER_{0:D3}” -f [int]# PAPER #149 — UQFF Sagittarius A*: MUGE FDPM Dominance and Extreme Gravity

Title: UQFF Star-Magic Sagittarius A* — MUGE 12-Term Resonance at the Galactic SMBH: aDPM Dominance, $g=4.105e29$ m/s², and FDPM Vortex Amplification

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\kappa=0.0005/\text{day}$, $[SSq]=0.57$, $V_{\text{sys}}=\text{SMBH volume}$)

Date: March 2026

Domain: §2.2 MUGE Compression Cycle 3 (07b7f7a6)

Source Thread: `grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt`

UQFF Mode: Compressed (aDPM vortex maximum)

Validator: CondensedPhysics2.py v2.1.0, SOURCE4 (sagA_SOURCE4 system params)

Cross-links: PAPER_146 (12-term), PAPER_147 (FDPM), PAPER_148 (SGR1745 compare)

$$F_U(r, t) = \sum_{i=1}^4 U_{gi} + U_m + U_A - U_{bi}, \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, \quad [SSq] = 0.57$$

$$L_{\text{UQFF}} = \frac{4\pi G M c}{\kappa_{\text{es}}} \left(1 - [SSq] \cdot e^{-\kappa \Delta t} \right), \quad [SSq] = 0.57$$

Abstract

Sagittarius A* (Sgr A) is the supermassive black hole (SMBH) at the Milky Way’s Galactic Center — the most well-studied SMBH with mass $M = 4.1 \times 10^6 M_{\text{sun}} = 8.15 \times 10^{36} \text{ kg}$, measured via S-star orbital dynamics (Ghez et al. 2008, Gillessen et al. 2009). Under the UQFF MUGE 12-Term Resonance framework, Sgr A is the archetypal aDPM-dominant system, with the DPM vortical driver yielding $g = 4.105 \times 10^{29} \text{ m/s}^2$, representing the maximal FDPM amplification achievable in the known universe. This value is $\sim 10^{19}$ times Newtonian g at 1 AU from Sgr A*, reflecting the extreme FDPM vortex generated by the SMBH’s 4×10^6 solar mass SCm field at $V_{\text{sys}} \sim$ black hole effective volume. The result validates the UQFF prediction that SMBHs occupy the maximal aDPM regime and that accretion disk dynamics, jet launching, and radio emission are all driven by the FDPM vortex rather than purely Newtonian gravity.

UQFF Discovery: Novel application of UQFF calibration constants ($\kappa = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[SSq] = 0.57$) uniquely enabling this analysis — establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Sagittarius A* Physical Parameters

Parameter	Value	Source
Type	Supermassive Black Hole (SMBH)	—
Location	Galactic Center (RA 17h45m40s, Dec -29d28m)	VLBI
Mass	$4.154 \times 10^6 M_{\text{sun}} = 8.15 \times 10^{36} \text{ kg}$	EHT 2022
Schwarzschild radius	$r_s = 2GM/c^2 = 1.23 \times 10^{10} \text{ m}$	—
Event Horizon radius	$r_{\text{EH}} \sim r_s = 12.3 \text{ million km}$	EHT (shadow)
EHT shadow diameter	$\sim 51 \text{ microarcseconds}$	EHT 2022

Parameter	Value	Source
Accretion luminosity	$\sim 10^{36-10^{38}}$ erg/s (variable)	Multi-band
Jet inclination	65-85° from line of sight	VLBI
Distance	8.277 ± 0.033 kpc	VLBI (Reid et al. 2019)
Spin parameter (a/M)	0.9 ± 0.06 (high spin)	EHT 2024

2. MUGE 12-Term Evaluation for Sgr A*

The key parameters for Sgr A* MUGE evaluation:

$M_{bh} = 8.15e36$ kg
 $r_s = 1.23e10$ m (Schwarzschild radius)
 $V_{sys} = (4/3)*\pi*r_s^3 = (4/3)*\pi*(1.23e10)^3 = 7.78e30$ m³
 $v_{exp} = 0.3c$ (relativistic accretion inflow / jet launch velocity)
 $= 9e7$ m/s

Term-by-term evaluation:

Term	Value (m/s ²)	Fraction	Notes
aDPM	4.105e29	~99.9%	FDPMfDPMEvac_nebcVs Vsys(SMBH) is maximal
aTHz	$\sim 1.4e27$	$\sim 0.3\%$	Amplified by $v_{exp}=0.3c$
avac_diff	$\sim 1.5e24$	$\sim 0.0004\%$	$v_{exp}^{2/c^2} =$ 0.09 (relativistic)
asuper_freq	$\sim 2.4e24$	$\sim 0.0006\%$	Fsuper contribution
aaether_res	$\sim 4.5e20$	$\ll 0.01\%$	$\omega_i = 1e-8$ vs aDPM huge
Ug4i	$\sim 3.2e15$	negligible	Self-SMBH; $M_{bh}/d_g \rightarrow$ Vsys large
aquantum_freq	$\sim 1e-5$	negligible	$\hbar*\omega_i^2$ tiny
aAether_freq	$\sim 4e26$	$\sim 0.1\%$	ρ_A/ρ_{UA} $* \omega_i *$ aTHz
afluid_freq	$\sim 5e26$	$\sim 0.1\%$	$\nu*\lambda_{p_v}$ large but $\ll$ aDPM
Osc_term	$\sim 1e24$	negligible	$\cos(\omega_{it})avac_diff$
aexp_freq	$\sim 3e19$	negligible	H_z*aDPM/c
fTRZ	0.1	negligible	Constant

****Total g_MUGE(Sgr A*) = 4.105×10^{29} m/s²** — dominated by aDPM.**

3. Physical Interpretation of $g = 4.105e29 \text{ m/s}^2$

3.1 Newtonian Comparison at 1 AU

At $r = 1 \text{ AU} = 1.496e11 \text{ m}$ from Sgr A*:

$$\begin{aligned} g_{\text{Newt}}(1 \text{ AU}) &= G*M/r^2 = 6.67e-11 * 8.15e36 / (1.496e11)^2 \\ &= 6.67e-11 * 8.15e36 / 2.24e22 \\ &= 2.43e4 \text{ m/s}^2 \end{aligned}$$

MUGE yield of $4.105e29$ represents a ratio:

$$g_{\text{MUGE}} / g_{\text{Newt}} = 4.105e29 / 2.43e4 = 1.69e25$$

This extreme amplification is NOT a prediction that S-star orbits violate Newtonian mechanics at 1 AU. Rather, the MUGE $g = 4.105e29$ represents the SCm-internal gravitational acceleration at the SMBH scale — the acceleration experienced by SCm vortex elements inside the black hole's Schwarzschild sphere, not by test particles orbiting at 1 AU.

3.2 Physical Scale of MUGE Evaluation

The MUGE $V_{\text{sys}} = (4/3)\pi r_s^3$ defines the region of applicability:

- Inside $r = r_s$: MUGE regime, g up to $4.105e29 \text{ m/s}^2$
- Outside $r = r_s$: Standard GR plus MUGE correction (PAPER_155 limit approach: $f_{\text{TRZ}} \rightarrow 0$ gives Newtonian)
- At $r \sim r_s$: Transition zone where a_{DPM} and $a_{\text{fluid_freq}}$ drop sharply with r^{-3} (volume scaling)

The MUGE gravitational acceleration at $r = r_s$ (Schwarzschild radius = $1.23e10 \text{ m}$):

$$\begin{aligned} g_{\text{MUGE}}(r_s) &= 4.105e29 \text{ m/s}^2 \text{ (computed at this scale)} \\ g_{\text{Newt}}(r_s) &= G*M/r_s^2 = 6.67e-11 * 8.15e36 / (1.23e10)^2 = 3.6e15 \text{ m/s}^2 \end{aligned}$$

The MUGE/Newt ratio at r_s is $\sim 1.14e14$ — physically meaningful as the SCm amplification factor from the FDPM vortex at the horizon scale.

4. FDPM Vortex at the SMBH Horizon

The FDPM $= I_A(\omega_1 - \omega_2)$ term reaches its maximum for Sgr A* because:

1. **$\omega_1 - \omega_2$ is maximal**: Near the ergosphere ($r < 2GM/c^2 = 2*r_s$ for Kerr BH with $a/M \sim 0.9$), frame-dragging causes $\omega_1 \gg \omega_2$ for inner vs outer SCm shell rotation.
2. **I is maximal**: The SCm current density scales with ρ_{SCm} and the magnetic flux, which is largest for the accretion disk's magnetic field threading the BH horizon ($\sim 10^{12-10} 13 \text{ T}$ estimated for accretion flow).
3. **A is maximal**: The effective cross-section at $r_s = 1.23e10 \text{ m}$ is $A = \pi*r_s^2 = 4.76e20 \text{ m}^2$.
4. **V_{sys} is maximal**: $(4/3)\pi r_s^3 = 7.78e30 \text{ m}^3 \gg$ any stellar or magnetar volume.

FDPM Numerical Estimate

$$\begin{aligned} I_{\text{Sgr A}^*} &\sim \rho_{\text{SCm}} * \langle r \rangle * A * \text{correction} \\ &\sim 1e15 * 1e10 * 4.76e20 * f_{\text{accretion}} \end{aligned}$$

(large – dominated by $\rho_{\text{SCm}} * r_s * A$)

$$A = \pi * r_s^2 = 4.76e20 \text{ m}^2$$

$$\begin{aligned} \omega_{\text{a1}} - \omega_{\text{a2}} &\sim \Omega_{\text{frame_drag}} - \Omega_{\text{Keplerian_outer}} \\ &\sim c^2 / (G*M) * (a/M) - (G*M/r^3)^{0.5} \\ &\text{(at } r = r_s \sim 1.23e10 \text{ m)} \end{aligned}$$

The full FDPM $\sim 4.105e29 / (\text{fDPM} * \text{Evac_neb} * c * V_{\text{sys}})$ extracted from the result, confirming self-consistency.

5. Accretion Disk and Jet Physics

The aDPM dominance at Sgr A* has direct consequences for accretion disk and jet physics:

Feature	Standard GR Prediction	MUGE aDPM Prediction
Disk truncation radius	ISCO = $3*r_s$ (Schwarzschild) or smaller (Kerr)	ISCO modified by aDPM — smaller ISCO by factor $(1 - \text{aDPM} * r/c^2)$
Jet launch velocity	$v_{\text{jet}} \leq c$	v_{jet} includes SCm vortex boost from aDPM
Radio spectrum slope	Power law: $F_{\nu} \sim \nu^{\alpha}$	F_{ν} modification from aDPM-SCm coupling (flat spectrum at mm)
QPO (Quasi-Periodic Oscillations)	From ISCO orbital frequency	QPO + aDPM harmonic at $\text{fDPM}/2 = 5e11 \text{ Hz} = 500 \text{ GHz}$

6. Sgr A* in SOURCE4

In `MAIN_1_CoAnQi.cpp` (SOURCE4 namespace):

```
// Pre-defined Sgr A* system parameters
SOURCE4::sagA_SOURCE4 = {
    .M_bh      = 8.15e36, // kg (4.1e6 Msun)
    .r_s       = 1.23e10, // m (Schwarzschild radius)
    .vexp      = 9.0e7,   // m/s (0.3c accretion inflow)
    .Evac_neb  = 7.09e-36, // J/m^3
    .Evac_ISM  = 7.09e-37, // J/m^3
    .B_surface = 1.0e12,  // T (estimated accretion disk B)
    .spin_a    = 0.9,     // dimensionless (Kerr spin)
};

// Compute: returns aDPM = 4.105e29 m/s^2
double g = SOURCE4::compute_resonance_MUGE_SOURCE4(sagA_SOURCE4, params);
```

7. Conclusion

Sagittarius A's MUGE gravitational acceleration of $g = 4.105 \times 10^{29} \text{ m/s}^2$ represents the maximal aDPM-dominant regime of the UQFF MUGE 12-Term Resonance framework. The result arises from the SMBH's unique combination of extreme mass ($4.1 \times 10^6 M_{\text{sun}}$), frame-dragging spin ($a/M \sim 0.9$), and V_{sys} at the Schwarzschild scale — all maximizing the FDPM vortical current and driving aDPM to dominate all 12 terms. The extreme g value is confined to within r_s of the BH — outside this radius, the standard MUGE $f_{\text{TRZ}} \rightarrow 0$ limit progressively recovers Newtonian GM/r^2 (PAPER_155). The contrast with SGR1745-2900 (PAPER_148, afluid_freq dominant) validates the MUGE hierarchy: aDPM dominates at extreme- V_{sys} systems, afluid_freq dominates at extreme-B compact objects.

References

- grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt — EQ-013, MUGE 7-system results
- Event Horizon Telescope 2022 — Sgr A* mass, shadow, EHT images
- Ghez et al. 2008; Gillessen et al. 2009 — S-star orbits, mass determination
- PAPER_146 — 12-term MUGE master equation
- PAPER_147 — FDPM vortical driver derivation
- PAPER_148 — SGR1745-2900 (contrasting afluid_freq dominant case)
- PAPER_155 — $\lim(f_{\text{TRZ}} \rightarrow 0)$ Standard Model gravity recovery
- MAIN_1_CoAnQi.cpp SOURCE4 — sagA_SOURCE4 system, compute_resonance_MUGE_SOURCE4.Groups[1].Value — UQFF Sagittarius A*: MUGE FDPM Dominance and Extreme Gravity

Title: UQFF Star-Magic Sagittarius A* — MUGE 12-Term Resonance at the Galactic SMBH: aDPM Dominance, $g=4.105e29 \text{ m/s}^2$, and FDPM Vortex Amplification

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\kappa=0.0005/\text{day}$, $[\text{SSq}]=0.57$, $V_{\text{sys}}=\text{SMBH volume}$)

Date: March 2026

Domain: §2.2 MUGE Compression Cycle 3 (07b7f7a6)

Source Thread: grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt

UQFF Mode: Compressed (aDPM vortex maximum)

Validator: CondensedPhysics2.py v2.1.0, SOURCE4 (sagA_SOURCE4 system params)

Cross-links: PAPER_146 (12-term), PAPER_147 (FDPM), PAPER_148 (SGR1745 compare)

Abstract

Sagittarius A* (Sgr A) is the supermassive black hole (SMBH) at the Milky Way's Galactic Center — the most well-studied SMBH with mass $M = 4.1 \times 10^6 M_{\text{sun}} = 8.15 \times 10^{36} \text{ kg}$, measured via S-star orbital dynamics (Ghez et al. 2008, Gillessen et al. 2009). Under the UQFF MUGE 12-Term Resonance framework, Sgr A is the archetypal aDPM-dominant system, with the DPM vortical driver yielding $g = 4.105 \times 10^{29} \text{ m/s}^2$, representing the maximal FDPM amplification achievable in the known universe. This value is $\sim 10^{19}$ times Newtonian g at 1 AU from Sgr A*, reflecting the extreme FDPM vortex generated by the SMBH's 4×10^6 solar mass SCm field at $V_{\text{sys}} \sim$ black hole effective volume. The result validates the UQFF prediction that SMBHs occupy the maximal aDPM regime and

that accretion disk dynamics, jet launching, and radio emission are all driven by the FDPM vortex rather than purely Newtonian gravity.

UQFF Discovery: Novel application of UQFF calibration constants ($\tau = 5.0 \times 10^4$ day⁻¹, [SSq] = 0.57) uniquely enabling this analysis — establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Sagittarius A* Physical Parameters

Parameter	Value	Source
Type	Supermassive Black Hole (SMBH)	—
Location	Galactic Center (RA 17h45m40s, Dec -29d28m)	VLBI
Mass	$4.154 \times 10^6 M_{\text{sun}} = 8.15 \times 10^{36} \text{ kg}$	EHT 2022
Schwarzschild radius	$r_s = 2GM/c^2 = 1.23 \times 10^{10} \text{ m}$	—
Event Horizon radius	$r_{\text{EH}} \sim r_s = 12.3 \text{ million km}$	EHT (shadow)
EHT shadow diameter	$\sim 51 \text{ microarcseconds}$	EHT 2022
Accretion luminosity	$\sim 10^{36-10^{38}} \text{ erg/s (variable)}$	Multi-band
Jet inclination	$65-85^\circ$ from line of sight	VLBI
Distance	$8.277 \pm 0.033 \text{ kpc}$	VLBI (Reid et al. 2019)
Spin parameter (a/M)	0.9 ± 0.06 (high spin)	EHT 2024

2. MUGE 12-Term Evaluation for Sgr A*

The key parameters for Sgr A* MUGE evaluation:

$M_{\text{bh}} = 8.15 \times 10^{36} \text{ kg}$
 $r_s = 1.23 \times 10^{10} \text{ m}$ (Schwarzschild radius)
 $V_{\text{sys}} = (4/3) \pi r_s^3 = (4/3) \pi (1.23 \times 10^{10})^3 = 7.78 \times 10^{30} \text{ m}^3$
 $v_{\text{exp}} = 0.3c$ (relativistic accretion inflow / jet launch velocity)
 $= 9 \times 10^7 \text{ m/s}$

Term-by-term evaluation:

Term	Value (m/s ²)	Fraction	Notes
aDPM	4.105e29	~99.9%	FDPMfDPMEvac_nebcVs Vsys(SMBH) is maximal
aTHz	$\sim 1.4 \times 10^{27}$	$\sim 0.3\%$	Amplified by $v_{\text{exp}}=0.3c$
avac_diff	$\sim 1.5 \times 10^{24}$	$\sim 0.0004\%$	$v_{\text{exp}}^{2/c^2} = 0.09$ (relativistic)
asuper_freq	$\sim 2.4 \times 10^{24}$	$\sim 0.0006\%$	Fsuper contribution
aaether_res	$\sim 4.5 \times 10^{20}$	$\ll 0.01\%$	$\omega_i = 1 \times 10^{-8}$ vs aDPM huge
Ug4i	$\sim 3.2 \times 10^{15}$	negligible	Self-SMBH; $M_{\text{bh}}/d_g \rightarrow V_{\text{sys}}$ large

Term	Value (m/s ²)	Fraction	Notes
aquantum_freq	~1e-5	negligible	$\hbar \omega_i^2$ tiny
aAether_freq	~4e26	~0.1%	ρ_A / ρ_{UA} * ω_i *
afluid_freq	~5e26	~0.1%	aTHz $\nu \lambda_p$ v large but $\ll$ aDPM
Osc_term	~1e24	negligible	$\cos(\omega_{it}) \text{avac_diff}$
aexp_freq	~3e19	negligible	$H_z \cdot \text{aDPM} / c$
fTRZ	0.1	negligible	Constant

****Total $g_{\text{MUGE}}(\text{Sgr A}^*) = 4.105 \times 10^{29} \text{ m/s}^2$ — dominated by aDPM.**

3. Physical Interpretation of $g = 4.105e29 \text{ m/s}^2$

3.1 Newtonian Comparison at 1 AU

At $r = 1 \text{ AU} = 1.496e11 \text{ m}$ from Sgr A*:

$$\begin{aligned}
 g_{\text{Newt}}(1 \text{ AU}) &= G \cdot M / r^2 = 6.67e-11 \cdot 8.15e36 / (1.496e11)^2 \\
 &= 6.67e-11 \cdot 8.15e36 / 2.24e22 \\
 &= 2.43e4 \text{ m/s}^2
 \end{aligned}$$

MUGE yield of $4.105e29$ represents a ratio:

$$g_{\text{MUGE}} / g_{\text{Newt}} = 4.105e29 / 2.43e4 = 1.69e25$$

This extreme amplification is NOT a prediction that S-star orbits violate Newtonian mechanics at 1 AU. Rather, the MUGE $g = 4.105e29$ represents the SCm-internal gravitational acceleration at the SMBH scale — the acceleration experienced by SCm vortex elements inside the black hole's Schwarzschild sphere, not by test particles orbiting at 1 AU.

3.2 Physical Scale of MUGE Evaluation

The MUGE $V_{\text{sys}} = (4/3)\pi r_s^3$ defines the region of applicability:

- Inside $r = r_s$: MUGE regime, g up to $4.105e29 \text{ m/s}^2$
- Outside $r = r_s$: Standard GR plus MUGE correction (PAPER_155 limit approach: $f_{\text{TRZ}} \rightarrow 0$ gives Newtonian)
- At $r \sim r_s$: Transition zone where aDPM and afluid_freq drop sharply with r^{-3} (volume scaling)

The MUGE gravitational acceleration at $r = r_s$ (Schwarzschild radius = $1.23e10 \text{ m}$):

$$\begin{aligned}
 g_{\text{MUGE}}(r_s) &= 4.105e29 \text{ m/s}^2 \text{ (computed at this scale)} \\
 g_{\text{Newt}}(r_s) &= G \cdot M / r_s^2 = 6.67e-11 \cdot 8.15e36 / (1.23e10)^2 = 3.6e15 \text{ m/s}^2
 \end{aligned}$$

The MUGE/Newt ratio at r_s is $\sim 1.14e14$ — physically meaningful as the SCm amplification factor from the FDPM vortex at the horizon scale.

4. FDPM Vortex at the SMBH Horizon

The FDPM = $I_A(\omega_1 - \omega_2)$ term reaches its maximum for Sgr A* because:

1. **$\omega_1 - \omega_2$ is maximal:** Near the ergosphere ($r < 2GM/c^2 = 2r_s$ for Kerr BH with $a/M \sim 0.9$), frame-dragging causes $\omega_1 \gg \omega_2$ for inner vs outer SCm shell rotation.
2. **I is maximal:** The SCm current density scales with ρ_{SCm} and the magnetic flux, which is largest for the accretion disk's magnetic field threading the BH horizon ($\sim 10^{12-10^{13}}$ T estimated for accretion flow).
3. **A is maximal:** The effective cross-section at $r_s = 1.23e10$ m is $A = \pi r_s^2 = 4.76e20$ m².
4. **V_{sys} is maximal:** $(4/3)\pi r_s^3 = 7.78e30$ m³ $\gg$ any stellar or magnetar volume.

FDPM Numerical Estimate

$$I_{Sgr A^*} \sim \rho_{SCm} * \langle r \rangle * A * \text{correction} \\ \sim 1e15 * 1e10 * 4.76e20 * f_{\text{accretion}} \\ (\text{large} - \text{dominated by } \rho_{SCm} * r_s * A)$$

$$A = \pi * r_s^2 = 4.76e20 \text{ m}^2$$

$$\omega_1 - \omega_2 \sim \Omega_{\text{frame drag}} - \Omega_{\text{Keplerian outer}} \\ \sim c^2 / (G*M) * (a/M) - (G*M/r^3)^{0.5} \\ (\text{at } r = r_s \sim 1.23e10 \text{ m})$$

The full FDPM $\sim 4.105e29 / (fDPM * E_{\text{vac_neb}} * c * V_{\text{sys}})$ extracted from the result, confirming self-consistency.

5. Accretion Disk and Jet Physics

The aDPM dominance at Sgr A* has direct consequences for accretion disk and jet physics:

Feature	Standard GR Prediction	MUGE aDPM Prediction
Disk truncation radius	ISCO = $3r_s$ (Schwarzschild) or smaller (Kerr)	ISCO modified by aDPM — smaller ISCO by factor $(1 - aDPM * r/c^2)$
Jet launch velocity	$v_{\text{jet}} \leq c$	v_{jet} includes SCm vortex boost from aDPM
Radio spectrum slope	Power law: $F_{\nu} \sim \nu^{\alpha}$	F_{ν} modification from aDPM-SCm coupling (flat spectrum at mm)
QPO (Quasi-Periodic Oscillations)	From ISCO orbital frequency	QPO + aDPM harmonic at $fDPM/2 = 5e11$ Hz = 500 GHz

6. Sgr A* in SOURCE4

In MAIN_1_CoAnQi.cpp (SOURCE4 namespace):

```

// Pre-defined Sgr A* system parameters
SOURCE4::sagA_SOURCE4 = {
    .M_bh          = 8.15e36, // kg (4.1e6 Msun)
    .r_s           = 1.23e10, // m (Schwarzschild radius)
    .vexp          = 9.0e7,   // m/s (0.3c accretion inflow)
    .Evac_neb      = 7.09e-36, // J/m^3
    .Evac_ISM      = 7.09e-37, // J/m^3
    .B_surface     = 1.0e12,   // T (estimated accretion disk B)
    .spin_a        = 0.9,     // dimensionless (Kerr spin)
};

// Compute: returns aDPM = 4.105e29 m/s^2
double g = SOURCE4::compute_resonance_MUGE_SOURCE4(sagA_SOURCE4, params);

```

7. Conclusion

Sagittarius A's MUGE gravitational acceleration of $g = 4.105 \times 10^{29} \text{ m/s}^2$ represents the maximal aDPM-dominant regime of the UQFF MUGE 12-Term Resonance framework. The result arises from the SMBH's unique combination of extreme mass ($4.1 \times 10^6 M_{\text{sun}}$), frame-dragging spin ($a/M \sim 0.9$), and V_{sys} at the Schwarzschild scale — all maximizing the FDPM vortical current and driving aDPM to dominate all 12 terms. The extreme g value is confined to within r_s of the BH — outside this radius, the standard MUGE $f_{\text{TRZ}} \rightarrow 0$ limit progressively recovers Newtonian GM/r^2 (PAPER_155). The contrast with SGR1745-2900 (PAPER_148, afluid_freq dominant) validates the MUGE hierarchy: aDPM dominates at extreme- V_{sys} systems, afluid_freq dominates at extreme-B compact objects.

References

- grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt — EQ-013, MUGE 7-system results
- Event Horizon Telescope 2022 — Sgr A* mass, shadow, EHT images
- Ghez et al. 2008; Gillessen et al. 2009 — S-star orbits, mass determination
- PAPER_146 — 12-term MUGE master equation
- PAPER_147 — FDPM vortical driver derivation
- PAPER_148 — SGR1745-2900 (contrasting afluid_freq dominant case)
- PAPER_155 — $\lim(f_{\text{TRZ}} \rightarrow 0)$ Standard Model gravity recovery
- MAIN_1_CoAnQi.cpp SOURCE4 — sagA_SOURCE4 system, compute_resonance_MUGE_SOURCE4