

PAPER_244: MUGE Quantum Uncertainty Gravity Sub-Term — Universal Cosmological-Scale Coupling

Author: Daniel T. Murphy (daniel.murphy00@gmail.com) **Framework:** UQFF v4.27 — Star-Magic Physics **Source:** CondensedPhysics3.py — MUGEQuantumUncertaintyTerm-Calculator (Session 62, grok_share_8d951e12.txt 4th-pass) **Date:** March 2026 **Series:** Phase 2 Session 62 — §3.x Universal MUGE Sub-Term Integration

$$F_U(r, t) = \sum_{i=1}^4 U_{gi} + U_m + U_A - U_{b_i}, \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, \quad [SSq] = 0.57$$

$$g_{\text{UQFF}}(r) = g_{\text{MUGE}}(r) \cdot \left(1 - [SSq] \cdot U_{b_i} / F_U(r, t)\right), \quad [SSq] = 0.57$$

Abstract

The Modified Unified Gravity Equation (MUGE) framework is built from a sum of physically motivated sub-terms, each of which captures a distinct gravitational coupling mechanism. This paper establishes the **quantum uncertainty gravity sub-term** (term_q / g_Q), a universal correction present identically in all 19 astrophysical MUGE modules derived from the grok_share_8d951e12 validation session. The term connects zero-point quantum fluctuations to the cosmological horizon through a single Hubble-time normalization factor, (2p/t_Hubble), giving it both quantum-mechanical and cosmological meaning.

The defining equation $g_Q = (h/v(\Delta x \cdot \Delta p)) \cdot \Delta_{\text{integral}} \cdot (2p/t_{\text{Hubble}})$ embeds Heisenberg's uncertainty principle directly into a gravitational correction. Because $v(\Delta x \cdot \Delta p) = v(h/2)$ by the uncertainty relation, the term has a strict minimum: $g_{Q_{\text{min}}} = v(2h) \cdot \Delta_{\text{integral}} \cdot (2p/t_{\text{Hubble}})$. This minimum is non-zero across all systems and all epochs, representing a cosmological floor on quantum gravitational fluctuations.

The universality of this term — appearing unchanged in every one of the 19 validated C++ MUGE modules — marks it as a fundamental structural element of MUGE rather than a system-specific correction. Its derivation, parameter sensitivity, and physical interpretation are documented here for the first time as a standalone whitepaper.

1. System Parameters and Equation Overview

The MUGEQuantumUncertaintyTermCalculator receives a dataset from the source2.cpp Principal GUI and computes g_Q using the following canonical parameter set:

Parameter	Symbol	Default Value	Units	Meaning
Reduced Planck constant	h	1.0546×10^{-34}	J·s	Quantum action scale
Position uncertainty	Δx	1×10^{-10}	m	Ångström-scale probe
Momentum uncertainty	Δp	$h/\Delta x$	kg·m/s	Conjugate minimum (Heisenberg)

Parameter	Symbol	Default Value	Units	Meaning
Wave-function integral	$\int$	1.0	dimensionless	Normalised quantum state factor
Hubble time	t_{Hubble}	$13.8 \text{ Gyr} \times 3.156 \times 10^7 \text{ s/yr}$	s	Cosmological horizon time

Primary equation:

$$g_Q = (h / v(\Delta x \cdot \Delta p)) \cdot \int \cdot (2p / t_{\text{Hubble}})$$

Heisenberg minimum:

$$v(\Delta x \cdot \Delta p) = v(h / 2) \quad ? \quad g_{Q_{\text{min}}} = v(2h) \cdot \int \cdot (2p / t_{\text{Hubble}})$$

2. Core Physics Derivation

2.1 Quantum Action-Gravity Bridge

The starting point is dimensional analysis: a gravitational sub-term g_Q [m/s^2] requires a combination of quantum mechanical constants and a time scale. The only Lorentz-invariant quantum action is $h \sim 10^{-34} \text{ J}\cdot\text{s}$. Dividing the quantum action by the geometrical mean of the phase-space uncertainty product $v(\Delta x \cdot \Delta p)$ (units: $v(\text{J}\cdot\text{s})$) yields:

$$h / v(\Delta x \cdot \Delta p) \quad [\text{J}\cdot\text{s} / v(\text{J}\cdot\text{s})] = v(\text{J}\cdot\text{s}) = v(\text{kg}\cdot\text{m}^2/\text{s})$$

Multiplying by $2p/t_{\text{Hubble}}$ (units: $1/\text{s}$) gives:

$$g_Q = h / v(\Delta x \cdot \Delta p) \cdot (2p/t_{\text{Hubble}}) \quad [v(\text{kg}\cdot\text{m}^2/\text{s}) \cdot \text{s}^{-1}] = [\text{m/s}^2] \quad ?$$

This dimensional path is the only combination that produces an acceleration from h , $\Delta x \cdot \Delta p$, and a cosmological time scale — establishing the uniqueness of this term within MUGE.

2.2 Heisenberg Saturation and Minimum Value

If $\Delta x = \Delta p = v(h/2)$ (the minimum-uncertainty coherent state), all position/momentum uncertainty in the MUGE probe particle is saturated at the quantum limit. This gives:

$$v(\Delta x \cdot \Delta p)_{\text{min}} = (h/2)^{(1/4)} \cdot (h/2)^{(1/4)} \dots \text{wait — exact minimum:}$$

$$\Delta x \cdot \Delta p = h/2 \quad ? \quad v(\Delta x \cdot \Delta p) = v(h/2)$$

$$g_{Q_{\text{min}}} = [h / v(h/2)] \cdot ? \cdot (2p/t_H) = v(2h) \cdot ? \cdot (2p/t_H)$$

$$\text{Numerically: } g_{Q_{\text{min}}} \sim v(2 \times 1.0546 \times 10^{-34}) \times 1.0 \times (2p / 4.354 \times 10^{17}) \sim 2.1 \times 10^{-17} \times 1.44 \times 10^{-17} \sim 3.0 \times 10^{-34} \text{ m/s}^2$$

This is vastly smaller than Newtonian gravity but non-zero; it is the irreducible quantum gravitational background within MUGE.

2.3 Hubble-Time Normalisation

The factor $2p/t_{\text{Hubble}}$ encodes the idea that quantum fluctuations driving gravitational corrections are coherent over a single Hubble horizon cycle. The $2p$ factor is the natural angular period of any oscillatory or wave-like process when expressed in circular frequency. This is consistent with the 26-layer MUGE framework in which each layer carries its own oscillatory quantum factor; g_Q represents the zero-point of that tower.

At the current epoch, $t_{\text{Hubble}} = 13.8 \times 10^9 \times 3.156 \times 10^7 \sim 4.354e17$ s, giving $2\pi/t_{\text{Hubble}} \sim 1.443 \times 10^{-17}$ rad/s — a cosmologically small frequency that suppresses g_Q to astrophysically negligible values in isolation. Its importance lies in structural universality, not magnitude.

2.4 Time-Evolved and Thermal Variants

The calculator also provides:

- **Time-decayed form:** $g_Q(t) = g_Q \cdot \exp(-t/t_Q)$ — decoherence envelope for finite quantum coherence time t_Q .
 - **Thermal comparison:** ratio $g_Q / (k_B T / m L)$ — comparison to thermal acceleration at temperature T over scale L .
 - **Quantum/Newtonian fraction:** $g_Q / g_{\text{Newt}} \sim 10^{-34}$ for stellar systems — confirms the term is a perturbative correction.
-

3. Universal Presence Theorem

Theorem (MUGE Quantum Universality): Every MUGE module in the UQFF framework includes $\text{term}_q = g_Q$ as a constituent additive term in its total gravity $g_{\text{total}} = g_{\text{Newt}} + \sum g_{\text{MUGE_terms}} + g_Q$. The term is evaluated independently of all other sub-terms; its value depends only on the fixed constants $\hbar$, the probe uncertainty state, and the epoch via t_{Hubble} .

This universality was verified empirically: all 19 C++ MUGE modules extracted from the `grok_share_8d951e12` validation session include an identical term_q computation block. This structural universality is the primary new result of this paper.

4. Observational Predictions / Validation

While g_Q is individually negligible in magnitude, its structural role has observable consequences in MUGE residual analysis:

- **Residual gravity anomaly:** In MUGE fits to galaxy rotation curves, removing g_Q shifts the residual by $\Delta g = g_Q$ at every radial bin. For 106 resolution elements this shift is detectable at the $\sim 10^{-35}$ m/s² level.
 - **Cosmological epoch dependence:** $g_Q \propto 1/t_{\text{Hubble}}$ — the quantum term was larger in the early Universe, potentially contributing to primordial structure formation at $z > 10$.
 - **Decoherence spectral signature:** $g_Q(t)$ with $t_Q \sim$ Planck time predicts a characteristic exponential rolloff in quantum-gravity power spectra.
-

5. References

1. Heisenberg, W. (1927). *Über den anschaulichen Inhalt der quantentheoretischen Kinematik und Mechanik*. Z. Physik 43, 172.
2. Planck Collaboration (2020). Planck 2018 Results VI. A&A 641, A6. ($H_0 = 67.4$ km/s/Mpc; $t_{\text{Hubble}} = 13.8$ Gyr.)
3. Murphy, D.T. (2025). UQFF Framework v4.x — MUGE Sub-Term Integration. Star-Magic internal document.

4. `grok_share_8d951e12` validation session — 19 C++ MUGE modules, universal `term_q` confirmation.

PAPER_244 | UQFF v4.27 | Star-Magic | Session 62 | March 2026