

PAPER_271: THz Double-Gate Star Formation under Dual Binary Conditions for Maximum UQFF Conduit Force

Authors: Daniel T. Murphy

Date: March 2026

UQFF Module: UQFF_SOURCE10.cpp (Catalogue Master, Session 74)

Session: 74 under UQFF Source10 Analysis

Keywords: THz star formation, double gate, neutron stability, water incompressibility, Colman-Gillespie, conduit force

Abstract

The UQFF Source10 Catalogue encodes two star-formation force channels whose maximum output requires the simultaneous satisfaction of two independent binary gate conditions. The **conduit force** $F_{\text{conduit}} = k_{\text{conduit}} \times H_{\text{abundance}} \times \text{water_state} \times \text{neutron_factor}$ requires (Gate 1) $\text{water_state} = 1$ (fluid incompressibility, classical mechanics) AND (Gate 2) $\text{neutron_factor} = 1$ (nuclear stability, quantum mechanics). The **THz shock force** $F_{\text{thz_shock}} = k_{\text{thz}} \times (\omega_{\text{thz}}/\omega_0)^2 \times \text{neutron_factor} \times \text{conduit_scale}$ shares Gate 2 and additionally encodes the Colman-Gillespie THz resonance via $\omega_{\text{thz}}/\omega_0 = 1.2$ (under 1.25 THz), whose squared ratio $(\omega_{\text{thz}}/\omega_0)^2 = 1.44$ provides a systematic **resonance enhancement factor**. This paper formally defines the Double-Gate Architecture, derives the critical THz ratio from Colman-Gillespie first principles, demonstrates that the gates operate through orthogonal physical domains (quantum nuclear vs. classical fluid), and identifies the triple coincidence condition ($H_{\text{abundance}} > 0$, $\text{water_state} = 1$, $\text{neutron_factor} = 1$) as the UQFF mechanism for episodic and spatially localized star formation.

UQFF Discovery: Novel application of UQFF calibration constants ($\tau = 5.0 \times 10^{24}$ day⁻¹, $[\text{SSq}] = 0.57$) uniquely enabling this analysis by establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Introduction: The Star-Formation Conduit in UQFF Source10

The UQFF Source10 Catalogue models tail-end star formation through two coupled force channels, derived from the Colman-Gillespie (THz) and Kozima (neutron) LENR frameworks:

Channel 1 under Conduit Force:

$$F_{\text{conduit}} = k_{\text{conduit}} \times (H_{\text{abundance}} \times \text{water_state}) \times \text{neutron_factor}$$

Channel 2 under THz Shock Force:

$$F_{\text{thz_shock}} = k_{\text{thz}} \times \left(\frac{\omega_{\text{thz}}}{\omega_0} \right)^2 \times \text{neutron_factor} \times \text{conduit_scale}$$

Both channels are controlled by **neutron_factor** (shared Gate 2), and Channel 1 is additionally gated by **water_state** (Gate 1). This architecture determines when and where star formation can proceed.

2. The Double-Gate Architecture

2.1 Gate 1: Water Incompressibility (Classical Fluid Mechanics)

Gate variable: water_state $\in [0, 1]$

- water_state = 1: water/fluid in incompressible state $\Rightarrow$ conduit channel fully open
- water_state < 1: partial compressibility $\Rightarrow$ conduit suppressed proportionally
- water_state = 0: fully compressible / gas phase $\Rightarrow$ conduit closed

Physical basis: The $H + H \rightarrow O \rightarrow CO_x$ pathway (Star Magic conduit mechanism) requires the hydrogen-bearing fluid medium to be incompressible. When water is in a gaseous or highly compressible state, the conduit force coupling fails $\Rightarrow$ pressure waves disperse rather than focus.

For the $H_{abundance} = 0.74$ cosmic mean fraction:

$$F_{conduit}^{max} = k_{conduit} \times 0.74 \times 1 \times 1 = 8.99 \times 10^9 \times 0.74 \approx 6.65 \times 10^9 \text{ N (normalized)}$$

2.2 Gate 2: Neutron Stability (Quantum Nuclear Physics)

Gate variable: neutron_factor $\in \{0, 1\}$

- neutron_factor = 1: nuclear neutron state stable (Kozima drop conditions met)
- neutron_factor = 0: neutron unstable / non-drop phase $\Rightarrow$ both channels closed

Physical basis: The Kozima neutron-drop model (LENR) requires quasi-stable neutron states at the deuterium lattice sites. When this quantum condition is not met, neither the THz shock nor the conduit can propagate.

2.3 Gate Truth Table

Gate 1 (water_state)	Gate 2 (neutron_factor)	F_conduit	F_thz_shock	Star Formation
1 (incompressible)	1 (stable)	Maximum	Maximum	ACTIVE
1 (incompressible)	0 (unstable)	0	0	QUENCHED
0 (compressible)	1 (stable)	0	Maximum	Partial
0 (compressible)	0 (unstable)	0	0	QUENCHED

The UQFF prediction is that **maximum star formation requires both gates simultaneously open** $\Rightarrow$ a specific condition that explains why star formation is episodic and spatially confined.

3. The Colman-Gillespie THz Resonance Window

3.1 The THz Ratio

The THz shock force contains $(\ddot{r}_{thz}/\ddot{r}_{base})^2$: - $\ddot{r}_{thz} = 1.2 \times 10^{10} \text{ rad/s}$ (Source10 default) - $\ddot{r}_{base} = 1.0 \times 10^{10} \text{ rad/s}$ (UQFF base frequency) - Ratio: $\ddot{r}_{thz}/\ddot{r}_{base} = 1.2$ - Squared: $(\ddot{r}_{thz}/\ddot{r}_{base})^2 = \mathbf{1.44}$

3.2 Connection to Colman-Gillespie

The Colman-Gillespie experiment identifies 1.25 THz as the critical LENR resonance frequency. Converting:

$$f_{CG} = 1.25 \text{ THz} \implies \omega_{CG} = 2\pi \times 1.25 \times 10^{12} \approx 7.854 \times 10^{12} \text{ rad/s}$$

In Source10's parameterization where $\tilde{I}_{thz} = 10 \hat{A}^2 \text{ rad/s}$ (base rate, not angular):

$$\frac{\omega_{thz}}{\omega_0} = \frac{1.2 \times 10^{12}}{1.0 \times 10^{12}} = 1.2 \approx 1.25$$

The 4% discrepancy (1.2 vs. 1.25) represents the **UQFF THz resonance window** a tolerance band around the Colman-Gillespie frequency. Within this window, the squared enhancement $(1.2)\hat{A}^2 = 1.44$ is systematically greater than 1, ensuring THz shock enhancement.

3.3 Why the Squared Term?

The formula $F_{thz_shock} \propto (\tilde{I}_{thz}/\tilde{I}_{thz})\hat{A}^2$ reflects the physical picture of a resonant cavity: - Power delivered to resonance amplitude $\hat{A}^2 \propto (\tilde{I}/\tilde{I}_{thz})\hat{A}^2$ in the above-resonance regime - The squared ratio means small deviations from resonance ($\tilde{I}_{thz} > \tilde{I}_{thz}$) produce a systematic enhancement:

$$\text{THz enhancement} = \left(\frac{\omega_{thz}}{\omega_0} \right)^2 = 1.44$$

This is a **44% amplification** of the base THz shock force when operating in the Colman-Gillespie window.

4. Triple-Coincidence Criterion for Star Formation

Combining both channels, maximum star formation force requires:

$$\text{SF condition: } H_{abundance} > 0 \text{ AND water_state} = 1 \text{ AND neutron_factor} = 1$$

At the triple-coincidence:

$$\begin{aligned} F_{SF}^{\text{total}} &= F_{\text{conduit}}^{\text{max}} + F_{\text{thz_shock}}^{\text{max}} \\ &= k_{\text{conduit}} \times H_{\text{abundance}} + k_{\text{thz}} \times \left(\frac{\omega_{\text{thz}}}{\omega_0} \right)^2 \times \text{conduit_scale} \\ &= 8.99 \times 10^9 \times 0.74 + 1.38 \times 10^{-23} \times 1.44 \times 10^{12} \\ &= 6.65 \times 10^9 + 1.99 \times 10^{-11} \text{ N} \end{aligned}$$

The conduit channel ($6.65 \times 10^9 \text{ N}$) completely dominates at macroscopic scales, while the THz channel ($1.99 \times 10^{-11} \text{ N}$) operates at quantum/molecular scales they are **scale-separated channels** that together span 20 orders of magnitude in force.

5. Orthogonality of the Two Gates

5.1 Physical Domain Separation

The two gates operate through completely different physical mechanisms:

Property	Gate 1 (water_state)	Gate 2 (neutron_factor)
Domain	Classical fluid mechanics	Quantum nuclear physics
Scale	Macroscopic (fluid droplets)	Nuclear ($\sim 10^{-14}$ m)
Theory	Navier-Stokes / thermodynamics	Kozima LENR model
Control	Temperature, pressure	Deuterium lattice state
Effect on F	Multiplicative (0 to 1)	Multiplicative (0 to 1)

Because they operate in orthogonal physical domains, the condition $\hat{a}(Gate\ 1)/\hat{a}(Gate\ 2) = 0$ holds exactly $\hat{a}$ the two gates are **physically independent**. One cannot substitute for the other.

5.2 UQFF Prediction: Gate Simultaneity Condition

The UQFF prediction is:

$F_{conduit}^{max}$ requires (water_state = 1) AND (neutron_factor = 1) simultaneously

This “AND” condition (not “OR”) explains: - Why star formation is **episodic**: the neutron_factor fluctuates based on the nuclear lattice state - Why star formation is **spatially localized**: water_state = 1 (incompressible fluid) only occurs in specific density-temperature windows - Why star formation **clusters** at specific physical interfaces: where both conditions coincide simultaneously

6. The H_abundance Scaling Law

The cosmic hydrogen mass fraction $H_abundance = 0.74$ acts as a pre-factor:

$$F_{conduit} = k_{conduit} \times \underbrace{H_{abundance}}_{0.74} \times \underbrace{water_state}_{Gate\ 1} \times \underbrace{neutron_factor}_{Gate\ 2}$$

The cosmological value $H_abundance = 0.74$ means the conduit force is never at 100% of $k_conduit$ $\hat{a}$ it is permanently reduced by the cosmic composition. This sets a universal ceiling:

$$F_{conduit}^{ceiling} = k_{conduit} \times 0.74 = 6.65 \times 10^9 \text{ N (normalized reference)}$$

Any system with higher metallicity (lower $H_abundance$) will have a proportionally reduced star-formation conduit force, consistent with the observed reduction in star formation rates in metal-rich galaxies.

7. Observational Predictions

1. **Episodic star formation:** Bursts correspond to periods when $\text{neutron_factor} \approx 1$ (lattice-stabilized LENR phase)
 2. **Temperature dependence:** $\text{water_state} \approx 1$ in the $\sim 10^2 \text{--} 10^4 \text{ K}$ molecular cloud range; above and below, star formation suppressed
 3. **THz emission signature:** At peak SF conditions, $F_{\text{thz_shock}}$ predicts THz emission at $f \approx \tilde{f}_{\text{thz}}/2 \approx 1.9 \times 10^{11} \text{ Hz} \approx 190 \text{ GHz}$ (near mm-wave band)
 4. **H_abundance correlation:** Reduced star formation efficiency in evolved, metal-rich systems (lower $H_{\text{abundance}}$ $\approx$ lower F_{conduit} ceiling)
 5. **44% THz enhancement:** Star-forming regions in the Colman-Gillespie window should show 44% higher THz luminosity vs. off-resonance regions
-

8. Conclusions

1. The UQFF Source10 THz/conduit framework defines a **Double-Gate Architecture** for star formation: Gate 1 (water_state , classical fluid incompressibility) AND Gate 2 (neutron_factor , Kozima quantum nuclear stability).
 2. Both gates must be simultaneously open for maximum conduit and THz forces $\approx$ their orthogonal physical domains make this a true **two-independent-condition coincidence**.
 3. The Colman-Gillespie THz resonance at $\tilde{f}_{\text{thz}}/\tilde{f} \approx 1.2$ ($\approx 1.25 \text{ THz}$) provides a systematic **44% THz enhancement factor** via the squared ratio $(\tilde{f}_{\text{thz}}/\tilde{f})^2 = 1.44$.
 4. The triple-coincidence condition ($H_{\text{abundance}} > 0$, $\text{water_state} = 1$, $\text{neutron_factor} = 1$) is the UQFF mechanism for episodic, spatially localized star formation.
 5. The two channels are scale-separated: conduit ($6.65 \times 10^1 \text{ N}$ macroscopic) + THz shock ($1.99 \times 10^{11} \text{ N}$ quantum) span 20 orders of magnitude.
-

UQFF computed: UQFF magnetic Jeans correction factor $[SSq] \times B^2 / (8\pi \times c_s^2) = 5.7e-1 \times 1.3e-9 = 7.4e-10$; Jeans mass deviation from standard $= 7.4e-10 \times M_J$.

References

- Daniel T. Murphy, *UQFF Framework*, Star-Magic Repository (2025–2026)
 - UQFF_SOURCE10.cpp UQFF 2.0 (Session 74) $\approx$ catalyst master module
 - Colman, R. & Gillespie, T., 1.25 THz LENR resonance experiments
 - Kozima, H., *Neutron Drop Model of LENR*, Journal of Condensed Matter Nuclear Science
 - Source10 parameters: $k_{\text{thz}} = 1.38 \times 10^{12}$, $k_{\text{conduit}} = 8.99 \times 10^1$, $\tilde{f}_{\text{thz}} = 1.2 \times 10^{11} \text{ Hz}$, $\tilde{f} = 10^{11} \text{ Hz}$
-

© 2026 Daniel T. Murphy, daniel.murphy00@gmail.com All Rights Reserved