

PAPER_377 — compute_a_wormhole() Implementation & MUGE Safety Infrastructure

Source: grok_share_11254865.txt, lines 8600-10322 (C++ v8 and v9 final programs)

Session: 102 (final unread block, confirmed from complete file read) **CP4 Class:** Worm-holeMUGETermImplSafetyCalculator (CP4 #26)

Abstract

$$F_{U,Bi} = \kappa \cdot \frac{\rho_{SCm}}{\rho_{UA}} \cdot (U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_m + U_{bi})$$

This paper presents a UQFF analysis of compute_a_wormhole() Implementation & MUGE Safety Infrastructure, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

This paper captures the formal C++ implementation of the wormhole coupling term in the Resonance MUGE framework, along with division-by-zero error safety in the Compressed MUGE functions, a complete 24-test assertion suite, and full CSV I/O for MUGESystem data. These form the production-ready computational layer for the UQFF framework.

2. compute_a_wormhole() — Implemented Function

Canonical Form

```
double compute_a_wormhole(double r, double b = 1.0,
                          double f_worm = 1.0,
                          double Evac_neb = 7.09e-36) {
    return f_worm * Evac_neb * (1.0 / (b * b + r * r));
}
```

Physical Meaning

$$a_{\text{worm}} = f_{\text{worm}} \cdot \text{Evac_neb} / (b^2 + r^2)$$

- $b = 1.0 \text{ m}$ — Morris-Thorne throat radius (PAPER_373 baseline)
- $f_{\text{worm}} = 1.0$ — wormhole coupling constant (dimensionless, unit default)
- $\text{Evac_neb} = 7.09 \times 10^{-36} \text{ J/m}^3$ — nebular vacuum energy density
- Denominator $(b^2 + r^2)$ — wormhole geometry: $r \rightarrow 0$ gives throat maximum, $r \rightarrow \infty \rightarrow 0$

Numerical values:

At $r = 1e4 \text{ m}$, $b = 1.0$: $a_{\text{worm}} = 7.09e-36 / (1 + 1e8) \approx 7.09e-44 \text{ m/s}^2$

At $r = 1e12 \text{ m}$, $b = 1.0$: $a_{\text{worm}} = 7.09e-36 / 1e24 = 7.09e-60 \text{ m/s}^2$

At $r = 0.0 \text{ m}$, $b = 1.0$: $a_{\text{worm}} = 7.09e-36 / 1.0 = 7.09e-36 \text{ m/s}^2$ (throat max)

Integration into compute_resonance_MUGE()

```
double compute_resonance_MUGE(const MUGESystem& sys, const ResonanceParams& res) {
    double aDPM          = compute_aDPM(sys, res);
    double aTHz           = compute_aTHz(aDPM, sys, res);
    double avac_diff      = compute_avac_diff(aDPM, sys, res);
    double asuper_freq    = compute_asuper_freq(aDPM, res);
    double aaether_res     = compute_aaether_res(aDPM, res);
    double Ug4i           = compute_Ug4i(aDPM, sys, res);
    double aquantum_freq  = compute_aquantum_freq(aDPM, res);
    double aAether_freq   = compute_aAether_freq(aDPM, res);
    double afluid_freq    = compute_afluid_freq(sys, res);
    double Osc_term       = compute_Osc_term();
    double aexp_freq      = compute_aexp_freq(aDPM, sys, res);
    double fTRZ           = compute_fTRZ(res);
    double a_worm         = compute_a_wormhole(sys.r);    // ← NEW final term

    return aDPM + aTHz + avac_diff + asuper_freq + aaether_res
        + Ug4i + aquantum_freq + aAether_freq + afluid_freq
        + Osc_term + aexp_freq + fTRZ + a_worm;    // 13 total terms
}
```

3. Error-Safe Compressed MUGE Functions

Division-by-zero protection added to 4 compressed MUGE functions:

```
double compute_compressed_base(const MUGESystem& sys) {
    if (sys.r == 0.0)
        throw std::runtime_error("Division by zero in r");
    return G * sys.M / (sys.r * sys.r);
}

double compute_compressed_super_adj(const MUGESystem& sys) {
    if (sys.Bcrit == 0.0)
        throw std::runtime_error("Division by zero in Bcrit");
    return 1 - sys.B / sys.Bcrit;
}

double compute_compressed_quantum(double hbar, double Delta_x_p, ...) {
    if (Delta_x_p == 0.0)
        throw std::runtime_error("Division by zero in Delta_x_p");
    return (hbar / Delta_x_p) * integral_psi * (2 * PI / tHubble);
}

double compute_compressed_perturbation(const MUGESystem& sys) {
    if (sys.r == 0.0)
        throw std::runtime_error("Division by zero in r^3");
    return (sys.M + sys.M_DM) * (sys.delta_rho_rho + 3*G*sys.M / (sys.r*sys.r*sys.r));
}
```

4. Complete 24-Test Assertion Suite

The final test suite (run_unit_tests()) contains 24 tests:

Test Function	Expected Value	Source
test_compute_compressed_base	$G \times M_{\text{sun}} / (1\text{AU})^2 \approx 0.0059$	Newtonian validation
test_compute_compressed_expansion	$\dot{a}(t=0)$	Zero-time boundary
test_compute_compressed_superficial	$\rho_0 (R_0 - 1e10, B_{\text{crit}}=1e11)$	$B/B_{\text{crit}} = 0.1$
test_compute_compressed_fluid	$4.1189e-2$	$\rho \times V \times g$ product
test_compute_compressed_env	1.0	Identity
test_compute_compressed_Ug	0.50m	Simplified
test_compute_compressed_cosm	$1e-52 \times c^2/3$	Λ constant
test_compute_compressed_quantum	$(h/1.68) \times 2.176e-18 \times (2\pi/4.35e17)$	Hubble time
test_compute_compressed_perurbation	$M_{\text{black hole}} - 3GM/r^3$	SGR1745 params
test_compute_compressed_MUG	$7.82e39 \text{ m/s}^2$	SGR1745 vs document
test_compute_aDPM	$3.545e-42 \text{ m/s}^2$	SGR1745
test_compute_aTHz	$1.182e-33 \text{ m/s}^2$	$a\text{DPM}=3.545e-42,$ $v_{\text{exp}}=1e3$
test_compute_avac_diff	$3.545e-53 \text{ m/s}^2$	$a\text{DPM}=3.545e-42,$ $v_{\text{exp}}=1e3$
test_compute_asuper_freq	$1.048e-21 \text{ m/s}^2$	$a\text{DPM}=3.545e-42$
test_compute_aaether_res	$3.900e-38 \text{ m/s}^2$	$a\text{DPM}=3.545e-42$
test_compute_Ug4i	0.0 ($E_{\text{react}} \approx 0$ at $t=3.799e10$)	Decay asymptote
test_compute_aquantum_freq	$1.708e-66 \text{ m/s}^2$	Hubble resonance scale
test_compute_aAether_freq	$1.863e-84 \text{ m/s}^2$	Aether freq
test_compute_afluid_freq	$1.773e-9 \text{ m/s}^2$	SGR1745 afluid confirmation
test_compute_Osc_term	0.0	Identity
test_compute_aexp_freq	$1.623e-57 \text{ m/s}^2$	SGR1745 at $t=3.799e10$
test_compute_fTRZ	0.1	Default value
test_compute_resonance_MUG	$7.73e-9 \text{ m/s}^2$	SGR1745 total resonance
test_compute_a_wormhole	$1/(1+r^2)$ (at $E_{\text{vac_neb}}=1,$ $b=1$)	NEW in v9

```
void test_compute_a_wormhole() {
    double r = 1e4;
    double b = 1.0;
    double expected = 1.0 / (1.0 + r * r); // f_worm=1, Evac_neb=1 for test
    double result = compute_a_wormhole(r, b, 1.0, 1.0);
    assert(std::abs(result - expected) < 1e-6);
}
```

5. CSV File I/O — load_muge_systems()

Complete 18-field CSV parser for MUGESystem:

```
std::vector<MUGESystem> load_muge_systems(const std::string& filename) {
    std::vector<MUGESystem> systems;
    std::ifstream in(filename);
    if (in.is_open()) {
        std::string line;
```

```

while (std::getline(in, line)) {
    std::stringstream ss(line);
    MUGESystem sys;
    std::string token;
    std::getline(ss, sys.name, ',');
    std::getline(ss, token, ','); sys.I = std::stod(token);
    std::getline(ss, token, ','); sys.A = std::stod(token);
    std::getline(ss, token, ','); sys.omega1 = std::stod(token);
    std::getline(ss, token, ','); sys.omega2 = std::stod(token);
    std::getline(ss, token, ','); sys.Vsys = std::stod(token);
    std::getline(ss, token, ','); sys.vexp = std::stod(token);
    std::getline(ss, token, ','); sys.t = std::stod(token);
    std::getline(ss, token, ','); sys.z = std::stod(token);
    std::getline(ss, token, ','); sys.ffluid = std::stod(token);
    std::getline(ss, token, ','); sys.M = std::stod(token);
    std::getline(ss, token, ','); sys.r = std::stod(token);
    std::getline(ss, token, ','); sys.B = std::stod(token);
    std::getline(ss, token, ','); sys.Bcrit = std::stod(token);
    std::getline(ss, token, ','); sys.rho_fluid = std::stod(token);
    std::getline(ss, token, ','); sys.g_local = std::stod(token);
    std::getline(ss, token, ','); sys.M_DM = std::stod(token);
    std::getline(ss, token, ','); sys.delta_rho_rho = std::stod(token);
    systems.push_back(sys);
}
}
return systems;
}

```

CSV Format (18 fields):

name,I,A,omega1,omega2,Vsys,vexp,t,z,ffluid,M,r,B,Bcrit,rho_fluid,g_local,M_DM,delta_rho_rho

6. Command-Line I/O

```

int main(int argc, char** argv) {
    std::string input_file;
    std::string output_file;
    for (int i = 1; i < argc; i += 2) {
        std::string arg = argv[i];
        if (arg == "--input" && i + 1 < argc) input_file = argv[i + 1];
        if (arg == "--output" && i + 1 < argc) output_file = argv[i + 1];
    }
    // If --input given: load_muge_systems(input_file)
    // If --output given: redirect std::cout to file
}

```

7. Multi-File Architecture (Proposed)

Header decomposition for modular build:

main.cpp – command-line entry, orchestration
 celestial.h/cpp – CelestialBody struct, Ug1/Ug2/Ug3/Ug4/Um/FU functions

```

muge.h/cpp          – MUGESystem, ResonanceParams, compressed+resonance MUGE
fluidsolver.h/cpp – FluidSolver (Navier-Stokes), simulate_quasar_jet

CMakeLists.txt:

cmake_minimum_required(VERSION 3.10)
project(StarMagic)
set(CMAKE_CXX_STANDARD 11)
add_executable(star_magic main.cpp celestial.cpp muge.cpp fluidsolver.cpp)

```

8. Key Numerical Reference (Wormhole term across 7 systems)

System	r (m)	a_worm (m/s ²)
Magnetar SGR 1745-2900	1e4	7.09e-36 / 1e8 ≈ 7.09e-44
Sagittarius A*	1e12	7.09e-36 / 1e24 ≈ 7.09e-60
Tapestry of Blazing Starbirth	3.086e17	7.09e-36 / 9.52e34 ≈ 7.44e-71
Westerlund 2	3.086e17	same as Tapestry
Pillars of Creation	9.46e15	7.09e-36 / 8.95e31 ≈ 7.92e-68
Rings of Relativity	3.086e17	7.09e-36 / 9.52e34 ≈ 7.44e-71
Student’s Guide	1e26	7.09e-36 / 1e52 ≈ 7.09e-88

The wormhole term is always subdominant (≪ other MUGE terms), confirming it acts as a geometrically-grounded perturbation rather than a dominant contribution.

9. CP4 Class

Class: WormholeMUGETermImplSafetyCalculator **Category:** Physics Implementation / Validation Infrastructure **References:** PAPER_373 (Morris-Thorne), PAPER_375 (a_worm formula suggestion)

Watermark: ©2025 Daniel T. Murphy, daniel.murphy00@gmail.com – All Rights Reserved