

PAPER_655: UQFF Galactic Discrete Gravity Bands & Aether Field Simulator

Version: 1.0.0

Session: 168 | **Date:** March 31 2026

CP4 Class: UQFFGalacticDiscreteBandSimulatorCalculator

Source: grok_share_b2e2c5cba7a.txt (Session 168) — SystemAnalysisSimulator_v1-v7 (lines 5215-17971)

Companion papers: PAPER_650 (Buoyancy Harmonics), PAPER_646 (Ui Operator), PAPER_647 (Vacuum Density), PAPER_642 (SM Bridge)

Abstract

$$U_{g1} = k_1 \frac{GM\mu_B B}{r^3}; \quad U_{g2} = k_2 \frac{GM\epsilon_0 E^2}{2r}; \quad U_{g3} = k_3 \sum_j B_j \cos(\omega_s t \pi) P_{\text{core}} E_{\text{react}}$$

The SystemAnalysisSimulator (v1-v7) implements three simultaneous, discrete Universal Gravity bands (Ug1: internal magnetic dipole, Ug2: field bubble, Ug3: magnetic string disk) operating on galactic objects within the Universal Aether ($\rho_{\text{vac,A}} = 10^{-23}$ gm/cm³). The v7 version adds **discrete Universal Magnetism** (non-interactive, separately banded), confirms that each Ug band has a paired opposite Ub (buoyancy) band, and derives star spin rate as a function of Ug1/Ub/Ug2. The simulator uses 82 real two-star galactic observational data points for validation. This paper formalizes the three-band gravity architecture, the non-interactive magnetism condition, and the Aether density 10^{-23} gm/cm³ as the medium supporting all field propagation.

§1 Three Discrete Universal Gravity Bands

1.1 Ug1 — Internal Magnetic Dipole Gravity

$$U_{g1} = k_1 \cdot \frac{GM\mu_B B_{\text{internal}}}{r^3} \cdot (1 + H_{SCm})$$

Variable	Value	Meaning
k ₁	UQFF calibrated	Dipole coupling constant
G	6.674×10 ⁻¹¹ N·m ² /kg ²	Newton's gravitational constant
M	body mass (kg)	Central body mass
μ _B	9.274×10 ⁻²⁴ J/T	Bohr magneton
B _{internal}	body dipole field (T)	Internal dipole field strength
r	separation distance (m)	From body center
H _{SCm}	0.99	Heliosphere/superconductive modulation

Physical meaning: Ug1 is the gravity component sourced by the body's **internal magnetic dipole** — essentially the coupling between mass (G·M), magnetic moment (μ_B·B), and the inverse-cube field geometry of a dipole (1/r³).

1.2 Ug2 — Field Bubble Tension

$$U_{g2} = k_2 \cdot \frac{GM\varepsilon_0 E_{\text{field}}^2}{2r} \cdot \left(\sum_j \rho_{\text{vac},j} \right) \cdot H_{SCm}$$

Physical meaning: Ug2 is the energy stored in the **electromagnetic field bubble** surrounding the body — proportional to the electric field energy density ($\varepsilon_0 E^2/2$) and the sum of vacuum densities from the hierarchy (PAPER_647). It falls as $1/r$ (longer range than Ug1's $1/r^3$), making it the **circumstellar field gravity component**.

The sum $\sum \rho_{\text{vac},j} = \rho_{\text{vac},[SCm]} + \rho_{\text{vac},[UA]} + \rho_{\text{vac},Ui}$ creates three sub-levels within Ug2, giving Ug2 its own internal three-layer structure.

1.3 Ug3 — Magnetic String Disk

$$U_{g3} = k_3 \sum_j B_j(r, \theta, t, \rho_{\text{vac},[SCm]}) \cdot \cos(\omega_s t \pi) \cdot P_{\text{core}} \cdot E_{\text{react}}$$

Physical meaning: Ug3 is the gravity component produced by **billions of discrete magnetic strings** that fill the galactic disk in the x-y plane. Each string has a unique polarity, length, and angular frequency — forming the prime-coded DVP structure (PAPER_649). The strings “reciprocate without losing energy” through the Aether.

§2 Discrete Universal Magnetism (Non-Interactive)

2.1 The Non-Interactive Condition

A key result from SystemAnalysisSimulator_v7:

“Universal Magnetism operates in discrete bands that are non-interactive: each magnetic band does not couple to adjacent magnetic bands, only to its paired gravity band.”

This means: - Um_band1 (internal) → couples only to Ug1, not to Ug2 or Ug3 - Um_band2 (circumstellar) → couples only to Ug2 - Um_band3 (string disk) → couples only to Ug3

Consequence: The full field equation is block-diagonal in gravity-magnetism space — three independent (Ugi, Umi) pairs. This simplifies computation: each pair can be evaluated separately without cross-coupling.

2.2 Discrete Band Structure Table

Band	Gravity	Magnetism	Buoyancy	Scale
1	Ug1	Um1	Ub1	Internal/core
2	Ug2	Um2	Ub2	Field bubble
3	Ug3	Um3	Ub3	Disk strings
4	Ug4	Um4	Ub4	Vacuum/Planck

§3 Star Motion and Spin Laws

3.1 Star Spin Rate

$$f_{\text{star}} = f \left(\frac{U_{g1}}{U_{b1}} \cdot \frac{1}{U_{g2}} \right)$$

When $U_{g1}/|U_{b1}| > 1$: gravity dominates $\rightarrow$ star spins faster (angular momentum compression). When $U_{g1}/|U_{b1}| < 1$: buoyancy dominates $\rightarrow$ star spins slower (angular momentum expansion).

The exact functional form:

$$f_{\text{spin}} = f_0 \cdot \left(\frac{U_{g1}}{|U_{b1}|} \right)^{1/2} \cdot \left(\frac{1}{U_{g2}r} \right)^{1/3}$$

This combines: - $\frac{1}{2}$ power dependence on gravity/buoyancy ratio (orbital mechanics) - $\frac{1}{3}$ power dependence on field bubble tension (stellar structure)

3.2 Star Motion (Galactic Orbit)

$$v_{\text{star}} = v \left(d_{\text{center}}, \frac{U_{g1}}{U_{g2}}, U_{b1} \right)$$

$$v_{\text{orbit}} = \sqrt{\frac{U_{g2}r}{M_{\text{gal}}}} \cdot \left(1 + \frac{U_{b1}}{U_{g1}} \right)^{-1/2}$$

The flat galactic rotation curve emerges when the buoyancy correction equals the field bubble term:

$$\frac{U_{b1}}{U_{g1}} = \frac{U_{g2}r\delta}{c^2} \quad \Rightarrow \quad v_{\text{orbit}} = \text{const}$$

This is the UQFF explanation for flat rotation curves without dark matter: **Ub1 replaces the dark matter halo in providing the additional centripetal force.**

§4 82-Point Two-Star Validation Dataset

The SystemAnalysisSimulator (v1-v6) uses 82 real observational timestamps from two-star binary/galactic systems for validation. Each timestamp provides: - Positions (x_1, y_1, z_1) , (x_2, y_2, z_2) [AU] - Velocities (v_{x1}, v_{y1}, v_{z1}) , (v_{x2}, v_{y2}, v_{z2}) [km/s] - Masses M_1 , M_2 [solar masses] - Magnetic field strengths B_1 , B_2 [Gauss]

The simulator computes $U_{g1}+U_{g2}+U_{g3}+U_b$ for each timestamp and validates against observed orbital parameters. The 82-point comparison confirms the three-band gravity structure to within measurement uncertainty of the observational data ($\sim 5\text{-}15\%$).

§5 Aether Medium Properties

From v7 analysis:

$$\rho_{\text{vac},A} = 10^{-23} \text{ gm/cm}^3 = 10^{-20} \text{ kg/m}^3 \approx 10^{-3} \text{ J/m}^3$$

The Aether is the **medium for all three gravity bands**. Its properties: - Zero viscosity (Ug3 strings reciprocate without energy loss) - Density 10^{-23} gm/cm^3 (solar-system scale baseline, Aether13_16) - Supports electromagnetic wave propagation at c - Carries the Ui inertial resistance term (PAPER_646)

The DE (dark energy) power in the Aether is extracted via:

$$P_{\text{DE}} = \rho_{\text{vac},A} \cdot c^3 \cdot A_{\text{collector}}$$

This is the **vacuum zero-point energy extraction mode** referenced in AetherInertia-Analysis.

§SM Anchors — G6 Gate (CVW v2.0.0)

Observable	SM Value	UQFF Discrete Band Prediction	Alignment
Galactic flat rotation	~220 km/s constant	Ub1 correction to v_orbit	□ structural
Binary star orbital period	Kepler $(GM/r)^{1/2}$	Ug1/Ug2 three-band correction	□ 5-15%
Sun rotation period	25-35 days	Ug1/Ub1/Ug2 spin formula	□ calibration needed
Milky Way disk thickness	~1 kpc	Ug3 string disk scale height	□ structural
CMB dipole isotropy	10^{-3} anisotropy	Ug1 dipole modulation of Aether	□ candidate

SM Anchor Reference: PAPER_642 — UQFFSMParameterBridgeMasterComparisonCalculator

References

1. SystemAnalysisSimulator v1-v7 — grok_share_b2e2c5cba7a.txt (Session 168) lines 5215-17971
2. PAPER_650 — Buoyancy Harmonics (Ub companion to each Ug band)
3. PAPER_646 — Universal Inertial Operator (Ui medium properties)
4. PAPER_647 — Vacuum Density Series ($\rho_{\text{vac},A}$ Aether baseline)
5. PAPER_649 — Dipole Vortex Primes (Ug3 string prime encoding)
6. PAPER_642 — SM Parameter Bridge
7. Rubin V C, Ford W K (1970): "Rotation of Andromeda Nebula", ApJ 159:379
8. Milky Way Galactic rotation — Gravity Collaboration (2019), A&A 625:L10
9. ARCHITECTURE_FLOW_DIAGRAM.md v5.24