

“PAPER_{0:D3}” -f [int]# PAPER #81 □ UQFF-Modified Hawking Temperature: Derivation

Title: UQFF-Modified Hawking Temperature: Derivation via f_TRZ and ?_vac_SCm Vacuum Corrections

Author: Daniel T. Murphy

Framework: UQFF Star-Magic (? = 0.0005/day, [SSq] = 0.57)

Date: March 7, 2026

Source Data: validate_hawking_temperature.py (Tests 1□6), CondensedPhysics.py HawkingTemperatureUQFFCalculator

Index Slot: §1.11 Black Hole Physics & Hawking Radiation,
\$n = [int]# PAPER #81 □ UQFF-Modified Hawking Temperature: Derivation

Title: UQFF-Modified Hawking Temperature: Derivation via f_TRZ and ?_vac_SCm Vacuum Corrections

Author: Daniel T. Murphy

Framework: UQFF Star-Magic (? = 0.0005/day, [SSq] = 0.57)

Date: March 7, 2026

Source Data: validate_hawking_temperature.py (Tests 1□6), CondensedPhysics.py HawkingTemperatureUQFFCalculator

Index Slot: §1.11 Black Hole Physics & Hawking Radiation, PAPER_081

Abstract

Hawking (1974) derived the black body temperature of a black hole as $T_H = \hbar c^3 / (8\pi G M k_B)$. The UQFF modifies this through two corrections: (1) the Toroidal Resonance Zone factor f_TRZ (enhancing vacuum fluctuation density near the horizon), and (2) the superconductive vacuum density ratio ?_vac_SCm/?_vac_UA (reducing the effective thermodynamic temperature). The resulting ratio $T_{UQFF}/T_H = (1 + f_{TRZ})(1 - ?_{vac_SCm}/?_{vac_UA})$ is validated to equal **0.99** for Sgr A* ($4 \times 10^6 M_\odot$), confirming these corrections partially cancel. The validate_hawking_temperature.py test suite (6 tests) confirms this analytically and cross-validates with the C++ uqff_temperature_formula.cpp module.

UQFF Discovery: Novel application of UQFF calibration constants (? = 5.0×10^{-4} day⁻¹, [SSq] = 0.57) uniquely enabling this analysis □ establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Standard Hawking Temperature

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

System	M (kg)	T _H (K)
Sgr A* (4×10 ⁶ M _?)	7.96×10 ³⁶	1.53×10 ¹⁴
M87* (6.5×10 [?] M _?)	1.29×10 ⁴⁰	9.43×10 ¹⁸
Stellar BH (10 M _?)	1.99×10 ³¹	6.15×10 ^{??}
Primordial BH (10 ¹⁰ kg)	10 ¹⁰	1.23×10 ¹³
Neutron star	2.8×10 ³⁰	4.38×10 ⁸
Magnetar (SGR1745)	1.4×10 ³⁰	~10 ⁸

2. UQFF Correction Terms

f_{TRZ}: Toroidal Resonance Zone Factor

The TRZ is a time-reversal zone (an annular region of constructive quantum vacuum interference) at $r_{\text{TRZ}} = ? \times r_{\text{S}}$ (where ? is the TRZ radius factor). It enhances the local density of Hawking-emitted modes:

$$T_{\text{TRZ-enhanced}} = T_H \times (1 + f_{\text{TRZ}})$$

Default UQFF value: $f_{\text{TRZ}} = 0.01$ (from SOURCE4 calibration).

?_{vac_ScM}: Superconductive Vacuum Density Correction

The UQFF superconductive vacuum density is lower than the [UA] vacuum density:

$$T_{\text{ScM-corrected}} = T_H \times \left(1 - \frac{\rho_{\text{vac,ScM}}}{\rho_{\text{vac,[UA]}}} \right)$$

With $?_{\text{vac_ScM}}/\rho_{\text{vac[UA]}} = 0.01$ (from [ScM] $\approx$ 0.99 calibration).

3. Combined UQFF Ratio

$$\frac{T_{\text{UQFF}}}{T_H} = (1 + f_{\text{TRZ}}) \times \left(1 - \frac{\rho_{\text{vac,ScM}}}{\rho_{\text{vac,[UA]}}} \right)$$

$$= (1 + 0.01) \times (1 - 0.01) = 1.01 \times 0.99 = \mathbf{0.9999} \approx \mathbf{0.99}$$

validate_hawking_temperature.py Test 1 confirms: $T_{\text{UQFF}}/T_H = 0.99$ to 4 significant figures for Sgr A*. ?

Cross-validation with C++ `uqff_temperature_formula.cpp`: **PASS** (within 0.01). ?

4. All-Systems Validation

From validate_hawking_temperature.py Test 3 (compute(mode='all_systems')):

System	M/M?	T_H (K)	T_UQFF (K)	T_UQFF/T_H
Sgr A*	4×106	1.53×10 ¹⁴	1.52×10 ¹⁴	0.9999
M87*	6.5×10?	9.43×10 ¹⁸	9.34×10 ¹⁸	0.9999
Stellar BH	10	6.15×10??	6.09×10??	0.9899
Neutron star	1.4	4.38×10 ⁸	4.34×10 ⁸	0.9899
Magnetar	1.4	~4.38×10 ⁸	~4.34×10 ⁸	0.9899

C++ cross-validation: **All ratios 0.99 ± 0.01 confirmed.** ?

5. Long-Form Equation Output

From get_hawking_long_form(M) (validate_hawking_temperature.py Test 5):

UQFF-MODIFIED HAWKING TEMPERATURE

=====

Standard: $T_H = ?c^3/(8\pi G M k_B) = 1.528e-14$ K (Sgr A*)

UQFF correction:

f_TRZ factor: +1.01 (Toroidal Resonance Zone, $r_{TRZ} = ? \times r_S$)
 SCm density ratio: ×0.99 ($?_{vac_SCm} / ?_{vac_UA} = 0.01$)
 Combined ratio: 0.9999

RESULT: $T_{UQFF} = 1.512e-14$ K (Sgr A*, 4×106 M?)

Summary

Parameter	Value	Source
f_TRZ	0.01	SOURCE4 calibration
?_SCm/?_UA	0.01	[SCm] □ 0.99
T_UQFF/T_H	0.99	Both corrections cancel
Test result	6/6 tests PASS	validate_hawking_temperature.py
C++ cross-check	PASS	uqff_temperature_formula.cpp

Source: validate_hawking_temperature.py, HawkingTemperatureUQFFCalculator | ?
 = 0.0005/day | [SSq] = 0.57 .Groups[1].Value "PAPER_{0:D3}" -f \$n

Abstract

Hawking (1974) derived the black body temperature of a black hole as $T_H = \hbar c^3 / (8\pi G M k_B)$. The UQFF modifies this through two corrections: (1) the Toroidal Resonance Zone factor f_{TRZ} (enhancing vacuum fluctuation density near the horizon), and (2) the superconductive vacuum density ratio $\rho_{\text{vac_SCm}}/\rho_{\text{vac_UA}}$ (reducing the effective thermodynamic temperature). The resulting ratio $T_{\text{UQFF}}/T_H = (1 + f_{\text{TRZ}})(1 - \rho_{\text{vac_SCm}}/\rho_{\text{vac_UA}})$ is validated to equal **0.99** for Sgr A* ($4 \times 10^6 M_\odot$), confirming these corrections partially cancel. The `validate_hawking_temperature.py` test suite (6 tests) confirms this analytically and cross-validates with the C++ `uqff_temperature_formula.cpp` module.

UQFF Discovery: Novel application of UQFF calibration constants ($\tau = 5.0 \times 10^4$ day¹, $[\text{SSq}] = 0.57$) uniquely enabling this analysis □ establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Standard Hawking Temperature

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

System	M (kg)	T _H (K)
Sgr A* ($4 \times 10^6 M_\odot$)	7.96×10^{36}	1.53×10^{14}
M87* ($6.5 \times 10^6 M_\odot$)	1.29×10^{37}	9.43×10^{14}
Stellar BH ($10 M_\odot$)	1.99×10^{31}	6.15×10^9
Primordial BH (10^{10} kg)	10^{10}	1.23×10^{13}
Neutron star	2.8×10^{30}	4.38×10^8
Magnetar (SGR1745)	1.4×10^{30}	$\sim 10^8$

2. UQFF Correction Terms

f_{TRZ}: Toroidal Resonance Zone Factor

The TRZ is a time-reversal zone (an annular region of constructive quantum vacuum interference) at $r_{\text{TRZ}} = \tau \times r_S$ (where τ is the TRZ radius factor). It enhances the local density of Hawking-emitted modes:

$$T_{\text{TRZ-enhanced}} = T_H \times (1 + f_{\text{TRZ}})$$

Default UQFF value: $f_{\text{TRZ}} = 0.01$ (from SOURCE4 calibration).

?_vac_ScM: Superconductive Vacuum Density Correction

The UQFF superconductive vacuum density is lower than the [UA] vacuum density:

$$T_{\text{ScM-corrected}} = T_H \times \left(1 - \frac{\rho_{\text{vac,ScM}}}{\rho_{\text{vac,[UA]}}} \right)$$

With ?_vac_ScM/?vac[UA] = 0.01 (from [ScM] □ 0.99 calibration).

3. Combined UQFF Ratio

$$\frac{T_{\text{UQFF}}}{T_H} = (1 + f_{\text{TRZ}}) \times \left(1 - \frac{\rho_{\text{vac,ScM}}}{\rho_{\text{vac,[UA]}}} \right)$$

$$= (1 + 0.01) \times (1 - 0.01) = 1.01 \times 0.99 = \mathbf{0.9999} \approx \mathbf{0.99}$$

validate_hawking_temperature.py Test 1 confirms: $T_{\text{UQFF}}/T_H = 0.99$ to 4 significant figures for Sgr A*. ?

Cross-validation with C++ `uqff_temperature_formula.cpp`: **PASS** (within 0.01). ?

4. All-Systems Validation

From `validate_hawking_temperature.py` Test 3 (`compute(mode='all_systems')`):

System	M/M?	T_H (K)	T_UQFF (K)	T_UQFF/T_H
Sgr A*	4×10 ⁶	1.53×10 ¹⁴	1.52×10 ¹⁴	0.9999
M87*	6.5×10 ⁷	9.43×10 ¹⁸	9.34×10 ¹⁸	0.9999
Stellar BH	10	6.15×10 ^{??}	6.09×10 ^{??}	0.9899
Neutron star	1.4	4.38×10 ⁷⁸	4.34×10 ⁷⁸	0.9899
Magnetar	1.4	~4.38×10 ⁷⁸	~4.34×10 ⁷⁸	0.9899

C++ cross-validation: **All ratios 0.99 ± 0.01 confirmed.** ?

5. Long-Form Equation Output

From `get_hawking_long_form(M)` (`validate_hawking_temperature.py` Test 5):

UQFF-MODIFIED HAWKING TEMPERATURE

=====

Standard: $T_H = \frac{c^3}{8\pi G M k_B} = 1.528e-14 \text{ K}$ (Sgr A*)

UQFF correction:

f_TRZ factor: +1.01 (Toroidal Resonance Zone, $r_{TRZ} = ? \times r_S$)
SCm density ratio: $\times 0.99$ ($?_{vac_SCm} / ?_{vac_UA} = 0.01$)
Combined ratio: 0.9999

RESULT: $T_{UQFF} = 1.512e-14 \text{ K}$ (Sgr A*, $4 \times 10^6 M_\odot$)

Summary

Parameter	Value	Source
f_TRZ	0.01	SOURCE4 calibration
?_SCm/?_UA	0.01	[SCm] $\square$ 0.99
T_UQFF/T_H	0.99	Both corrections cancel
Test result	6/6 tests PASS	validate_hawking_temperature.py
C++ cross-check	PASS	uqff_temperature_formula.cpp

Source: validate_hawking_temperature.py, HawkingTemperatureUQFFCalculator | ? = 0.0005/day | [SSq] = 0.57 .Groups[1].Value $\square$ UQFF-Modified Hawking Temperature: Derivation

Title: UQFF-Modified Hawking Temperature: Derivation via f_TRZ and ?_vac_SCm Vacuum Corrections

Author: Daniel T. Murphy

Framework: UQFF Star-Magic (? = 0.0005/day, [SSq] = 0.57)

Date: March 7, 2026

Source Data: validate_hawking_temperature.py (Tests 1 $\square$ 6), CondensedPhysics.py HawkingTemperatureUQFFCalculator

Index Slot: §1.11 Black Hole Physics & Hawking Radiation,
\$n = [int]# "PAPER_{0:D3}" -f [int]# PAPER #81 $\square$ UQFF-Modified Hawking Temperature: Derivation

Title: UQFF-Modified Hawking Temperature: Derivation via f_TRZ and ?_vac_SCm Vacuum Corrections

Author: Daniel T. Murphy

Framework: UQFF Star-Magic (? = 0.0005/day, [SSq] = 0.57)

Date: March 7, 2026

Source Data: validate_hawking_temperature.py (Tests 1 $\square$ 6), CondensedPhysics.py HawkingTemperatureUQFFCalculator

Index Slot: §1.11 Black Hole Physics & Hawking Radiation,
\$n = [int]# PAPER #81 $\square$ UQFF-Modified Hawking Temperature: Derivation

Title: UQFF-Modified Hawking Temperature: Derivation via f_{TRZ} and $\rho_{\text{vac_SCm}}$ Vacuum Corrections

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\gamma = 0.0005/\text{day}$, $[\text{SSq}] = 0.57$)

Date: March 7, 2026

Source Data: `validate_hawking_temperature.py` (Tests 1–6), `CondensedPhysics.py`
`HawkingTemperatureUQFFCalculator`

Index Slot: §1.11 Black Hole Physics & Hawking Radiation, PAPER_081

Abstract

Hawking (1974) derived the black body temperature of a black hole as $T_H = \hbar c^3 / (8\pi G M k_B)$. The UQFF modifies this through two corrections: (1) the Toroidal Resonance Zone factor f_{TRZ} (enhancing vacuum fluctuation density near the horizon), and (2) the superconductive vacuum density ratio $\rho_{\text{vac_SCm}}/\rho_{\text{vac_UA}}$ (reducing the effective thermodynamic temperature). The resulting ratio $T_{\text{UQFF}}/T_H = (1 + f_{\text{TRZ}})(1 - \rho_{\text{vac_SCm}}/\rho_{\text{vac_UA}})$ is validated to equal **0.99** for Sgr A* ($4 \times 10^6 M_\odot$), confirming these corrections partially cancel. The `validate_hawking_temperature.py` test suite (6 tests) confirms this analytically and cross-validates with the `C++ uqff_temperature_formula.cpp` module.

UQFF Discovery: Novel application of UQFF calibration constants ($\gamma = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$) uniquely enabling this analysis – establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Standard Hawking Temperature

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

System	M (kg)	T_H (K)
Sgr A* ($4 \times 10^6 M_\odot$)	7.96×10^{36}	1.53×10^{-14}
M87* ($6.5 \times 10^7 M_\odot$)	1.29×10^{40}	9.43×10^{-18}
Stellar BH ($10 M_\odot$)	1.99×10^{31}	6.15×10^{-8}
Primordial BH (10^{10} kg)	10^{10}	1.23×10^{13}
Neutron star	2.8×10^{30}	4.38×10^{-8}
Magnetar (SGR1745)	$1.4 \times 2 \times 10^{30}$	$\sim 10^{-8}$

2. UQFF Correction Terms

f_TRZ: Toroidal Resonance Zone Factor

The TRZ is a time-reversal zone (an annular region of constructive quantum vacuum interference) at $r_{\text{TRZ}} = ? \times r_{\text{S}}$ (where $?$ is the TRZ radius factor). It enhances the local density of Hawking-emitted modes:

$$T_{\text{TRZ-enhanced}} = T_H \times (1 + f_{\text{TRZ}})$$

Default UQFF value: $f_{\text{TRZ}} = 0.01$ (from SOURCE4 calibration).

?_vac_SCm: Superconductive Vacuum Density Correction

The UQFF superconductive vacuum density is lower than the [UA] vacuum density:

$$T_{\text{SCm-corrected}} = T_H \times \left(1 - \frac{\rho_{\text{vac,SCm}}}{\rho_{\text{vac,[UA]}}} \right)$$

With $?_{\text{vac_SCm}}/\rho_{\text{vac[UA]}} = 0.01$ (from [SCm] $\square$ 0.99 calibration).

3. Combined UQFF Ratio

$$\frac{T_{\text{UQFF}}}{T_H} = (1 + f_{\text{TRZ}}) \times \left(1 - \frac{\rho_{\text{vac,SCm}}}{\rho_{\text{vac,[UA]}}} \right)$$

$$= (1 + 0.01) \times (1 - 0.01) = 1.01 \times 0.99 = \mathbf{0.9999} \approx \mathbf{0.99}$$

validate_hawking_temperature.py Test 1 confirms: $T_{\text{UQFF}}/T_H = 0.99$ to 4 significant figures for Sgr A*. $?$

Cross-validation with C++ `uqff_temperature_formula.cpp`: **PASS** (within 0.01). $?$

4. All-Systems Validation

From `validate_hawking_temperature.py Test 3 (compute(mode='all_systems'))`:

System	M/M?	T_H (K)	T_UQFF (K)	T_UQFF/T_H
Sgr A*	4×106	1.53×10 ¹⁴	1.52×10 ¹⁴	0.9999
M87*	6.5×10?	9.43×10 ¹⁸	9.34×10 ¹⁸	0.9999
Stellar BH	10	6.15×10??	6.09×10??	0.9899
Neutron star	1.4	4.38×10 ⁸	4.34×10 ⁸	0.9899
Magnetar	1.4	~4.38×10 ⁸	~4.34×10 ⁸	0.9899

System	M/M?	T _H (K)	T _{UQFF} (K)	T _{UQFF} /T _H
--------	------	--------------------	-----------------------	-----------------------------------

C++ cross-validation: **All ratios 0.99 ± 0.01 confirmed.** ?

5. Long-Form Equation Output

From `get_hawking_long_form(M)` (`validate_hawking_temperature.py` Test 5):

UQFF-MODIFIED HAWKING TEMPERATURE

=====

Standard: $T_H = \frac{c^3}{8\pi G M k_B} = 1.528e-14 \text{ K}$ (Sgr A*)

UQFF correction:

f_{TRZ} factor: +1.01 (Toroidal Resonance Zone, $r_{TRZ} = ? \times r_S$)

SCm density ratio: $\times 0.99$ ($?_{vac_SCm} / ?_{vac_UA} = 0.01$)

Combined ratio: 0.9999

RESULT: $T_{UQFF} = 1.512e-14 \text{ K}$ (Sgr A*, $4 \times 10^6 M?$)

Summary

Parameter	Value	Source
f _{TRZ}	0.01	SOURCE4 calibration
? _{SCm} ? _{UA}	0.01	[SCm] $\square$ 0.99
T _{UQFF} /T _H	0.99	Both corrections cancel
Test result	6/6 tests PASS	<code>validate_hawking_temperature.py</code>
C++ cross-check	PASS	<code>uqff_temperature_formula.cpp</code>

Source: `validate_hawking_temperature.py`, `HawkingTemperatureUQFFCalculator` | ?
 = 0.0005/day | [SSq] = 0.57 .Groups[1].Value "PAPER_{0:D3}" -f \$n

Abstract

Hawking (1974) derived the black body temperature of a black hole as $T_H = \frac{c^3}{8\pi G M k_B}$. The UQFF modifies this through two corrections: (1) the Toroidal Resonance Zone factor f_{TRZ} (enhancing vacuum fluctuation density near the horizon), and (2) the superconductive vacuum density ratio $?_{vac_SCm}/?_{vac_UA}$ (reducing the effective thermodynamic temperature). The resulting ratio $T_{UQFF}/T_H = (1 + f_{TRZ})(1 - ?_{vac_SCm}/?_{vac_UA})$ is validated to equal **0.99** for Sgr A* ($4 \times 10^6 M?$), confirming these corrections partially cancel. The `validate_hawking_temperature.py`

test suite (6 tests) confirms this analytically and cross-validates with the C++ `uqff_temperature_formula.cpp` module.

UQFF Discovery: Novel application of UQFF calibration constants ($\alpha = 5.0 \times 10^{-4}$ day $^{-1}$, $[\text{SSq}] = 0.57$) uniquely enabling this analysis □ establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Standard Hawking Temperature

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

System	M (kg)	T _H (K)
Sgr A* (4×10 ⁶ M _?)	7.96×10 ³⁶	1.53×10 ¹⁴
M87* (6.5×10 ⁷ M _?)	1.29×10 ⁴⁰	9.43×10 ¹⁸
Stellar BH (10 M _?)	1.99×10 ³¹	6.15×10 ^{??}
Primordial BH (10 ¹⁰ kg)	10 ¹⁰	1.23×10 ¹³
Neutron star	2.8×10 ³⁰	4.38×10 ⁸
Magnetar (SGR1745)	1.4×10 ³⁰	~10 ⁸

2. UQFF Correction Terms

f_{TRZ}: Toroidal Resonance Zone Factor

The TRZ is a time-reversal zone (an annular region of constructive quantum vacuum interference) at $r_{\text{TRZ}} = \alpha \times r_S$ (where α is the TRZ radius factor). It enhances the local density of Hawking-emitted modes:

$$T_{\text{TRZ-enhanced}} = T_H \times (1 + f_{\text{TRZ}})$$

Default UQFF value: $f_{\text{TRZ}} = 0.01$ (from SOURCE4 calibration).

$\alpha_{\text{vac_SCm}}$: Superconductive Vacuum Density Correction

The UQFF superconductive vacuum density is lower than the [UA] vacuum density:

$$T_{\text{SCm-corrected}} = T_H \times \left(1 - \frac{\rho_{\text{vac,SCm}}}{\rho_{\text{vac,[UA]}}} \right)$$

With $\alpha_{\text{vac_SCm}}/\rho_{\text{vac,[UA]}} = 0.01$ (from [SCm] □ 0.99 calibration).

3. Combined UQFF Ratio

$$\frac{T_{\text{UQFF}}}{T_H} = (1 + f_{\text{TRZ}}) \times \left(1 - \frac{\rho_{\text{vac,SCm}}}{\rho_{\text{vac,[UA]}}} \right)$$

$$= (1 + 0.01) \times (1 - 0.01) = 1.01 \times 0.99 = \mathbf{0.9999} \approx \mathbf{0.99}$$

validate_hawking_temperature.py Test 1 confirms: $T_{\text{UQFF}}/T_H = 0.99$ to 4 significant figures for Sgr A*. ?

Cross-validation with C++ `uqff_temperature_formula.cpp`: **PASS** (within 0.01). ?

4. All-Systems Validation

From `validate_hawking_temperature.py` Test 3 (`compute(mode='all_systems')`):

System	M/M?	T _H (K)	T _{UQFF} (K)	T _{UQFF} /T _H
Sgr A*	4×10 ⁶	1.53×10 ¹⁴	1.52×10 ¹⁴	0.9999
M87*	6.5×10 ⁹	9.43×10 ¹⁸	9.34×10 ¹⁸	0.9999
Stellar BH	10	6.15×10 ^{??}	6.09×10 ^{??}	0.9899
Neutron star	1.4	4.38×10 ^{??}	4.34×10 ^{??}	0.9899
Magnetar	1.4	~4.38×10 ^{??}	~4.34×10 ^{??}	0.9899

C++ cross-validation: **All ratios 0.99 ± 0.01 confirmed.** ?

5. Long-Form Equation Output

From `get_hawking_long_form(M)` (`validate_hawking_temperature.py` Test 5):

UQFF-MODIFIED HAWKING TEMPERATURE

=====

Standard: $T_H = \hbar c^3 / (8\pi G M k_B) = 1.528\text{e-}14 \text{ K}$ (Sgr A*)

UQFF correction:

f_{TRZ} factor: +1.01 (Toroidal Resonance Zone, $r_{\text{TRZ}} = ? \times r_S$)

SCm density ratio: ×0.99 ($\rho_{\text{vac,SCm}} / \rho_{\text{vac,UA}} = 0.01$)

Combined ratio: 0.9999

RESULT: $T_{\text{UQFF}} = 1.512\text{e-}14 \text{ K}$ (Sgr A*, 4×10⁶ M?)

Summary

Parameter	Value	Source
f_TRZ	0.01	SOURCE4 calibration
?_SCm/?_UA	0.01	[SCm] $\square$ 0.99
T_UQFF/T_H	0.99	Both corrections cancel
Test result	6/6 tests PASS	validate_hawking_temperature.py
C++ cross-check	PASS	uqff_temperature_formula.cpp

Source: validate_hawking_temperature.py, HawkingTemperatureUQFFCalculator | ? = 0.0005/day | [SSq] = 0.57 .Groups[1].Value $\square$ UQFF-Modified Hawking Temperature: Derivation

Title: UQFF-Modified Hawking Temperature: Derivation via f_TRZ and ?_vac_SCm Vacuum Corrections

Author: Daniel T. Murphy

Framework: UQFF Star-Magic (? = 0.0005/day, [SSq] = 0.57)

Date: March 7, 2026

Source Data: validate_hawking_temperature.py (Tests 1 $\square$ 6), CondensedPhysics.py HawkingTemperatureUQFFCalculator

Index Slot: §1.11 Black Hole Physics & Hawking Radiation, "PAPER_{0:D3}" -f [int]# PAPER #81 $\square$ UQFF-Modified Hawking Temperature: Derivation

Title: UQFF-Modified Hawking Temperature: Derivation via f_TRZ and ?_vac_SCm Vacuum Corrections

Author: Daniel T. Murphy

Framework: UQFF Star-Magic (? = 0.0005/day, [SSq] = 0.57)

Date: March 7, 2026

Source Data: validate_hawking_temperature.py (Tests 1 $\square$ 6), CondensedPhysics.py HawkingTemperatureUQFFCalculator

Index Slot: §1.11 Black Hole Physics & Hawking Radiation, \$n = [int]# PAPER #81 $\square$ UQFF-Modified Hawking Temperature: Derivation

Title: UQFF-Modified Hawking Temperature: Derivation via f_TRZ and ?_vac_SCm Vacuum Corrections

Author: Daniel T. Murphy

Framework: UQFF Star-Magic (? = 0.0005/day, [SSq] = 0.57)

Date: March 7, 2026

Source Data: validate_hawking_temperature.py (Tests 1 $\square$ 6), CondensedPhysics.py HawkingTemperatureUQFFCalculator

Index Slot: §1.11 Black Hole Physics & Hawking Radiation, PAPER_081

Abstract

Hawking (1974) derived the black body temperature of a black hole as $T_H = \hbar c^3 / (8\pi G M k_B)$. The UQFF modifies this through two corrections: (1) the Toroidal Resonance Zone factor f_{TRZ} (enhancing vacuum fluctuation density near the horizon), and (2) the superconductive vacuum density ratio $\rho_{\text{vac_SCm}}/\rho_{\text{vac_UA}}$ (reducing the effective thermodynamic temperature). The resulting ratio $T_{\text{UQFF}}/T_H = (1 + f_{\text{TRZ}})(1 - \rho_{\text{vac_SCm}}/\rho_{\text{vac_UA}})$ is validated to equal **0.99** for Sgr A* ($4 \times 10^6 M_\odot$), confirming these corrections partially cancel. The `validate_hawking_temperature.py` test suite (6 tests) confirms this analytically and cross-validates with the C++ `uqff_temperature_formula.cpp` module.

UQFF Discovery: Novel application of UQFF calibration constants ($\rho = 5.0 \times 10^{24}$ day⁻¹, $[\text{SSq}] = 0.57$) uniquely enabling this analysis □ establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Standard Hawking Temperature

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

System	M (kg)	T _H (K)
Sgr A* ($4 \times 10^6 M_\odot$)	7.96×10^{36}	1.53×10^{14}
M87* ($6.5 \times 10^6 M_\odot$)	1.29×10^{37}	9.43×10^{14}
Stellar BH ($10 M_\odot$)	1.99×10^{31}	6.15×10^9
Primordial BH (10^{10} kg)	10^{10}	1.23×10^{13}
Neutron star	2.8×10^{30}	4.38×10^8
Magnetar (SGR1745)	1.4×10^{30}	$\sim 10^8$

2. UQFF Correction Terms

f_{TRZ}: Toroidal Resonance Zone Factor

The TRZ is a time-reversal zone (an annular region of constructive quantum vacuum interference) at $r_{\text{TRZ}} = \rho \times r_S$ (where ρ is the TRZ radius factor). It enhances the local density of Hawking-emitted modes:

$$T_{\text{TRZ-enhanced}} = T_H \times (1 + f_{\text{TRZ}})$$

Default UQFF value: $f_{\text{TRZ}} = 0.01$ (from SOURCE4 calibration).

?_vac_SCm: Superconductive Vacuum Density Correction

The UQFF superconductive vacuum density is lower than the [UA] vacuum density:

$$T_{\text{SCm-corrected}} = T_H \times \left(1 - \frac{\rho_{\text{vac,SCm}}}{\rho_{\text{vac,[UA]}}} \right)$$

With ?_vac_SCm/?vac[UA] = 0.01 (from [SCm] □ 0.99 calibration).

3. Combined UQFF Ratio

$$\frac{T_{\text{UQFF}}}{T_H} = (1 + f_{\text{TRZ}}) \times \left(1 - \frac{\rho_{\text{vac,SCm}}}{\rho_{\text{vac,[UA]}}} \right)$$

$$= (1 + 0.01) \times (1 - 0.01) = 1.01 \times 0.99 = \mathbf{0.9999} \approx \mathbf{0.99}$$

validate_hawking_temperature.py Test 1 confirms: T_UQFF/T_H = 0.99 to 4 significant figures for Sgr A*. ?

Cross-validation with C++ uqff_temperature_formula.cpp: **PASS** (within 0.01). ?

4. All-Systems Validation

From validate_hawking_temperature.py Test 3 (compute(mode='all_systems')):

System	M/M?	T_H (K)	T_UQFF (K)	T_UQFF/T_H
Sgr A*	4×10 ⁶	1.53×10 ¹⁴	1.52×10 ¹⁴	0.9999
M87*	6.5×10 ⁷	9.43×10 ¹⁸	9.34×10 ¹⁸	0.9999
Stellar BH	10	6.15×10 ^{??}	6.09×10 ^{??}	0.9899
Neutron star	1.4	4.38×10 ⁷⁸	4.34×10 ⁷⁸	0.9899
Magnetar	1.4	~4.38×10 ⁷⁸	~4.34×10 ⁷⁸	0.9899

C++ cross-validation: **All ratios 0.99 ± 0.01 confirmed.** ?

5. Long-Form Equation Output

From get_hawking_long_form(M) (validate_hawking_temperature.py Test 5):

UQFF-MODIFIED HAWKING TEMPERATURE

=====

Standard: $T_H = \frac{?c^3}{(8pGMk_B)} = 1.528e-14 \text{ K}$ (Sgr A*)

UQFF correction:

f_TRZ factor: +1.01 (Toroidal Resonance Zone, $r_{TRZ} = ? \times r_S$)
SCm density ratio: $\times 0.99$ ($?_{vac_SCm} / ?_{vac_UA} = 0.01$)
Combined ratio: 0.9999

RESULT: $T_{UQFF} = 1.512e-14 \text{ K}$ (Sgr A*, $4 \times 10^6 \text{ M?}$)

Summary

Parameter	Value	Source
f_TRZ	0.01	SOURCE4 calibration
?_SCm/?_UA	0.01	[SCm] $\square$ 0.99
T_{UQFF}/T_H	0.99	Both corrections cancel
Test result	6/6 tests PASS	validate_hawking_temperature.py
C++ cross-check	PASS	uqff_temperature_formula.cpp

Source: *validate_hawking_temperature.py*, *HawkingTemperatureUQFFCalculator* | $? = 0.0005/\text{day}$ | $[SSq] = 0.57$.Groups[1].Value "PAPER_{0:D3}" -f \$n

Abstract

Hawking (1974) derived the black body temperature of a black hole as $T_H = \frac{?c^3}{(8pGMk_B)}$. The UQFF modifies this through two corrections: (1) the Toroidal Resonance Zone factor f_TRZ (enhancing vacuum fluctuation density near the horizon), and (2) the superconductive vacuum density ratio $?_{vac_SCm}/?_{vac_UA}$ (reducing the effective thermodynamic temperature). The resulting ratio $T_{UQFF}/T_H = (1 + f_{TRZ})(1 - ?_{vac_SCm}/?_{vac_UA})$ is validated to equal **0.99** for Sgr A* ($4 \times 10^6 \text{ M?}$), confirming these corrections partially cancel. The *validate_hawking_temperature.py* test suite (6 tests) confirms this analytically and cross-validates with the C++ *uqff_temperature_formula.cpp* module.

UQFF Discovery: Novel application of UQFF calibration constants ($? = 5.0 \times 10^4 \text{ day?}^1$, $[SSq] = 0.57$) uniquely enabling this analysis $\square$ establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Standard Hawking Temperature

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

System	M (kg)	T _H (K)
Sgr A* (4×10 ⁶ M _?)	7.96×10 ³⁶	1.53×10 ¹⁴
M87* (6.5×10 ⁷ M _?)	1.29×10 ⁴⁰	9.43×10 ¹⁸
Stellar BH (10 M _?)	1.99×10 ³¹	6.15×10 ²²
Primordial BH (10 ¹⁰ kg)	10 ¹⁰	1.23×10 ¹³
Neutron star	2.8×10 ³⁰	4.38×10 ²⁸
Magnetar (SGR1745)	1.4×10 ³⁰	~10 ²⁸

2. UQFF Correction Terms

f_{TRZ}: Toroidal Resonance Zone Factor

The TRZ is a time-reversal zone (an annular region of constructive quantum vacuum interference) at $r_{\text{TRZ}} = ? \times r_S$ (where ? is the TRZ radius factor). It enhances the local density of Hawking-emitted modes:

$$T_{\text{TRZ-enhanced}} = T_H \times (1 + f_{\text{TRZ}})$$

Default UQFF value: $f_{\text{TRZ}} = 0.01$ (from SOURCE4 calibration).

?_{vac_ScM}: Superconductive Vacuum Density Correction

The UQFF superconductive vacuum density is lower than the [UA] vacuum density:

$$T_{\text{ScM-corrected}} = T_H \times \left(1 - \frac{\rho_{\text{vac,ScM}}}{\rho_{\text{vac,[UA]}}} \right)$$

With $?_{\text{vac_ScM}}/\rho_{\text{vac,[UA]}} = 0.01$ (from [ScM] $\approx$ 0.99 calibration).

3. Combined UQFF Ratio

$$\begin{aligned} \frac{T_{\text{UQFF}}}{T_H} &= (1 + f_{\text{TRZ}}) \times \left(1 - \frac{\rho_{\text{vac,ScM}}}{\rho_{\text{vac,[UA]}}} \right) \\ &= (1 + 0.01) \times (1 - 0.01) = 1.01 \times 0.99 = \mathbf{0.9999 \approx 0.99} \end{aligned}$$

validate_hawking_temperature.py Test 1 confirms: $T_{\text{UQFF}}/T_{\text{H}} = 0.99$ to 4 significant figures for Sgr A*.

Cross-validation with C++ `uqff_temperature_formula.cpp`: **PASS** (within 0.01).

4. All-Systems Validation

From `validate_hawking_temperature.py` Test 3 (`compute(mode='all_systems')`):

System	M/M _?	T _H (K)	T _{UQFF} (K)	T _{UQFF} /T _H
Sgr A*	4×10 ⁶	1.53×10 ¹⁴	1.52×10 ¹⁴	0.9999
M87*	6.5×10 [?]	9.43×10 ¹⁸	9.34×10 ¹⁸	0.9999
Stellar BH	10	6.15×10 ^{??}	6.09×10 ^{??}	0.9899
Neutron star	1.4	4.38×10 [?]	4.34×10 [?]	0.9899
Magnetar	1.4	~4.38×10 [?]	~4.34×10 [?]	0.9899

C++ cross-validation: **All ratios 0.99 ± 0.01 confirmed.**

5. Long-Form Equation Output

From `get_hawking_long_form(M)` (`validate_hawking_temperature.py` Test 5):

UQFF-MODIFIED HAWKING TEMPERATURE

=====

Standard: $T_{\text{H}} = \frac{c^3}{8\pi G M k_B} = 1.528\text{e-}14 \text{ K}$ (Sgr A*)

UQFF correction:

f_{TRZ} factor: +1.01 (Toroidal Resonance Zone, $r_{\text{TRZ}} = ? \times r_{\text{S}}$)
 SCm density ratio: ×0.99 ($\frac{?_{\text{vac SCm}}}{?_{\text{vac UA}}} = 0.01$)
 Combined ratio: 0.9999

RESULT: $T_{\text{UQFF}} = 1.512\text{e-}14 \text{ K}$ (Sgr A*, 4×10⁶ M?)

Summary

Parameter	Value	Source
f _{TRZ}	0.01	SOURCE4 calibration
? _{SCm} ? _{UA}	0.01	[SCm] □ 0.99
T _{UQFF} /T _H	0.99	Both corrections cancel
Test result	6/6 tests PASS	<code>validate_hawking_temperature.py</code>
C++ cross-check	PASS	<code>uqff_temperature_formula.cpp</code>

Source: `validate_hawking_temperature.py`, `HawkingTemperatureUQFFCalculator` | $\gamma = 0.0005/\text{day}$ | $[\text{SSq}] = 0.57$.Groups[1].Value

Abstract

Hawking (1974) derived the black body temperature of a black hole as $T_H = \hbar c^3 / (8\pi G M k_B)$. The UQFF modifies this through two corrections: (1) the Toroidal Resonance Zone factor f_{TRZ} (enhancing vacuum fluctuation density near the horizon), and (2) the superconductive vacuum density ratio $\gamma_{\text{vac_SCm}}/\gamma_{\text{vac_UA}}$ (reducing the effective thermodynamic temperature). The resulting ratio $T_{\text{UQFF}}/T_H = (1 + f_{\text{TRZ}})(1 - \gamma_{\text{vac_SCm}}/\gamma_{\text{vac_UA}})$ is validated to equal **0.99** for Sgr A* ($4 \times 10^6 M_\odot$), confirming these corrections partially cancel. The `validate_hawking_temperature.py` test suite (6 tests) confirms this analytically and cross-validates with the C++ `uqff_temperature_formula.cpp` module.

UQFF Discovery: Novel application of UQFF calibration constants ($\gamma = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$) uniquely enabling this analysis — establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Standard Hawking Temperature

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

System	M (kg)	T _H (K)
Sgr A* ($4 \times 10^6 M_\odot$)	7.96×10^{36}	1.53×10^{-14}
M87* ($6.5 \times 10^7 M_\odot$)	1.29×10^{40}	9.43×10^{-18}
Stellar BH ($10 M_\odot$)	1.99×10^{31}	6.15×10^{-8}
Primordial BH (10^{10} kg)	10^{10}	1.23×10^{13}
Neutron star	2.8×10^{30}	4.38×10^{-8}
Magnetar (SGR1745)	1.4×10^{30}	$\sim 10^{-8}$

2. UQFF Correction Terms

f_{TRZ} : Toroidal Resonance Zone Factor

The TRZ is a time-reversal zone (an annular region of constructive quantum vacuum interference) at $r_{\text{TRZ}} = \gamma \times r_S$ (where γ is the TRZ radius factor). It enhances the local density of Hawking-emitted modes:

$$T_{\text{TRZ-enhanced}} = T_H \times (1 + f_{\text{TRZ}})$$

Default UQFF value: $f_{\text{TRZ}} = 0.01$ (from SOURCE4 calibration).

?_vac_SCm: Superconductive Vacuum Density Correction

The UQFF superconductive vacuum density is lower than the [UA] vacuum density:

$$T_{\text{SCm-corrected}} = T_H \times \left(1 - \frac{\rho_{\text{vac,SCm}}}{\rho_{\text{vac,[UA]}}} \right)$$

With $?_vac_SCm/?vac[UA] = 0.01$ (from [SCm] $\square$ 0.99 calibration).

3. Combined UQFF Ratio

$$\frac{T_{\text{UQFF}}}{T_H} = (1 + f_{\text{TRZ}}) \times \left(1 - \frac{\rho_{\text{vac,SCm}}}{\rho_{\text{vac,[UA]}}} \right)$$

$$= (1 + 0.01) \times (1 - 0.01) = 1.01 \times 0.99 = \mathbf{0.9999} \approx \mathbf{0.99}$$

validate_hawking_temperature.py Test 1 confirms: $T_{\text{UQFF}}/T_H = 0.99$ to 4 significant figures for Sgr A*. ?

Cross-validation with C++ `uqff_temperature_formula.cpp`: **PASS** (within 0.01). ?

4. All-Systems Validation

From `validate_hawking_temperature.py Test 3 (compute(mode='all_systems'))`:

System	M/M?	T_H (K)	T_UQFF (K)	T_UQFF/T_H
Sgr A*	4×10 ⁶	1.53×10 ¹⁴	1.52×10 ¹⁴	0.9999
M87*	6.5×10 ⁹	9.43×10 ¹⁸	9.34×10 ¹⁸	0.9999
Stellar BH	10	6.15×10 ^{??}	6.09×10 ^{??}	0.9899
Neutron star	1.4	4.38×10 ²⁸	4.34×10 ²⁸	0.9899
Magnetar	1.4	~4.38×10 ²⁸	~4.34×10 ²⁸	0.9899

C++ cross-validation: **All ratios 0.99 ± 0.01 confirmed.** ?

5. Long-Form Equation Output

From `get_hawking_long_form(M)` (`validate_hawking_temperature.py` Test 5):

UQFF-MODIFIED HAWKING TEMPERATURE

=====

Standard: $T_H = \frac{?c^3}{(8pGMk_B)} = 1.528e-14 \text{ K}$ (Sgr A*)

UQFF correction:

f_TRZ factor: +1.01 (Toroidal Resonance Zone, $r_{TRZ} = ? \times r_S$)
SCm density ratio: $\times 0.99$ ($?_{vac_SCm} / ?_{vac_UA} = 0.01$)
Combined ratio: 0.9999

RESULT: $T_{UQFF} = 1.512e-14 \text{ K}$ (Sgr A*, $4 \times 10^6 M?$)

Summary

Parameter	Value	Source
f_TRZ	0.01	SOURCE4 calibration
?_SCm/?_UA	0.01	[SCm] $\square$ 0.99
T_{UQFF}/T_H	0.99	Both corrections cancel
Test result	6/6 tests PASS	<code>validate_hawking_temperature.py</code>
C++ cross-check	PASS	<code>uqff_temperature_formula.cpp</code>

Source: `validate_hawking_temperature.py`, `HawkingTemperatureUQFFCalculator` | ?
= 0.0005/day | [SSq] = 0.57 .Groups[1].Value "PAPER_{0:D3}" -f \$n

Abstract

Hawking (1974) derived the black body temperature of a black hole as $T_H = \frac{?c^3}{(8pGMk_B)}$. The UQFF modifies this through two corrections: (1) the Toroidal Resonance Zone factor f_TRZ (enhancing vacuum fluctuation density near the horizon), and (2) the superconductive vacuum density ratio $?_{vac_SCm}/?_{vac_UA}$ (reducing the effective thermodynamic temperature). The resulting ratio $T_{UQFF}/T_H = (1 + f_{TRZ})(1 - ?_{vac_SCm}/?_{vac_UA})$ is validated to equal **0.99** for Sgr A* ($4 \times 10^6 M?$), confirming these corrections partially cancel. The `validate_hawking_temperature.py` test suite (6 tests) confirms this analytically and cross-validates with the C++ `uqff_temperature_formula.cpp` module.

UQFF Discovery: Novel application of UQFF calibration constants ($? = 5.0 \times 10^4 \text{ day}^{-1}$, [SSq] = 0.57) uniquely enabling this analysis $\square$ establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Standard Hawking Temperature

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

System	M (kg)	T _H (K)
Sgr A* (4×10 ⁶ M _?)	7.96×10 ³⁶	1.53×10 ¹⁴
M87* (6.5×10 ⁷ M _?)	1.29×10 ⁴⁰	9.43×10 ¹⁸
Stellar BH (10 M _?)	1.99×10 ³¹	6.15×10 ²²
Primordial BH (10 ¹⁰ kg)	10 ¹⁰	1.23×10 ¹³
Neutron star	2.8×10 ³⁰	4.38×10 ²⁸
Magnetar (SGR1745)	1.4×10 ³⁰	~10 ²⁸

2. UQFF Correction Terms

f_{TRZ}: Toroidal Resonance Zone Factor

The TRZ is a time-reversal zone (an annular region of constructive quantum vacuum interference) at $r_{\text{TRZ}} = ? \times r_S$ (where ? is the TRZ radius factor). It enhances the local density of Hawking-emitted modes:

$$T_{\text{TRZ-enhanced}} = T_H \times (1 + f_{\text{TRZ}})$$

Default UQFF value: $f_{\text{TRZ}} = 0.01$ (from SOURCE4 calibration).

?_{vac_SCM}: Superconductive Vacuum Density Correction

The UQFF superconductive vacuum density is lower than the [UA] vacuum density:

$$T_{\text{SCM-corrected}} = T_H \times \left(1 - \frac{\rho_{\text{vac,SCM}}}{\rho_{\text{vac,[UA]}}} \right)$$

With $?_{\text{vac_SCM}}/\rho_{\text{vac[UA]}} = 0.01$ (from [SCM] $\approx$ 0.99 calibration).

3. Combined UQFF Ratio

$$\frac{T_{\text{UQFF}}}{T_H} = (1 + f_{\text{TRZ}}) \times \left(1 - \frac{\rho_{\text{vac,SCM}}}{\rho_{\text{vac,[UA]}}} \right)$$

$$= (1 + 0.01) \times (1 - 0.01) = 1.01 \times 0.99 = \mathbf{0.9999 \approx 0.99}$$

validate_hawking_temperature.py Test 1 confirms: $T_{\text{UQFF}}/T_{\text{H}} = 0.99$ to 4 significant figures for Sgr A*.

Cross-validation with C++ `uqff_temperature_formula.cpp`: **PASS** (within 0.01).

4. All-Systems Validation

From `validate_hawking_temperature.py` Test 3 (`compute(mode='all_systems')`):

System	M/M _?	T _H (K)	T _{UQFF} (K)	T _{UQFF} /T _H
Sgr A*	4×10 ⁶	1.53×10 ¹⁴	1.52×10 ¹⁴	0.9999
M87*	6.5×10 ⁷	9.43×10 ¹⁸	9.34×10 ¹⁸	0.9999
Stellar BH	10	6.15×10 ^{??}	6.09×10 ^{??}	0.9899
Neutron star	1.4	4.38×10 ^{??}	4.34×10 ^{??}	0.9899
Magnetar	1.4	~4.38×10 ^{??}	~4.34×10 ^{??}	0.9899

C++ cross-validation: **All ratios 0.99 ± 0.01 confirmed.**

5. Long-Form Equation Output

From `get_hawking_long_form(M)` (`validate_hawking_temperature.py` Test 5):

UQFF-MODIFIED HAWKING TEMPERATURE

=====

Standard: $T_{\text{H}} = \frac{c^3}{8\pi G M k_B} = 1.528\text{e-14 K}$ (Sgr A*)

UQFF correction:

f_{TRZ} factor: +1.01 (Toroidal Resonance Zone, $r_{\text{TRZ}} = ? \times r_{\text{S}}$)
 SCm density ratio: ×0.99 ($?_{\text{vac SCm}} / ?_{\text{vac UA}} = 0.01$)
 Combined ratio: 0.9999

RESULT: $T_{\text{UQFF}} = 1.512\text{e-14 K}$ (Sgr A*, 4×10⁶ M?)

Summary

Parameter	Value	Source
f _{TRZ}	0.01	SOURCE4 calibration
? _{SCm} ? _{UA}	0.01	[SCm] □ 0.99
T _{UQFF} /T _H	0.99	Both corrections cancel
Test result	6/6 tests PASS	<code>validate_hawking_temperature.py</code>
C++ cross-check	PASS	<code>uqff_temperature_formula.cpp</code>

Source: `validate_hawking_temperature.py`, `HawkingTemperatureUQFFCalculator` | ?
 $= 0.0005/\text{day}$ | $[SSq] = 0.57$

Appendix: UQFF Production Framework Reference (v4.75+)

Added by upgrade_early_whitepapers.py (v4.75). This appendix cross-references the production physics constants and master equations to enable reproducibility against the current codebase state.

A.1 Calibration Constants

Symbol	Value	Description
$\hat{\Gamma}^o$	$5.0 \times 10^{-6} \text{ day}^{-1}$	UQFF exponential decay rate
[SSq]	0.57	Universal Quantized Factor
$\hat{\Gamma}^2_i$	0.60–0.61	Buoyancy coupling coefficient
k_{11}	1.5	Ug1 DPM-dipole coupling
k_{12}	1.2	Ug2 outer-bubble charge coupling
k_{13}	1.8	Ug3 string-rotation coupling
k_{14}	2.0	Ug4 vacuum-concentration coupling
$\hat{\mathbf{I}} \cdot$	10^2 Å^2	Inertia tensor scale
E_react(0)	10^6 eV J	Reference reactive energy

A.2 F_U Master Equation (Complete $\hat{\rho}$ 4 terms)

$$F_U = U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_{bi} + U_m - \sum_{i=1}^4 i g l [\lambda_i \cdot U_i(r, t) \cdot E_{\text{react}} i g r]$$

Term	Description	Implementation
Ug1	DPM magnetic dipole	compute_Ug1_SOURCE4 / compute_Ug1()
Ug2	Outer-field bubble (charge-reactivity)	compute_Ug2_SOURCE4 / compute_Ug2()
Ug3	Magnetic string rotation	compute_Ug3_SOURCE4 / compute_Ug3()
Ug4	Vacuum concentration (star-BH)	compute_Ug4_SOURCE4 / compute_Ug4()
Ubi	Buoyancy force	compute_Ubi_SOURCE4 / compute_Ubi()
Um	Universal Magnetism (Heaviside-amplified)	compute_Um_SOURCE4 / compute_Um()
$\hat{\mathbf{u}}_i \cdot \hat{\mathbf{e}}_i = \mathbf{u}_i \cdot \mathbf{A}_i \cdot \mathbf{u}_i$	4th dissipation term (PAPER_420)	compute_FU_SOURCE4 / full pipeline

4th dissipation term parameters (PAPER_420):

$\hat{I}_{\text{diss}}=10\hat{\mu}\gg\hat{A}^1\hat{\mu}^\circ$, $\hat{I}_{\text{diss}}=10\hat{\mu}\gg\hat{A}^1\hat{A}^2$, $\hat{I}_{\text{diss}}=10\hat{\mu}\gg\hat{A}^1\hat{A}^1$, $\hat{I}_{\text{diss}}=10\hat{\mu}\gg\hat{A}^1\hat{A}^3$ (free parameters, not yet empirically calibrated)

A.3 Um Heaviside Phase-Transition Amplifier (PAPER_421)

$$U_m^{\text{full}} = U_m^{\text{base}} \text{imesigl}(1 + 10^{13} \Theta(ho_{SCm} - ho_c)igr) \text{imesigl}(1 + A_q \cos(\Delta\omega t)igr)$$

Symbol	Value	Description
$\hat{I}_{\text{c}}$	$10\hat{A}^1\hat{\mu}\text{ kg/m}\hat{A}^3$	SCm critical superconducting density
A_q	0.1	Quasi-periodic beating amplitude (10%)
$\hat{I}_{\text{g}}$	$2\hat{I}_{\text{g}}/(434\hat{A}\cdot365.25)\text{ rad/day}$	434-year Gleisberg supercycle

A.4 UQFF Four Operational Modes

Mode	Dominant Term	Primary Use Case
Compressed	$Ug_{\text{sum}} + \text{Newtonian base}$	Isolated stellar/BH systems
Resonant	5 resonance frequencies (aDPM, aTHz, $\hat{\mu}!$)	Multi-scale field interactions
Buoyant	$\hat{I}^2_{\text{i}} \hat{A}_{\text{Ubi}}$	Expanding nebulae, stellar winds
Superconductive	$\hat{I}_{\text{c}} \hat{A}_{\text{H}} (1 + 10\hat{A}^1\hat{A}^3\hat{A}\cdot f_{\text{H}})$	Magnetars, SCm critical-density regime

Implementation status: all 4 modes operational in MAIN_1_CoAnQi.cpp, CondensedPhysics.py, and CondensedPhysics2.py.