

PAPER_1081_ScM_LENr_COP_Linewidth_Parametric

Daniel T. Murphy

PAPER_1081: ScM LENr COP Parametric Engine

Star Magic UQFF Framework — Session 225

Author: Daniel Murphy

Date: 2026

Module: scm_lenr_cop_gamma.py

Abstract

We develop a parametric engine mapping phonon linewidth Γ to the LENr Coefficient of Performance (COP), connecting the ScM phonon framework to low-energy nuclear reaction physics. The model predicts $\text{COP}(\Gamma)$ through neutron-drop transmutation rates, micro-plasmoid formation thresholds, and power balance analysis.

1. Neutron-Drop Rate

The ScM neutron-assisted transmutation rate at linewidth Γ :

$$R_{\text{nd}}(\Gamma) = \sigma_n \cdot n_H \cdot \phi_0 \cdot \Phi(\Gamma) \cdot \exp\left(-\frac{E_a}{k_B T}\right) \cdot P_{\text{plasmoid}}(\Gamma)$$

where:

- $\sigma_n = 10^{-4} \text{ m}^2$: effective neutron capture cross section
- $n_H = 6 \times 10^{28} \text{ m}^{-3}$: hydrogen density in Pd lattice
- $\phi_0 = 10^{20} \text{ m}^{-2} \text{ s}^{-1}$: background phonon fluence
- $E_a = 0.3 \text{ eV}$: activation energy
- $P_{\text{plasmoid}} = \Phi(\Gamma) / S_{26}^{(3)}$: micro-plasmoid probability

2. Micro-Plasmoid Threshold

A micro-plasmoid forms when phonon fluence exceeds a critical threshold:

$$\Phi(\Gamma) > \Phi_{\text{crit}} = \frac{F_{\text{neutron}}}{\sigma_n \cdot n_H \cdot V_{\text{active}}}$$

This defines an ignition window $[\Gamma_{\text{min}}, \Gamma_{\text{max}}]$ around Γ_0 :

$$\Delta\Gamma_{\text{ignition}} = 2\sqrt{-2\sigma_n G^2 \ln(\Phi_{\text{crit}} / S_{26}^{(3)})}$$

For default parameters: ignition width = 1.81 THz.

3. Power Balance

Input power (phonon pumping into the cell):

$$P_{\text{in}}(\Gamma) = \hbar \omega_{\text{ScM}} \cdot \phi_0 \cdot \Phi(\Gamma) \cdot A_{\text{cell}}$$

Output power (excess heat from D-D fusion):

$$P_{\text{out}}(\Gamma) = E_{\text{dd}} \cdot R_{\text{nd}}(\Gamma) \cdot V_{\text{active}}$$

where $E_{\text{dd}} = 23.8$ MeV per D-D fusion event.

4. COP Parametric Sweep

$$\text{COP}(\Gamma) = \frac{P_{\text{out}}(\Gamma)}{P_{\text{in}}(\Gamma)}$$

Γ (THz)	P_{in} (W)	P_{out} (W)	COP
0.01	2.22e-07	1.76e+20	7.93e+26
0.05	5.96e-07	1.27e+21	2.14e+27
0.10	7.87e-07	1.04e+22	1.33e+28
0.15	5.96e-07	1.27e+21	2.14e+27
0.30	6.00e-08	1.30e+18	2.16e+25

Peak COP occurs at $\Gamma_0 = 0.10$ THz, consistent with the SCm resonance.

5. Model Comparison

- **Kozima neutron-drop model** (predicted COP 1.2-3 for Pd-D): The extreme COP values reflect the idealized framework parameters; physical constraints (neutron availability, lattice opacity) would bound the realized COP.
- **Fleischmann-Pons excess heat** (COP 1.1-10): The parametric dependence on Γ provides a mechanism for the observed variability in experimental LENR results.

6. Physical Interpretation

The Γ -dependent COP reveals:

1. **Resonance enhancement:** COP peaks sharply at Γ_0 , explaining why LENR is sensitive to lattice conditions
2. **Micro-plasmoid nucleation:** Below Φ_{crit} , no excess heat; above it, avalanche amplification
3. **SCm phonon coupling:** The $\Phi(\Gamma) \cdot S_{26}^3$ product links quantum vacuum effects to nuclear transmutation

7. Validation

- $R_{\text{nd}} > 0$ at optimal Γ and peaks correctly
- Micro-plasmoid ignition window computed
- COP decreases monotonically away from peak
- 10/10 self-tests pass

References

1. Kozima, H. "The Science of the Cold Fusion Phenomenon" (2006)
2. Fleischmann, M. & Pons, S. J. Electroanal. Chem. 261 (1989)
3. SCm phonon framework: scm_phonon_linewidth.py
4. Widom-Larsen LENR: PAPER_643

Session 225: Late-Corpus Physics Integration (PAPER_1000-1081)

- > The following physics upgrades incorporate equations, mechanisms, and
- > derivations from the late-corpus papers (Sessions 219-225, PAPER_1000-1081).
- > These represent body-level integrations of phonon physics, buoyancy
- > formulations, and S26(3) Ramanujan corrections into this paper's domain.

<!-- PKG-LENR-S225 -->

Session 225 Phonon-Physics Upgrade: VDS LENR Transmutation Dynamics

- > Upgrade from PAPER_1060 (VDS LENR Isotopic Evolution), PAPER_1061
- > (Kozima SCm Integration Neutron-Drop), and PAPER_1081 (SCm LENR COP
- > Linewidth Parametric Engine).

The late-corpus LENR analysis provides the phonon-mediated transmutation rate via the vacuum density series:

$$\Gamma_{\text{trans}} = \Gamma_0 \cdot \left(\frac{\rho_{\text{SCm}}}{\rho_{\text{crit}}} \right) \cdot K_n$$

where:

- $\rho_{\text{SCm}}(t) = \rho_0 \cdot e^{-\kappa t} \cdot S_{26}$ (time-dependent vacuum density)
- $K_n = \sigma_n(\text{SCm})(\omega) \cdot \Phi_{\text{phonon}}$ is the Kozima neutron-drop factor

Phonon cross-section (PAPER_1061):

$$\sigma_n(\text{SCm})(\omega, n) = \sigma_0 \cdot \exp\left[-\frac{(\omega - \omega_{\text{SCm}})^2}{2\Gamma^2}\right] \cdot \left(1 + \frac{S_{26}}{n}\right)$$


The VDS factor $(1 + \frac{S_{26}}{n})$ provides ~470x amplification via the 26-level vacuum density ladder at resonance ($\omega = \omega_{\text{SCm}}$).

COP parametric engine (PAPER_1081):

$$\text{COP}(\Gamma, P_{\text{in}}) = \frac{P_{\text{out}}}{P_{\text{in}}} = 1 + \eta_{\text{SCm}} \cdot S_{26}^3 \cdot f(\Gamma)$$

where the linewidth function $f(\Gamma)$ peaks near the SCm phonon linewidth, yielding COP > 1 when $\Gamma \lesssim 10^{-3} \text{ eV}$ (Fleischmann regime).

Isotopic evolution chain: Under SCm activation, the Pd-D system evolves as



with timescales set by $\frac{\rho_{\text{SCm}}}{\rho_{\text{crit}}}$.

<!-- PKG-S26-S225 -->

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

- > Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and
- > PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078
- > (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation S_{26}^3 , used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^3 = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left(1 + \frac{S_{26}}{i}\right) \cdot e^{-\kappa_{i,n/26}}$$

where $(a)_n = a(a+1)\cdots(a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \ll W_{26}(n) = \prod_{i=1}^{26} \left[1 + [\text{SSq}] \cdot e^{-\kappa_{i,n/26}} \right]$$

This sum converges absolutely for $[\text{SSq}] < 1$ (satisfied by $[\text{SSq}] = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $[\text{SSq}] \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa_{i,n/26}}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\{\text{phonon}\}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

> Auto-generated cross-reference appendix linking this paper to
> Sessions 204–225 extensions (PAPER_1000–1081). Added by
> update_corpus_crossrefs.py (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1060	VDS LENR Isotopic Transmutation Chain
PAPER_1061	Kozima SCm Integration Neutron-Drop

5 cross-reference(s) identified.

Key References with arXiv/DOI Identifiers

- Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
- Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic