

PAPER_1104_ Unified_FUBi_SMBH_Merger_Dynamics

Daniel T. Murphy

■---

 paper_id: "PAPER_1104"

 title: "Unified F_U_Bi for SMBH Binary Merger Dynamics: Inside-to-Outside and Outside-to-Inside"

 session: 225

 date: 2026-04-15

 author: "Daniel T. Murphy"

 status: production

 cvw: "v2.0.0"

 tags: [SMBH, binary-merger, F_U_Bi, buoyancy, gravitational-waves, chirp-mass, inspiral, ringdown, 26-layer, UQFF]

 crosslinks: [PAPER_258, PAPER_649, PAPER_1079]

 sm_anchor: "CVW v2.0.0 -- G6 SM Anchor Gate compliant"

PAPER_1104: Unified \$F_{U,Bi}\$ for SMBH Binary Merger Dynamics

Abstract

We develop the complete buoyancy-mediated unified field theory for supermassive black hole (SMBH) binary mergers, distinguishing inside-to-outside (inspiral $\rightarrow$ ringdown) and outside-to-inside (environment $\rightarrow$ binary) dynamics. The two directional $F_{U,Bi}$ components are derived from the 26-layer UQFF gravity framework with gravitational wave phonon coupling and chirp mass scaling.

1. Inside-to-Outside: Inspiral to Ringdown

The $F_{U,Bi}$ component radiating outward during the merger:

$$F_{U,Bi}^{\text{in} \rightarrow \text{out}} = \sum_{i=1}^{26} \left[\text{Ug1}_i + \text{Ug2}_i + \text{Ug3}_i + \text{Ug4}_i \right] \times \left(1 + \frac{\Phi}{F_U} \cdot \Delta E_{\text{gw}} \right) \times \left(\frac{\mathcal{M}_c}{M_{\text{total}}} \right)^{5/3}$$

26-Layer Gravity Terms

Each layer $i \in [1,26]$ has quantum state factor $Q_i = 1/(1+\kappa_i)$:

Term	Expression	Physics
	----- ----- -----	
Ug1_i	$Q_i \cdot \mu_s \nabla(M_s/r)$	DPM-seeded gravity
Ug2_i	$(1 - [\text{SSq}]) Q_i \cdot \mu_s \nabla(M_s/r) \times 0.1$	Charge-reactivity
Ug3_i	$[\text{SSq}] \cdot Q_i \cdot \mu_s \nabla(M_s/r) \times 0.05 \sin i$	String rotation
Ug4_i	$\kappa_i \cdot Q_i \times 10^{-15}$	Vacuum concentration

Chirp Mass Factor

For a binary with masses M_1 and M_2 :

$$\mathcal{M}_c = M_{\text{total}} \cdot \eta^{3/5}, \quad \eta = \frac{M_1 M_2}{M_{\text{total}}^2}$$

$$\left(\frac{\mathcal{M}_c}{M_{\text{total}}} \right)^{5/3} = \eta$$

GW Phonon Coupling

$$\Delta E_{\text{gw}} = \frac{GM_1 M_2}{2r_{\text{sep}}}$$

The phonon-GW coupling factor:

$$1 + \frac{\Phi(\omega, \Gamma)}{F_U} \cdot \Delta E_{\text{gw}}$$

2. Outside-to-Inside: Environmental Buoyancy

The complementary $F_{U,Bi}$ component from the environment:

$$F_{U,Bi}^{\text{out} \rightarrow \text{in}} = F_U - F_{U,Bi}^{\text{in} \rightarrow \text{out}} - \sum_k F_{\text{tidal},k}(r_k, M_k)$$

where $F_{\text{tidal},k}$ are tidal forces from surrounding structures (galaxy clusters, dark matter halos, accretion disk).

3. Net Buoyancy Imbalance

$$\Delta F = F_{U,Bi}^{\text{in} \rightarrow \text{out}} - F_{U,Bi}^{\text{out} \rightarrow \text{in}}$$

- $\Delta F > 0$: merger-dominated (radiative outflow exceeds environmental inflow)
- $\Delta F < 0$: environment-dominated (accretion exceeds radiation)
- $\Delta F = 0$: buoyancy equilibrium

4. Merger Timescale

Using the Peters formula for gravitational wave inspiral:

$$t_{\text{merger}} = \frac{5}{256} \frac{c^5 a_0^4}{G^3 M_1 M_2 M_{\text{total}}}$$

5. Implementation

Calculator: UnifiedFUBiSMBHMergerDynamicsCalculator in CondensedPhysics.py

- Inputs: M_1 , M_2 , r_{sep} , F_U , tidal forces, linewidth Γ
- Outputs: both $F_{U,Bi}$ components, net imbalance, chirp mass, merger timescale

6. Conclusion

The directional decomposition of $F_{U,Bi}$ during SMBH mergers provides a complete description of buoyancy flow in the UQFF framework, with the inside-to-outside component governed by chirp mass scaling and GW phonon coupling, and the outside-to-inside component determined by the global unified field budget less tidal contributions.

References

- Peters, P.C. (1964). Gravitational radiation and the motion of two point masses. *Phys. Rev.* 136, B1224.
- Murphy, D.T. (2025). UQFF: Star Cradle Mechanics framework. Star-Magic repository.

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. *Phys. Rev. Lett.* **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Event Horizon Telescope Collaboration (2019). *First M87 Event Horizon Telescope Results. I*. *ApJL* **875**, L1 — arXiv:1906.11238 — doi:10.3847/2041-8213/ab0ec7
4. GRAVITY Collaboration (2022). *Mass distribution in the Galactic Center based on interferometric astrometry of multiple stellar orbits*. *A&A* **657**, A82 — arXiv:2112.07478 — doi:10.1051/0004-6361/202142465
5. Ghez, A.M. et al. (2008). *Measuring Distance and Properties of the Milky Way's Central Supermassive Black Hole with Stellar Orbits*. *ApJ* **689**, 1044 — arXiv:0808.2870 — doi:10.1086/592738
6. Archimedes (~250 BCE). *On Floating Bodies*. (Principle of buoyancy)
7. Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87*. *A&A* **356**, 788 — arXiv:astro-ph/0004212
8. Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster*. *MNRAS* **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x
9. Aasi et al. (LIGO Scientific Collaboration, 2015). *Advanced LIGO*. *Class. Quantum Grav.* **32**, 074001 — arXiv:1411.4547 — doi:10.1088/0264-9381/32/7/074001