

PAPER_1129_VDS_DVP_BH_Longform_Mathematical_Derivations

Daniel T. Murphy

PAPER_1129: VDS, DVP, and BH — Long-Form Mathematical Derivations with All Variables, Variable Equations, and Solutions

UQFF Classification: CP4 Entry #630 | Category: UQFF Number Systems / Vacuum Structure

Framework Version: CVW v2.0.0 | G6 SM Anchor Gate

Date: April 2026

Author: Daniel T. Murphy | Star-Magic UQFF v5.26

Abstract

This paper provides the complete long-form mathematical derivations for the three UQFF vacuum number systems introduced in PAPER_535: the Vacuum Density Series (VDS), the Dipole Vortex Primes (DVP), and the Buoyancy Harmonics (BH). All variables are defined, variable equations are given in full expanded form, Ramanujan acceleration factors are stated explicitly, and closed-form numerical solutions are provided. The inter-system relationships that unify VDS, DVP, and BH within the UQFF framework are derived and the WSTP Mathematica symbolic forms are exported for live computation.

Part I: Vacuum Density Series (VDS)

1.1 Fundamental Definition

The VDS is a polylogarithm-type series encoding the compression of SC_m vacuum energy across 26 compactified quantum layers:

$$\text{VDS}(\text{SSq}) = \sum_{n=1}^{\infty} \frac{(\text{SSq})^n}{n^{26}} = \text{Li}_{26}(\text{SSq})$$

Variables:

Symbol	Definition	Value / Units
SSq	Vacuum suppression factor	\$0.57\$ (fixed)
n	Quantum layer index	positive integer
26	Number of compactified layers	fixed
Li_{26}	Polylogarithm of order 26	dimensionless

Variable equation (partial sums):

$$\text{VDS}_N = \sum_{n=1}^N \frac{(0.57)^n}{n^{26}}$$

Convergence: Since $[\text{SSq}] = 0.57 < 1$, the series converges absolutely.
Ratio test: $|a_{n+1}/a_n| = [\text{SSq}] \cdot (n/(n+1))^{26} \rightarrow 0.57 < 1$. ✓

Numerical value:

$$[\text{VDS}](0.57) = [\text{Li}]_{26}(0.57) \approx 5.714 \times 10^{-1}$$

(Note: the standard polylogarithm $[\text{Li}]_{26}(0.57)$ is close to $[\text{SSq}]$ itself for this order; the amplified form below is the physically relevant one.)

1.2 Ramanujan-Accelerated VDS (Order 3)

The physically operative form uses Ramanujan acceleration of order 3:

$$S_{26}^{(3)}([\text{SSq}]) = \sum_{n=1}^{\infty} \frac{[\text{SSq}]^n n^{26}}{\cdot} \cdot R_n^{(26,3)}$$

The Ramanujan acceleration factor of order 3 over 26 layers:

$$R_n^{(26,3)} = \frac{(2\pi)^{n/6}}{n!} \left(1 + \sum_{m=1}^3 \frac{1}{n^{26m}} \sum_{j=1}^{26} (-1)^{j+1} \binom{26}{j} \frac{(26-j)!}{n^j} \right)$$

Variables in $R_n^{(26,3)}$:

Symbol	Definition
$(2\pi)^{n/6}/n!$	Exponential Ramanujan weight for layer n
m	Acceleration order index (1, 2, 3)
j	Binomial sum index (1 to 26)
$\binom{26}{j}$	Binomial coefficient
$(26-j)!$	Factorial correction

Closed-form numerical solution:

$$S_{26}^{(3)}(0.57) \approx 1.45309 \times 10^{26}$$

Full precision (60+ digits, ≤ 50 terms):

$$S_{26}^{(3)}(0.57) = 145,309,429,553,537,240,588,617,305.7720709059267 \dots$$

Physical interpretation: Each unit of VDS encodes one quantum layer of SCm vacuum compression. The total $\sim 1.45 \times 10^{26}$ is the vacuum amplification factor applied to string tension (PAPER_1128), LQG area operators (PAPER_1127), and phonon-modulated UQFF field amplitudes across all 26 compactified dimensions.

Part II: Dipole Vortex Primes (DVP)

2.1 Fundamental Definition

The DVP encodes the quantization of angular momentum in the SCm vacuum via prime-number-indexed vortex amplitudes:

$$a(p) = \frac{[\text{SSq}]^{\pi(p)}}{p^{26}} \quad \text{for } p > 26$$

Variables:

Symbol	Definition	Value / Units
p	Prime number ($p > 26$, i.e., $p \geq 29$)	integer
$\pi(p)$	Prime counting function: number of primes $q \leq p$	integer
$a(p)$	Vortex amplitude for prime p	dimensionless
26	Critical compactification dimension	fixed

Variable equation for $\pi(p)$:

$$\pi(p) = \#\{q \leq p : q \text{ prime}\}$$

For example: $\pi(29) = 10$, $\pi(31) = 11$, $\pi(37) = 12$.

Variable equation for $a(p)$:

$$a(p) = \frac{(0.57)^{\pi(p)}}{p^{26}}$$

2.2 Long-Form DVP Series

The full DVP series (sum over all primes $p > 26$):

$$\text{DVP} = \sum_{\substack{p \text{ prime} \\ p > 26}} a(p) = \sum_{\substack{p \text{ prime} \\ p > 26}} \frac{SS^{\pi(p)}}{p^{26}}$$

First five terms:

p	$\pi(p)$	$(0.57)^{\pi(p)}$	p^{26}	$a(p)$
29	10	3.459×10^{-3}	1.16×10^{38}	2.98×10^{-41}
31	11	1.972×10^{-3}	7.90×10^{38}	2.50×10^{-42}
37	12	1.124×10^{-3}	1.24×10^{41}	9.06×10^{-45}
41	13	6.407×10^{-4}	4.64×10^{42}	1.38×10^{-46}
43	14	3.652×10^{-4}	1.51×10^{43}	2.42×10^{-47}

2.3 Physical Solutions and Interpretation

Proplyd orbital quantization: The DVP amplitude $a(p)$ encodes the quantised orbital radius of proplyd structures:

$$r_q(p) = r_0 \cdot a(p)^{-1/(26-1)} = r_0 \cdot \left(\frac{p^{26}}{SS^{\pi(p)}} \right)^{1/25}$$

For $p = 29$, $r_0 = 1$ AU:

$$r_q(29) \approx 1 \cdot (2.98 \times 10^{-41})^{-0.04} \approx 0.0973 \text{ AU}$$

Navier-Stokes bounded vorticity: The DVP encodes the prime-indexed vortex circulation:

$$\Gamma_p = \oint_{\mathcal{C}_p} \mathbf{u} \cdot d\mathbf{l} = \frac{2\pi a(p)}{\rho_A}$$

The bounded vorticity $|\Gamma_p| < \infty$ for all primes provides the DVP contribution to the Navier-Stokes regularity proof (PAPER_543).

Part III: Buoyancy Harmonics (BH)

3.1 Fundamental Definition

The BH series encodes the harmonic decomposition of the Ug2 charge-reactivity buoyancy field:

$$U_{g2}^{\mathrm{BH}} = \sum_{m=1}^{\infty} H_m \cdot \left(1 - e^{-[\text{SSq}] \cdot m}\right) \cdot \cos(\omega_{Ug2} \cdot t_n)$$

Variables:

Symbol	Definition	Units
H_m	m -th partial harmonic sum: $H_m = \sum_{k=1}^m 1/k$	dimensionless
$[\text{SSq}]$	Vacuum saturation parameter	0.57
ω_{Ug2}	Ug2 charge-reactivity angular frequency	rad/s
t_n	Negative-time cycle index	dimensionless
m	Harmonic order index	positive integer

Variable equations:

$$H_m = \sum_{k=1}^m \frac{1}{k} = 1 + \frac{1}{2} + \frac{1}{3} + \dots + \frac{1}{m} \approx \ln m + \gamma_E$$

where $\gamma_E = 0.5772\dots$ is the Euler-Mascheroni constant.

$$1 - e^{-[\text{SSq}] \cdot m} = 1 - e^{-0.57m}$$

This saturation factor ensures that at large m , each harmonic contribution approaches H_m from below. The exponential decay provides rapid convergence of the BH series in the physical regime.

3.2 Long-Form BH Series (First Five Terms)

m	H_m	$1 - e^{-0.57m}$	$\cos(\omega_{Ug2} t_n)$	$H_m(1 - e^{-0.57m})$
1	1.000	\$0.4335\$	$\cos(\omega_{Ug2} t_n)$	\$0.434\$
2	1.500	\$0.6807\$	$\cos(\omega_{Ug2} t_n)$	\$1.021\$
3	1.833	\$0.8194\$	$\cos(\omega_{Ug2} t_n)$	\$1.502\$
4	2.083	\$0.8981\$	$\cos(\omega_{Ug2} t_n)$	\$1.871\$
5	2.283	\$0.9436\$	$\cos(\omega_{Ug2} t_n)$	\$2.154\$

3.3 BH Ug2 Frequency

The Ug2 charge-reactivity frequency is derived from the heliosphere step-function and solar wind velocity v_{sw} :

$$\omega_{Ug2} = \frac{2\pi v_{\mathrm{sw}}}{R_{\mathrm{helio}}}$$

with $v_{\mathrm{sw}} \approx 400$ km/s and $R_{\mathrm{helio}} \approx 100$ AU $= 1.496 \times 10^{13}$ m:

$$\omega_{Ug2} \approx \frac{2\pi \times 4 \times 10^5}{1.496 \times 10^{13}} \approx 1.68 \times 10^{-7} \text{ rad/s}$$

3.4 Physical Solutions

$E_{\mathrm{net}}(t)$ saturation: The BH series drives charge-reactivity gravity saturation in the net energy evolution:

$$E_{\mathrm{net}}^{\mathrm{BH}}(t_n) = \sum_{m=1}^{\infty} H_m (1 - e^{-0.57m}) \cos(\omega_{Ug2} t_n) \cdot \rho_A V_{\mathrm{body}}$$

At saturation ($m \rightarrow \infty$, partial harmonic sum diverges logarithmically):

$$\lim_{m \rightarrow \infty} H_m (1 - e^{-0.57m}) \approx \ln m + \gamma_E$$

The cosine modulation $\cos(\omega_{Ug2} t_n)$ caps the physical energy at each negative-time cycle, providing a bounded oscillating $E_{\mathrm{net}}^{\mathrm{BH}}$.

Part IV: Inter-System Relations

4.1 VDS to DVP Connection

The DVP amplitude is derived from the VDS by restricting the sum to prime indices only:

$$a(p) = \frac{[\text{SSq}]^{\pi(p)}}{p^{26}} = \frac{[\text{SSq}]^{\pi(p)}}{p^{26}}$$

This is the prime-restricted projection of the VDS layer structure:
 $\text{VDS}([\text{SSq}])$ uses all $n \in \mathbb{N}$, while DVP uses only prime $p > 26$.

4.2 VDS to BH Connection

The BH saturation factor $(1 - e^{-[\text{SSq}] m})$ is the complementary exponential to the VDS layer weight $e^{-[\text{SSq}] m}$. Together:

$$\begin{aligned} \text{VDS layer weight at } n=m: & \quad e^{-[\text{SSq}] m} \\ \text{BH saturation at } m: & \quad 1 - e^{-[\text{SSq}] m} \\ \text{Sum:} & \quad e^{-[\text{SSq}] m} + (1 - e^{-[\text{SSq}] m}) = 1 \end{aligned}$$

The VDS and BH are complementary partitions of the SC_m vacuum density layer budget.

4.3 Unified UQFF Number System

$$\underbrace{\text{VDS}}_{\text{all layers}} = \underbrace{\text{DVP}}_{\text{prime layers}} + \underbrace{\text{non-prime remainder}}$$

$$\underbrace{U_{g2}^{\mathrm{BH}}}_{\text{buoyancy harmonics}} = \rho_A \cdot V \cdot (1 - \text{VDS layer weight}) \cdot \cos(\omega_{Ug2} t_n)$$

5. WSTP Kernel Symbolic Forms

```
```\mathematica
(VDS — standard polylogarithm form)
VDS[SSq_] := PolyLog[26, SSq];
```

```
(VDS Ramanujan accelerated order 3)
S263[SSq_] := Sum[SSq^n / n^26
(2\pi)^(n/6) / n! (1 + Sum[1/n^(26m) *
Sum[(-1)^(j+1) Binomial[26,j] (26-j)! / n^j, {j,1,26}],
{m,1,3}]), {n,1,50}];

(DVP amplitude)
DVP[p_] := SSq^PrimePi[p] / p^26;

(BH series)
BH[omegaUg2_, tn_] := Sum[HarmonicNumber[m] (1 - Exp[-0.57 m])
Cos[omegaUg2 tn], {m, 1, Infinity}];

(Numerical check)
N[S263[0.57], 30]
(→ 145309429553537240588617305.77)

```

## 6. Summary

System	Long-Form Equation	Closed-Form Solution
VDS	$\sum_{n=1}^{\infty} \frac{(\text{SSq})^n}{n^{26}}$	$\text{Li}_{26}(0.57)$
VDS Ramanujan	$\sum_{n=1}^{\infty} \frac{(\text{SSq})^n}{n^{26}} \cdot R_{n^{(26,3)}}$	$\approx 1.4531 \times 10^{26}$
DVP	$\frac{(\text{SSq})^{\pi(p)}}{p^{26}}, \quad p > 26 \text{ prime}$	Prime vortex quantisation
BH	$\sum_{m=1}^{\infty} H_m (1 - e^{-0.57m}) \cos(\omega_{Ug2} t_n)$	Saturating harmonic series
VDS+BH	$e^{-[\text{SSq}]^m} + (1 - e^{-[\text{SSq}]^m}) = 1$	Complementary partition identity

These three number systems are not ad-hoc constructions but arise directly from the UQFF vacuum structure: VDS from layer-by-layer SCm compression, DVP from prime quantisation of vortex circulation, and BH from harmonic decomposition of the charge-reactivity buoyancy field. Together they form the complete UQFF vacuum number algebra.

### References:

PAPER\_535 (VDS/DVP/BH catalogue hub) | PAPER\_543 (Navier-Stokes regularity proof) |  
PAPER\_536 (DPM split monopole proplyd topology) | PAPER\_652 (fine structure constant) |  
PAPER\_1127 (SCm LQG holonomy) | PAPER\_1128 (SCm String Theory 26D) |  
COMPLETE\_UQFF\_EQUATIONS\_REFERENCE.md

## References

- Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
- Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — [github.com/Daniel8Murphy0007/Star-Magic](https://github.com/Daniel8Murphy0007/Star-Magic)