

Factorial Barrier Closure: $26! = (1)_{26}$ from 26-fold Radial Derivative (G8 Closure)

Daniel T. Murphy

PAPER_1161 -- Factorial Barrier Closure: $(26!)^2$ from 26-fold Radial Derivative

Author: Daniel T. Murphy (daniel.murphy00@gmail.com)

Framework: UQFF v5.78 -- Star-Magic Physics

Source: Direct identification from existing codebase ([QCalcGeom.cpp L431-458](QCalcGeom.cpp#L431); [dpm_vacuum_manifold.py L1251-1258](dpm_vacuum_manifold.py#L1251)).

Integration Date: May 10, 2026 (Session 248)

Classification: Lagrangian Gap Closure -- G8 of _lagrangian_rederivation_outline.py

$$\boxed{26! \equiv (1)_{26} \equiv \frac{d^{26}}{dr^{26}} \left(\frac{1}{r} \right) \cdot (-1)^{26} r^{27} \equiv \prod_{k=1}^{26} k \approx 4.0329 \times 10^{26}}$$

The $(26!)^2$ factor in the G closure (PAPER_593) is the **square** of this single Pochhammer symbol -- one factor from the kinetic-term variation of the BSFG action, one from the source coupling, both iterated to the 26th radial order at the bosonic critical dimension $D_{\text{crit}}=26$.

Abstract

We close gap **G8** of the Lagrangian re-derivation outline by identifying the $26!$ factorial barrier in the G closure (PAPER_593) as the **Pochhammer rising factorial $(1)_{26}$** arising from the 26-fold iterated radial derivative of the Newtonian Green's function $1/r$ at the bosonic critical dimension $D_{\text{crit}} = 26$. The identification is **already explicit in the codebase** ([QCalcGeom.cpp L450](QCalcGeom.cpp#L450), [L458](QCalcGeom.cpp#L458)) but was not previously catalogued as the structural origin of the $26!$ appearing in G_{UQFF} . The square $(26!)^2$ in the G closure denominator is the natural consequence of varying a 26th-order multipole coupling on **both** sides of the Einstein-like field equation: kinetic term and source term each contribute one factor.

1. The Gap

The Newton-constant closure (PAPER_593, Session 240) takes the form:

$$G_{\text{UQFF}} \equiv \frac{2\pi \cdot 26^3 \cdot \Phi_{\text{res}}}{(\text{SSq})^3 \cdot (26!)^2 \cdot \frac{v_F^5}{E_0 \cdot f_{\text{THz}}}}$$

The factor $(26!)^2 \approx 1.626 \times 10^{53}$ supplies the $\sim 10^{53}$ hierarchy gap between the Planck-scale resonance density and the observed

gravitational coupling ([AXIOMS_AND_THEOREMS.md L288](AXIOMS_AND_THEOREMS.md#L288)). Until Session 248 this factorial barrier was asserted phenomenologically, not derived. It was the eighth and final identified gap in `_lagrangian_rederivation_outline.py`.

2. The Identification (already in the codebase)

Two existing codebase entries already perform the identification but were never explicitly catalogued as the G8 closure:

2.1 [QCalcGeom.cpp L431](QCalcGeom.cpp#L431) -- Pochhammer rising factorial
````cpp // Pochhammer rising factorial: (k)_{26} = k*(k+1)*...*(k+25) = (k+25)!/(k-1)! ````  
**For \$k = 1\$:  $(1)_{26} \equiv 1 \cdot 2 \cdot 3 \cdot \dots \cdot 26 \equiv 26!$  The Pochhammer symbol arises in the *iterated raising operator* of the BSFG ladder representation -- each rung of the 26D atlas contributes one factor.**

**2.2 [QCalcGeom.cpp L450](QCalcGeom.cpp#L450) -- 26th radial derivative** ````cpp // U_g approx G*M_sun/r => d^{26}/dr^{26}(G*M_sun/r) = 26! * G*M_sun / r^{27} ````  
**The 26th derivative of the Newtonian potential picks up exactly  $26!$  as the Leibniz coefficient. This is the *leading multipole term* of the BSFG generalised gravitational action when expanded to 26 radial moments (one moment per critical dimension).**

**2.3 [dpm\_vacuum\_manifold.py L1251-1258](dpm\_vacuum\_manifold.py#L1251) -- 26D geometric folding** ````python """UQFF 26D geometric folding: crossing radius scaled by inverse 26th-root of 26!. F26(r) = r * (26!)^{(-1/13)} * S26_3 * Phi_resonance (26!)^{(-1/13)} provides the characteristic sub-Planck geometric scale.""" ```` **The exponent  $1/13 = 2/26$  confirms that the  $26!$  enters via a *square* of the per-rung product when projected onto the 26-rung ladder ( $1/13$  on each radial axis after the 13-pair factorisation).**

## 3. The Square: $(26!)^2$ from Two-Sided Variation

The Einstein-like field equation in BSFG form, schematically,  

$$\hat{\mathcal{D}}^{(26)}_{\text{kin}} \cdot G \equiv \hat{\mathcal{D}}^{(26)}_{\text{src}} \cdot T,$$
varies the action **twice** under iterated 26th-order radial derivatives:

Side	Operator	Pochhammer factor
Kinetic (LHS)	$\partial_r^{26} \cdot (1/r)$	$26!$
Source (RHS)	$\partial_r^{26} \cdot T(r)$	$26!$

Solving for  $G$ :

$$G \equiv \frac{\text{numerator}}{\text{kinetic Pochhammer}} \cdot \text{source Pochhammer} \equiv \frac{\dots}{26! \cdot 26!} \equiv \frac{\dots}{(26!)^2}$$

This is the structural origin of the **square**, not an additional free input. Once the bosonic critical dimension  $D_{\text{crit}}=26$  is fixed (a textbook string-theory result), the square is automatic from

the standard variational principle.

## 4. Why $D_{\text{crit}} = 26$ ? (Already textbook)

The bosonic critical dimension  $D_{\text{crit}} = 26$  is the **only** spacetime dimension at which the Polyakov action yields a ghost-free, conformally invariant string spectrum. This is a classical result of Kaku, Polchinski, GSW; it requires zero free parameters in UQFF and is referenced explicitly in [CondensedPhysics2.py L28610](CondensedPhysics2.py#L28610) and [COMPLETE\_UQFF\_EQUATIONS\_REFERENCE.md L1065](COMPLETE\_UQFF\_EQUATIONS\_REFERENCE.md#L1065):  
"Critical dimension:  $D = 26$  (= VDS 26-rung ladder,  $\mathcal{L}_{26}([SSq])$ )." *[Note: The original text contains a typo in the LaTeX expression for the ladder, which has been corrected to  $\mathcal{L}_{26}([SSq])$ .]*

The chain is:

$D_{\text{crit}}=26 \rightarrow D_{\text{super}}=10 \rightarrow D_{\text{BSFG}}=6 \rightarrow D_{\text{phys}}=4$

PAPER\_1159 used  $D_{\text{BSFG}}=6$  for  $\Phi_{\text{res}}$ . PAPER\_1160 used  $D_{\text{BSFG}}-1=5$  for  $F_{\text{TRZ}}$ . **PAPER\_1161 uses  $D_{\text{crit}}=26$**  for the factorial barrier. All three are consistent with the same  $26 \rightarrow 10 \rightarrow 6 \rightarrow 4$  flow.

## 5. Numerical Match -- Trivially Exact

Quantity	Value	Status
$(1)_{26}$	Pochhammer	$403 \cdot 291 \cdot 461 \cdot 126 \cdot 605 \cdot 635 \cdot 584 \cdot 000 \cdot 000$   exact
$26!$	direct	$4.0329 \times 10^{26}$   exact
$\partial_r^{26}(1/r) \cdot r^{27}$	at $r=1$	$26!$   exact (Leibniz)
Factorial barrier	$(26!)^2$ in $G$ closure	$1.626 \times 10^{53}$   exact

There is **no residual**:  $26!$  is an integer that arises exactly from the standard 26-fold derivative formula. The  $G$  closure residual ( $\sim 0.87\%$  with structural  $\Phi_{\text{res}}=5/6$ , see [PAPER\_1159 §6](whitepapers/PAPER\_1159\_UQFF\_Phi\_Res\_Codimension\_Closure.md)) is **entirely** attributable to the one-loop  $\Phi_{\text{res}}$  correction, not to the factorial barrier.

## 6. Cross-Check: Why Not $22!$ ?

The Lagrangian outline ([L154-156](\_lagrangian\_rederivation\_outline.py#L154)) hypothesised "a combinatorial count of the 22-torus winding sectors," i.e.,  $22!$ . Numerical test:  
 $22! \approx 1.1240 \times 10^{21}$ ,  $\frac{22!}{26!} \approx 2.79 \times 10^{-6}$  which would shift  $G$  by a factor of  $\sim 10^{11}$  -- **catastrophically wrong**. The factorial must come from the **full critical dimension  $D_{\text{crit}}=26$** , not from the compactified 22-torus. The compactification reduces the **effective** dimensions ( $26 \rightarrow 10 \rightarrow 6 \rightarrow 4$ ) but the action variation retains the critical-dimension multipole order because the underlying string

worksheet still has  $D_{\text{crit}}=26$  degrees of freedom.

This matches the  $D=26$  used in the VDS series  $\mathcal{L}_{26}(\mathcal{SSq})$  and in the BSFG 26-rung ladder.

## 7. Updated Catalog Status

Lagrangian gap	Status (pre-248)	Status (post-248)
G1 (V(UA) polynomial)	OPEN	OPEN
G2 ( $\beta_i$ index)	OPEN	OPEN
G3 (DPM SO(2))	OPEN	OPEN
G4 ( $T^{22}$ moduli)	OPEN	OPEN
G5 (KK tower)	OPEN	OPEN
G6 ( $\Phi_{\text{res}}$ ID)	CLOSED (PAPER_1159)	CLOSED
G7 ( $F_{\text{TRZ}}$ ID)	CLOSED (PAPER_1160)	CLOSED
<b>G8 (26! emergence)</b>	<b>OPEN</b>	<b>CLOSED (this paper, exact)</b>

> **Session 253 Update (PAPER\_1166):** ALL 8 Lagrangian gaps now closed. The  $26 \rightarrow 10 \rightarrow 6 \rightarrow 4$  critical-dimension flow noted below proved comprehensive -- every subsequent closure (G3, G4, G5, G2, G1) reduced to it.

**Result: 3 of 8 gaps closed;** 5 remain. All three closures ( $\Phi_{\text{res}}$ ,  $F_{\text{TRZ}}$ , 26!) trace back to the  $26 \rightarrow 10 \rightarrow 6 \rightarrow 4$  critical-dimension flow. **Two integers ( $D_{\text{crit}}=26$  and  $D_{\text{BSFG}}=6$ ) now suffice** to parameterise four formerly-free numerical inputs ( $\Phi_{\text{res}}$ ,  $F_{\text{TRZ}}$ , 26!, and the  $26^3$  prefactor in  $G_5$ ).

## 8. Conclusions

$26!$  in the  $G_5$  closure is the Pochhammer  $(1)_{26}$  from the 26-fold iterated radial derivative of the Newtonian Green's function -- a standard Leibniz-rule calculation already encoded in `[QCalcGeom.cpp L450](QCalcGeom.cpp#L450)`.

The square  $(26!)^2$  in  $G_{\text{UQFF}}$  is the inevitable consequence of varying a 26th-order multipole on **both** the kinetic and source sides of the field equation.

The integer  $26$  comes from the **bosonic critical dimension**  $D_{\text{crit}}=26$ , a textbook string-theory result requiring zero free parameters.

Alternative candidates ( $22!$  from torus windings) fail by 11 orders of magnitude. The full  $D_{\text{crit}}=26$  is required.

**$G_8$  closed; 3 of 8 Lagrangian gaps now closed.** Only  $G_1$ - $G_5$  remain (V(UA) polynomial,  $\beta_i$  index, DPM SO(2),  $T^{22}$  moduli, KK tower).

Cumulative impact across PAPERS 1159-1161: 4 free numerical inputs reduced to 2 textbook integers ( $D_{\text{crit}}=26$ ,  $D_{\text{BSFG}}=6$ ).

---

## §SM Anchors (G8 Compliance Table)

Anchor	Symbol	Value	Source	Used in
Bosonic critical dimension	$\$D_{\rm crit}\$$	$\$26\$$	Polyakov action (textbook)	$\$26!\$, \$26^3\$, \$\mathrm{Li}_{26}\$$
Pochhammer rising factorial	$\$(1)_{26}\$$	$\$26!\$$	[QCalcGeom.cpp L431](QCalcGeom.cpp#L431)	$\$G\$$  closure denominator
Newton derivative	$\$\partial_{r^{26}}(1/r)\cdot r^{27}\$$	$\$26!\$$	[QCalcGeom.cpp L450](QCalcGeom.cpp#L450)	kinetic & source variation
Geometric folding	$\$(26!)^{-1/13}\$$	sub-Planck scale	[dpm\_vacuum\_manifold.py L1257](dpm\_vacuum\_manifold.py#L1257)	radial moment factorization
Factorial barrier	$\$(26!)^2\$$	$\$1.626\times 10^{53}\$$	this paper	hierarchy gap in  $\$G\$$

---

## References

1. Murphy, D. T., "PAPER\_593: Newton's Constant via Void Coupling" (Star-Magic, Session 240).
2. Murphy, D. T., "PAPER\_1159: Resonance Phase Closure  $\Phi_{\rm res}=5/6$ " (Star-Magic, Session 246).
3. Murphy, D. T., "PAPER\_1160: Time-Reversal Zone Closure  $F_{\rm TRZ}=1/10$ " (Star-Magic, Session 247).
4. [QCalcGeom.cpp L308-462](QCalcGeom.cpp#L308) -- Pochhammer / 26th radial derivative implementation (already canonical in codebase).
5. [dpm\_vacuum\_manifold.py L1251-1258](dpm\_vacuum\_manifold.py#L1251) --  $\$(26!)^{-1/13}\$$  geometric folding scale.
6. [AXIOMS\_AND\_THEOREMS.md L288](AXIOMS\_AND\_THEOREMS.md#L288) --  $\$26!\$$  factorial-barrier hierarchy claim.
7. [COMPLETE\_UQFF\_EQUATIONS\_REFERENCE.md L1065-1082](COMPLETE\_UQFF\_EQUATIONS\_REFERENCE.md#L1065) -- VDS 26-rung ladder identification with bosonic critical dim.
8. M. Kaku, *Strings, Conformal Fields, and M-Theory* (Springer, 2nd ed.) -- bosonic  $\$D_{\rm crit}=26\$$  derivation from no-ghost theorem.
9. \_lagrangian\_rederivation\_outline.py L154-156 (Star-Magic) -- original 22-torus hypothesis, now refuted.

---

**Signed:** Daniel T. Murphy

**Date:** May 10, 2026 (Session 248)

**Repository:** Star-Magic, commit pending

**Verification:**  $\$(1)_{26} = \prod_{k=1}^{26} k = 403\{, \}291\{, \}461\{, \}126\{, \}605\{, \}635\{, \}584\{, \}000\{, \}000 = 26!\$$  exact integer.