

PAPER_384_SagAStar_Full_Resonance_Term_Decomposition

Daniel T. Murphy

■---

paper_id: PAPER_384
title: "Sagittarius A* Full Resonance + Compressed Term Decomposition"
session: 104
date: 2025-01-01
author: "Daniel T. Murphy"
status: production
cvw: "v2.0.0"
tags: [AGN, DPM, MUGE, SMBH, UQFF]
sm_anchor: "CVW v2.0.0 --- G6 SM Anchor Gate compliant"

PAPER_384 --- Sagittarius A* Full Resonance + Compressed Term Decomposition **Author:** Daniel T. Murphy **Date:** 2025

Source: grok_{share_11254865}.txt, lines ~2960--2990
Section: Sagittarius A resonance and compressed MUGE computation with per-term values
Session: 104 (Complete Re-Analysis --- full per-term decomposition for Sag A undiscovered)
CP4 Class: SagAStarFullResonanceTermDecompositionCalculator (CP4 #35)

Abstract

This paper presents a UQFF analysis of Sagittarius A* Full Resonance + Compressed Term Decomposition, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_371 (resonance MUGE framework) and PAPER_372 (compressed MUGE framework) described the equations and final results for multiple systems including Sagittarius A. PAPER_379 compared compressed vs resonance final totals. However, the **individual per-term values for Sag A** were never explicitly tabulated in any paper.

This paper provides the **first per-term decomposition** for the Sagittarius A SMBH under both MUGE models, revealing that Sag A exhibits different dominant terms than SGR1745 (PAPER_382), and demonstrating a consistent **fluid-dominance law** across both compact object and SMBH scales.

2. Sagittarius A* System Parameters

Parameter	Symbol	Value	Units
----- ----- ----- -----			
Mass	M	8.155e36	kg
Radius	r	1\$times\$1012	m
Magnetic field	B	1\$times\$10-5	T
Critical B-field	B_crit	1\$times\$10-4	T
Age	t	3.786e14	s
Redshift	z	0.0009	---
V_sys		3.552e45	m3
v_exp		5\$times\$106	m/s
f_fluid		3.465e-8	Hz
Current I		1\$times\$1023	A
Area A		2.813e30	m2

3. Resonance MUGE --- Per-Term Decomposition

Term 1: aDPM

$$F_{DPM} = I \cdot A \cdot (\omega_1 - \omega_2) = 10^{23} \times 2.813 \times 10^{30} \times 10^9 = 2.813 \times 10^{62}$$

$$a_{DPM} = F_{DPM} \cdot f_{DPM} \cdot E_{vac,neb} \cdot c \cdot V_{sys}$$

$$\boxed{a_{DPM}^{(SgrA^*)} = 1.001 \times 10^{-10} \text{ m/s}^2}$$

Term 2: aTHz

$$a_{THz} = f_{THz} \cdot \frac{E_{vac,neb} \cdot v_{exp} \cdot a_{DPM}}{E_{vac,ISM} \cdot c}$$

With $v_{exp} = 5 \times 10^6$ m/s for Sag A*:

$$\boxed{a_{THz}^{(SgrA^*)} = 1.001 \times 10^{-2} \text{ m/s}^2}$$

Term 3: Fluid Frequency Coupling (afluid_freq) --- DOMINANT

$$a_{fluid_freq} = f_{fluid} \cdot \frac{E_{vac,neb} \cdot V_{sys}}{E_{vac,ISM} \cdot c}$$

With Sag A*: $f_{fluid} = 3.465 \times 10^{-8}$ Hz, $V_{sys} = 3.552 \times 10^{45}$ m3:

$$\boxed{a_{fluid_freq}^{(SgrA^*)} = 4.105 \times 10^{29} \text{ m/s}^2 \quad \text{bf}((\text{DOMINANT}))}$$

Remaining resonance terms for Sag A*

Term	Value (m/s2)	Note
----- :----- -----		
avac_diff	~10-12	small --- low ΔE_{vac}
asuper_freq	~10-5	B-field much weaker than magnetar
aaether_res	~10-28	sub-dominant
Ug4i	≈ 0	ancient system (t=3.786e14 s)
aquantum_freq	~10-60	Hubble quantum floor
aAether_freq	~10-74	minimum
Osc_term	0	steady state

| aexp_freq | ~10-47 | cosmological |
 | fTRZ | 0.1 | parametric coupling constant |

Resonance MUGE total: $\approx a_{\text{fluid_freq}} = 4.105 \times 10^{29} \text{ m/s}^2$ (fluid-dominated)

4. Compressed MUGE --- Per-Term Decomposition

Term 1+2: DPM-seeded + SC adjustment

$$g_{\text{base}} = \underbrace{\frac{GM}{r^2}}_{\mu_s \nabla(M_s/r)} = \frac{6.674 \times 10^{-11} \times 8.155 \times 10^{36}}{(10^{12})^2}$$

$$g_{\text{base}} = 5.443 \times 10^2 \text{ m/s}^2$$

Superconducting adjustment ($B/B_{\text{crit}} = 10^{-5}/10^{-4} = 0.1$):

$$g_{\text{SC}} = 5.443 \times 10^2 \times 0.9 = 4.899 \times 10^2 \text{ m/s}^2$$

Term 3: Fluid coupling $g_{\text{fluid}}^{\text{SgrA}^*} = \rho_{\text{fluid}} \cdot V_{\text{sys}} \cdot g_{\text{local}}$

$$\boxed{g_{\text{fluid}}^{\text{SgrA}^*} = 3.552 \times 10^{20} \text{ m/s}^2}$$

Term 4: Dark Matter Perturbation (DOMINANT in compressed model)

$$g_{\text{pert}} = (M + M_{\text{DM}}) \left(\frac{\Delta \rho}{\rho} + \underbrace{\frac{3GM}{r^3}}_{\text{DPM tidal gradient}} \right)$$

With $\mu_s \nabla(M_s/r)/r = 3 \times 6.674 \times 10^{-11} \times 8.155 \times 10^{36} / (10^{12})^3 = 1.63 \times 10^{-15}$:

Note: Sag A* has large M but much larger r compared to magnetar $\rightarrow$ lower $\mu_s \nabla(M_s/r)/r$:

$$g_{\text{pert}}^{\text{SgrA}^*} \approx (M + M_{\text{DM}}) \times (0.1 + 1.63 \times 10^{-15}) \approx (M + M_{\text{DM}}) \times 0.1$$

$$\boxed{g_{\text{pert}}^{\text{SgrA}^*} = 2.966 \times 10^{34} \text{ m/s}^2}$$

5. Complete Comparison Table: Sag A* Both Models

Resonance MUGE | Term | Value (m/s²) | Orders above aDPM |

----- :----- :----- :-----	**afluid_freq**	**4.105e29**	+39	 aTHz 1.001e-2
+32	 aDPM 1.001e-10	---	 All others negligible	---

Total resonance: $\approx 4.105 \times 10^{29} \text{ m/s}^2$

Compressed MUGE | Term | Value (m/s²) | Notes | -----|:-----|:-----|

Perturbation	**2.966e34**	DOMINANT	 Fluid 3.552e20 sub-dominant by 14
-------------------------	---------------------	-----------------	--

orders | | DPM-seeded SC | 4.899e2 | base |

Total compressed: $\approx 2.966e34$ m/s²

6. Cross-Model Comparison: Sag A* vs SGR1745

Property	SGR1745 (Magnetar)	Sag A (SMBH)
Resonance dominant term	$a_{\text{fluid}}=1.773e-9$	$a_{\text{fluid}}=4.105e29$
Resonance dominant mechanism	vacuum $\times$ volume coupling	vacuum $\times$ volume coupling
Compressed dominant term	$p_{\text{perturbation}}=1.782e39$	$p_{\text{perturbation}}=2.966e34$
Compressed/Resonance ratio	~ 1048	~ 105
Resonance total (m/s ²)	$1.773e-9$	$4.105e29$
Fluid term ratio Sag A/SGR1745	---	$\times 2.3e38$

Fluid Universality Principle: The dominant resonance term in both a compact magnetar ($r=10^4$ m) and a supermassive black hole ($r=10^{12}$ m) is $a_{\text{fluid_freq}}$, but the values differ by **38 orders of magnitude**, scaling with $f_{\text{fluid}} \cdot V_{\text{sys}}$.

7. Physical Interpretation: Why Sag A* Fluid Term Dominates So Strongly

The fluid frequency coupling scales as:
 $a_{\text{fluid_freq}} \propto f_{\text{fluid}} \cdot V_{\text{sys}}$

For Sag A*:

- $V_{\text{sys}} = 3.552 \times 10^{45}$ m³ (sphere of radius 1 pc around SMBH)
- $f_{\text{fluid}} = 3.465 \times 10^{-8}$ Hz (frequency of fluid oscillation in SMBH accretion disk)

The product $f_{\text{fluid}} \cdot V_{\text{sys}} = 3.465 \times 10^{-8} \times 3.552 \times 10^{45} = 1.231 \times 10^{38}$ m³/s

Versus SGR1745: $f_{\text{fluid}} \cdot V_{\text{sys}} = 1.269 \times 10^{-14} \times 4.189 \times 10^{12} = 5.315 \times 10^{-2}$ m³/s

Ratio: $1.231 \times 10^{38} / 5.315 \times 10^{-2} \approx 2.3 \times 10^{39}$ --- explaining the 39-order dominance difference between the two fluid terms.

The SMBH has an astronomically larger vacuum energy coupling volume, making its resonance fluid term the largest of any system in the canonical 7-system registry.

8. References Within Codebase

- PAPER_371: MUGE 12-Term Resonance --- Sag A final result (fluid dominant)
- PAPER_372: Compressed UQFF --- Sag A compressed result
- PAPER_379: Dual-Model Comparison --- totals side-by-side (SGR1745 vs others)
- PAPER_381: SGR1745 compressed decomposition --- comparison baseline
- PAPER_382: SGR1745 resonance decomposition --- comparison baseline

- MUGESuperconductive12TermResonanceCalculator (CP4 #14): Sag A* via sagA_dataset

Source: grok_{share_11254865}.txt lines ~2960--2990 | Session 104 | First per-term decomposition for

Sagittarius A under both MUGE models*

<!-- PKG-AGN-S225 -->

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

> Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037

> (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{U_{Bi}}^i$ jet

> modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}}}{\rho_{\text{H}}} \cdot V \cdot S_{26}^{(3)/2} \cdot \frac{G M}{r_H^2}\right)$$

where:

- $L_{\text{Edd}} = 4\pi G M m_p c / \sigma_T$ is the classical Eddington luminosity
- $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density
- V is the effective buoyancy volume (accretion sphere)
- $S_{26}^{(3)/2}$ is the squared third-order Ramanujan factor (quadratic coupling)
- r_H is the horizon radius

Jet modulation: The Blandford--Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25}^{\text{THz}} \cdot \left(\frac{B}{B_{\text{crit}}}\right)^2\right]$$

where $\Phi_{1.25}^{\text{THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M - σ correction (PAPER_1048): The phonon-corrected M - σ relation becomes

$$M_{\text{BH}} \propto \sigma^{4+\delta} \text{ where } \delta = \beta_i \cdot S_{26}^{(3)} \cdot \frac{\omega_{\text{SCm}}}{\omega_{\text{bulge}}}$$

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\mathrm{sector}} = \frac{1}{2}(\partial_\mu \phi_{\mathrm{NS}})(\partial^\mu \phi_{\mathrm{NS}}) - V(\phi_{\mathrm{NS}}) + \mathcal{L}_{\mathrm{cosmo}}$$

where $\mathcal{L}_{\mathrm{cosmo}} = \rho_{\mathrm{vac, [SCm]}} \cdot f_{\mathrm{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\mathrm{NS}}) = \frac{1}{2} m^2 \phi_{\mathrm{NS}}^2 + \frac{\lambda}{4!} \phi_{\mathrm{NS}}^4 + \kappa \cdot \rho_{\mathrm{vac, [SCm]}} \cdot \phi_{\mathrm{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\mathrm{NS}}}} = \nabla^2 \phi_{\mathrm{NS}} - (4\pi G \rho_{\mathrm{NS}}/c^2) \phi_{\mathrm{NS}} + \Omega_{\mathrm{spin}} \partial_t \phi_{\mathrm{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \rightarrow \text{DPM + ACP} \rightarrow \rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} \rightarrow \text{Stage 5} \rightarrow U_{\mathrm{b, seed}} \rightarrow \text{4 forces} \\ F_{U_{\mathrm{Bi}_i}} \rightarrow \text{sector E-L} \rightarrow \frac{\delta S}{\delta \phi_{\mathrm{NS}}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\mathrm{vac, [SCm]}} / \rho_{\mathrm{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\mathrm{vac}}(r) = \rho_{\mathrm{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r - r_0}{\lambda_{\mathrm{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.176 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} = 7.799 \times 10^{-36}$ kg/m³.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\mathrm{DVP}} = 97, \quad n_{\mathrm{channel}} = 21/26$$

Since $p_{\mathrm{DVP}} = 97$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair $(f_{\mathrm{UA}}' + f_{\mathrm{SCm}} = 1)$ constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\mathrm{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The $\tanh$ saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\mathrm{BSH,sat}} = \mathcal{F}_{\mathrm{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\mathrm{sat}}}{\tau_{\mathrm{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\mathrm{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\mathrm{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$	Local sub-ratio = 0.176	PASS
Threshold-consistent			
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\mathrm{DVP}} = 97$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26$, $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	5.0×10^{-4} day ⁻¹	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors --- Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	1.1×10^{-52} m ⁻² (UQFF vacuum term)	1.114×10^{-52} m ⁻²	Planck 2018	PASS Consistent
Proton decay rate κ	$0.0005/\text{day}$ $\rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_{Bi_i}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_{Bi_i}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF--SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000--1081)

> Auto-generated cross-reference appendix linking this paper to
 > Sessions 204--225 extensions (PAPER_1000--1081). Added by
 > update_corpus_crossrefs.py (Session 225, April 2026).

Paper	Title
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN F_U_Bi_i Jet Modulation
PAPER_1010	TON618 AGN F_U_Bi_i Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator --- SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1050	MUGE F_U_Bi_i Unified 9-System Synthesis
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

12 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

> Cross-reference appendix for Session 204 (April 2026) codebase upgrades.
 > Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations,
 > see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	sigma_n^SCm with VDS factor (1+[SSq]*n/26)
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \sigma_n^{\text{SCm}}(\omega) \Phi_{\text{phonon}}(F_{\{U,Bi\}}/F_U - 1)$
 where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \exp[-(\omega - \omega_{\text{SCm}})^2 / (2\Gamma^2)] (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\}} / (1 - 2^{\{1-26\}}) * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations:

- $f_{26}(q) = \sum_{n=0}^{25} q^{n^2} / (-q;q)_{n^2}$
- $\phi_{26}(q) = \sum_{n=0}^{25} q^{n^2} / (-q^2;q^2)_n$
- $\psi_{26}(q) = \sum_{n=1}^{26} q^{n^2} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n (1103+26390n) W_{26}(n) / C_{26}$
where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_ScM	0.99	SCm manifold completeness
rho_ScM	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_ScM	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_{1\CoAnQi}.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).

References

- Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
- Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
- Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
- McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
- Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
- Dirac, P.A.M. (1931). *Quantised Singularities in the Electromagnetic Field*. Proc. R. Soc. Lond. A **133**,

60 — doi:10.1098/rspa.1931.0130

7. Castelnovo, C., Moessner, R. & Sondhi, S.L. (2008). *Magnetic monopoles in spin ice*. Nature **451**, 42 — arXiv:0710.5515 — doi:10.1038/nature06433

8. Murphy, D. (2026). *Master Universal Gravity Equation (MUGE): DPM-Driven Gravity Framework*. Star-Magic Whitepaper Series — github.com/Daniel8Murphy0007/Star-Magic

9. Event Horizon Telescope Collaboration (2019). *First M87 Event Horizon Telescope Results. I*. ApJL **875**, L1 — arXiv:1906.11238 — doi:10.3847/2041-8213/ab0ec7

10. GRAVITY Collaboration (2022). *Mass distribution in the Galactic Center based on interferometric astrometry of multiple stellar orbits*. A&A **657**, A82 — arXiv:2112.07478 — doi:10.1051/0004-6361/202142465

11. Ghez, A.M. et al. (2008). *Measuring Distance and Properties of the Milky Way's Central Supermassive Black Hole with Stellar Orbits*. ApJ **689**, 1044 — arXiv:0808.2870 — doi:10.1086/592738