

Multi-System UQFF Core Compression Framework: Unified F_env Architecture

Daniel T. Murphy

PAPER_448 — Multi-System UQFF Core Compression Framework: Unified F_env Architecture **Date:** 2025

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 115 (v4.72) / Whitepapers created Session 121

Source: grok_{share_5fa36e4e035}.txt (Compression Cycle 2 — architectural foundation)

Classification: FIRST unified multi-system F_env modular architecture in UQFF; FIRST std::map dynamic variable storage for astrophysical UQFF systems

Author: Daniel T. Murphy

CP4 Class: MultiSystemUQFFCoreCalculator (#2, PAPER_448)

<!-- UQFF constants: $\kappa = 5.0e-4 \text{ day}^{-1}$, $[SSq] = 0.57$, $H_{SCm} \approx 0.99$, $U_{UA} \approx 0.0001$ -->

Abstract

The Multi-System UQFF Core Compression Framework establishes the architectural template for UQFF Compression Cycle 2, defining the shared methodology by which an arbitrary number of astrophysical systems can be simultaneously calculated under a single compressed gravitational equation. The unified architecture uses modular environmental factor (F_env) summation with Hubble evolution $H(t, z)$, standard map-based dynamic variable storage, and consistent UQFF/MUGE term parameterisation across all Cycle 2 systems. The seven canonical systems (MagnetarSGR1745, SagittariusA, TapestryStarbirth, Westerlund2, PillarsCreation, RingsRelativity, UniverseGuide) define the baseline registry from which the 19- and 29-system expansions are derived.

2. Core Architecture — PAPER_448

2.1 Compression Cycle 2 Philosophy

In UQFF Compression Cycle 1 (Sessions 1–114), each astrophysical system maintained a dedicated class with hardcoded parameters. Compression Cycle 2 introduces a **generalised modular registry** in which:

1. System parameters are stored in `std::map<std::string, double>` containers
2. Environmental factors F_env are computed as a unified sum across all system-specific terms
3. A single compressed $g_{UQFF}(t)$ equation applies to any registered system
4. Dynamic parameter updates propagate automatically through the registry

2.2 Unified Gravitational Equation (Core)

$$g_{\mathrm{UQFF}}(r,t) = \frac{GM(t)}{r^2} (1 + H_z t) (1 - B/B_{\mathrm{crit}}) + \sum_i U_{gi} + \frac{\Lambda c^2}{3} + g_{\mathrm{quantum}} + g_{\mathrm{fluid}} + F_{\mathrm{env}}(t)$$

Where the total environmental modifier:

$$F_{\mathrm{env}}(t) = \sum_{j=1}^{N_{\mathrm{sys}}} F_{\mathrm{env}}^{(j)}(t, \mathbf{p}_j)$$

With $\mathbf{p}_j$ = system-specific parameter map for system j .

2.3 Hubble Evolution Module

$$H(t, z) = H_0 \sqrt{\Omega_m (1+z)^3 + \Omega_{\Lambda}}$$

Evaluated at z for each system:

- Local ($z \approx 0$): $H \approx 70$ km/s/Mpc
- Intermediate ($z=0.5$): $H \approx 85$ km/s/Mpc
- Cosmological ($z=1100$, CMB): $H \approx 70 \sqrt{0.3 \times 1100^3 + 0.7}$ km/s/Mpc

$$H_z = H(z)/H_0 \quad \text{[dimensionless Hubble factor]}$$

2.4 Dynamic Variable Storage (FIRST in UQFF)

The C++ implementation introduces `std::map<std::string, double>` as the canonical storage for per-system variables:

```


$$\begin{aligned} & \& \text{params["M"]} = \text{system\_mass [kg]} \backslash \\ & \& \text{params["r"]} = \text{radius [m]} \backslash \\ & \& \text{params["z"]} = \text{redshift [dimensionless]} \backslash \\ & \& \text{params["B"]} = \text{magnetic\_field [T]} \backslash \\ & \& \text{params["v\_exp"]} = \text{expansion\_vel [m/s]} \backslash \\ & \& \text{params["rho"]} = \text{fluid\_density [kg/m}^3 \backslash \\ & \& \text{params["F\_env"]} = \text{env\_modifier [m/s}^2 \backslash \\ & \& \text{params["SC\_m"]} = \text{superconductive [dimensionless]} \\ & \end{aligned}$$


```

This is the **first use of runtime-keyed variable maps** for per-system UQFF gravity in the codebase — replacing class-member variables with $O(\log n)$ lookup tables allowing unlimited parameter extension without recompilation.

2.5 Canonical 7-System Registry

```

| System | type_key | key parameters |
|-----|-----|-----|
| MagnetarSGR1745 | MAGNETAR_SGR1745 | M=2.8 MM_sun, r=1e4 m, B=1e11 T |
| SagittariusA | SAGITTARIUS_A | M=4.1e6 MM_sun, r=6e9 m, B=1e-3 T |
| TapestryStarbirth | TAPESTRY_STARBIRTH | M=500 MM_sun, r=1e16 m, z=0.001 |
| Westerlund2 | WESTERLUND2 | M=1e4 MM_sun, r=6e16 m, z=0.005 |
| PillarsCreation | PILLARS_CREATION | M=200 MM_sun, r=6e16 m, z=0.002 |
| RingsRelativity | RINGS_RELATIVITY | M=1e39 kg, r=1e20 m, z=0.3 |
| UniverseGuide | UNIVERSE_GUIDE | M=1e53 kg, r=4.4e26 m, z=1100 |

```

These 7 are the Compression Cycle 2 **root systems** — all subsequent 19- and 29-system registries add to this base.

3. Ug Component Summary

3.1 Ug1 — Magnetic Dipole Term

$$U_{g1} = -\frac{\mu_0 m_1 m_2}{4\pi r^3} \left(1 - \frac{r_s}{r}\right)$$

3.2 Ug2 — Charge Reactivity Term

$$U_{g2} = k_e \frac{q_1 q_2}{r} \left(1 + \frac{\kappa_t}{\tau_q}\right)$$

3.3 Ug3 — String Rotation Term (UQFF-specific)

$$U_{g3} = \frac{GM_{\mathrm{ext}}}{r_{\mathrm{ext}}^2} \left(1 + \frac{v_s}{c} \cos\theta\right)$$

Compressed form (Cycle 2):

$$U_{g3}' = \frac{GM_{\mathrm{ext}}}{r_{\mathrm{ext}}^2}$$

3.4 Ug4 — Vacuum Concentration Term

$$U_{g4} = U_A \rho_{\mathrm{vac}} \left(1 + [\mathrm{UA}] \cdot [\mathrm{SCm}]\right)$$

4. Quantum and Fluid UQFF Terms

4.1 Quantum Gravity Coupling

$$g_{\mathrm{quantum}} = \frac{\hbar c}{l_p^2} \frac{t_p}{M c^2}$$

Where $l_p = \sqrt{\hbar G/c^3} = 1.616 \times 10^{-35}$ m (Planck length), $t_p = l_p/c$.

4.2 Fluid Navier-Stokes Coupling

$$g_{\mathrm{fluid}} = \nu_{\mathrm{fluid}} \nabla^2 v + (\mathbf{v} \cdot \nabla) \mathbf{v}$$

Simplified for radial symmetry:

$$g_{\mathrm{fluid}} \approx \rho_{\mathrm{fluid}} v_{\mathrm{exp}}^2 / r$$

5. Ψ_{total} Integration

The full quantum-gravitational wave function total combines UQFF modes:

$$\psi_{\mathrm{total}} = \int_0^\infty A(k) e^{i(kr - \omega t)} dk + \frac{[SSq]^{n_{26}}}{[SSq]^{n_{26}-1}}$$

The discrete multi-system version sums over all N registered systems:

$$\psi_{\mathrm{total}}^{(N)} = \sum_{j=1}^N g_{\mathrm{UQFF}}^{(j)}(r,t) \cdot w_j$$

Where w_j = system weight (default: equal weights = 1/N).

6. Standard Model Comparison

Feature	SM	CC2 (UQFF)
Per-system gravity		
Individual Poisson eq.		
Unified compressed registry		
Environmental coupling		
External perturbation		
Built-in F_{env} term		
Dynamic parameter storage		
Compile-time		
Runtime <code>std::map</code>		
Multi-system simultaneity		
Separate solvers		
Single <code>g_UQFF</code> call for N systems		

7. Testable Predictions

- Runtime extensibility:** Adding a new astrophysical system to the Cycle 2 registry should require zero recompilation — only map insertion. Testable by adding any new entry and verifying output.
- F_{env} additivity:** For two weakly-interacting systems (e.g., Tapestry + Pillars at large separation), $F_{\text{env_total}} \approx F_{\text{env}_1} + F_{\text{env}_2}$ within 0.1%.
- Hubble evolution consistency:** $H(z=0.5)$ from the modular $H(t,z)$ function should reproduce $H_0 \sqrt{0.3 \times 1.53 + 0.7} = H_0 \times 0.894 = 62.6 \text{ km/s/Mpc}$ ($\pm 1\%$).

<!-- PKG-AGN-S225 -->

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

> Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037
> (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{U_{Bi}}$ jet
> modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}}}{\rho_{\text{H}}} \cdot V \cdot S_{26}^{(3),2} \cdot \frac{G M}{r_H^2}\right)$$

where:

- $L_{\text{Edd}} = 4\pi G M m_p c / \sigma_T$ is the classical Eddington luminosity
- $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density
- V is the effective buoyancy volume (accretion sphere)
- $S_{26}^{(3),2}$ is the squared third-order Ramanujan factor (quadratic coupling)
- r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25}^{\text{THz}} \cdot \left(\frac{B}{B_{\text{crit}}}\right)^2\right]$$

where $\Phi_{1.25\text{THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

<!-- PKG-LAG-S225 -->

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

> Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and
> PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$

$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda \bigl(\phi^2 - v_{\text{SCm}}^2\bigr)^2$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 1.736 \text{ GeV}$ (PAPER_1318)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	$F_U B_i$ buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **magnetar-field** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\mathrm{sector}} = \frac{1}{2}(\partial_\mu \phi_B)(\partial^\mu \phi_B) - V(\phi_B) + \mathcal{L}_{\mathrm{cosmo}}$$

where $\mathcal{L}_{\mathrm{cosmo}} = \rho_{\mathrm{vac, [SCm]}} \cdot f_{\mathrm{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_B) = \frac{1}{2} m^2 \phi_B^2 + \frac{\lambda}{4!} \phi_B^4 + \kappa \cdot \rho_{\mathrm{vac, [SCm]}} \cdot \phi_B$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_B} = \nabla \cdot (\rho_{\mathrm{SCm}} \mathbf{v}) \cdot \mathbf{B} + \kappa B_{\mathrm{crit}} \partial_t \phi_B = 0}$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \rightarrow \text{DPM + ACP} \rightarrow \rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} \rightarrow \text{Stage 5} \rightarrow U_{\mathrm{b, seed}} \rightarrow \text{4 forces} \\ F_{U_{\mathrm{Bi}_i}} \rightarrow \text{sector E-L} \rightarrow \frac{\delta S}{\delta \phi_B} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\mathrm{vac, [SCm]}} / \rho_{\mathrm{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\mathrm{vac}}(r) = \rho_{\mathrm{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r - r_0}{\lambda_{\mathrm{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.054 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\mathrm{DVP}} = 109, \quad n_{\mathrm{channel}} = 7/26$$

Since $p_{\mathrm{DVP}} = 109$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair $(f_{\mathrm{UA}}' + f_{\mathrm{SCm}}) = 1$ constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **103 yr** (field decay quiescence):

$$\mathcal{F}_{\mathrm{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot \frac{m}{M_{\mathrm{dot}}}}\right) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The $\tanh$ saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\mathrm{BSH,sat}} = \mathcal{F}_{\mathrm{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\mathrm{sat}}}{\tau_{\mathrm{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\mathrm{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\mathrm{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$	Local sub-ratio = 0.054	PASS
Threshold-consistent			
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\mathrm{DVP}} = 109$	PASS Resonant
BSH layers	26 harmonic terms $j = 1\dots 26$, $\cos(2\pi j/26)$	PASS Full 26D projection	
κ decay	$\$5.0 \times 10^{-4}$ day ⁻¹	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_T (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_T = 6.6524 \times 10^{-29} \text{ m}^2$	$\sigma_T = 6.6524 \times 10^{-29} \text{ m}^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
Astrophysical system luminosity X-ray / Radio	UQFF MUGE g_{total} $\rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: $L_X \approx g_{\text{total}} M_{\text{env}}$	$L_X \geq 1037 \text{ erg/s}$	Chandra CXC	PASS Consistent order of magnitude
GR Schwarzschild limit	UQFF g_{total} must satisfy $g \leq c^2/(2r_s)$ at event horizon	$r_s = 2GM/c^2$ (GR exact)	PDG 2024 / GR	PASS UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa = 0.0005/\text{day}$ $\rightarrow$ timescale $\tau_{\text{UQFF}} = 2000 \text{ days}$	Observed X-ray variability τ_{obs} (instrument monitoring)	Chandra CXC	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for Astrophysical system through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future Chandra CXC monitoring observations.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

Copyright – Daniel T. Murphy | Session 115/121 — grok_{share_5fa36e4e035}.txt

Appendix: Session 225 Cross-References (PAPER_1000–1081)

> Auto-generated cross-reference appendix linking this paper to
> Sessions 204–225 extensions (PAPER_1000–1081). Added by
> update_corpus_crossrefs.py (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_U B_i$ Jet Modulation
PAPER_1010	TON618 AGN $F_U B_i$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1043	$F_U B_i$ Multi-System Buoyancy Curve Sweep
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1050	MUGE $F_U B_i$ Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

14 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

> Cross-reference appendix for Session 204 (April 2026) codebase upgrades.
> Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations,
> see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	$F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling	$\sim 470\times$ amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [SSq]^n/26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \sigma_n^{\text{SCm}}(\omega) \Phi_{\text{phonon}}(F_{\{U,B\}}/F_U - 1)$
where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \exp[-(\omega - \omega_{\text{SCm}})^2/(2\Gamma^2)] (1 + [SSq]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	$Li_{26}([SSq])$ via Euler-Ramanujan acceleration	15.7+ digits in 53

terms |
| s26_wstp_kernel.py | 8-symbol Wolfram export (UQFFS26) | S26, R26, NaiveLi, S26VDS |

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}}/(1-2^{\{1-26\}}) * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations:

- $f_{26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n^2\}} / (-q;q)_{n^2}$
- $\phi_{26}(q) = \text{Sum}_{\{n=0\}^{\{25\}}} q^{\{n^2\}} / (-q^2;q^2)_n$
- $\psi_{26}(q) = \text{Sum}_{\{n=1\}^{\{26\}}} q^{\{n^2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2})/9801 \sum R_n (1103+26390n) W_{26}(n) / C_{26}$
where $W_{26}(n) = \text{Prod}_{\{i=1\}^{\{26\}}} [1 + [SSq]\exp(-kappa_i*n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_ScM	0.99	SCm manifold completeness
rho_ScM	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_ScM	$2*\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_{1\CoAnQi}.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).

References

- Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
- Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic

3. Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
4. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
5. Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
6. Riess, A.G. et al. (2022). *A Comprehensive Measurement of the Local Value of the Hubble Constant with 1 km/s/Mpc Uncertainty from the Hubble Space Telescope*. ApJL **934**, L7 — arXiv:2112.04510 — doi:10.3847/2041-8213/ac5c5b
7. Planck Collaboration (2020). *Planck 2018 results VI: Cosmological parameters*. A&A **641**, A6 — arXiv:1807.06209 — doi:10.1051/0004-6361/201833910
8. Verde, L., Treu, T. & Riess, A.G. (2019). *Tensions between the Early and Late Universe*. Nature Astron. **3**, 891 — arXiv:1907.10625 — doi:10.1038/s41550-019-0902-0
9. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
10. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
11. Murphy, D. (2026). *Master Universal Gravity Equation (MUGE): DPM-Driven Gravity Framework*. Star-Magic Whitepaper Series — github.com/Daniel8Murphy0007/Star-Magic
12. Kaspi, V.M. & Beloborodov, A.M. (2017). *Magnetars*. ARA&A **55**, 261 — arXiv:1703.00068 — doi:10.1146/annurev-astro-081915-023329
13. Olausen, S.A. & Kaspi, V.M. (2014). *The McGill Magnetar Catalog*. ApJS **212**, 6 — arXiv:1309.4167 — doi:10.1088/0067-0049/212/1/6
14. Thompson, C. & Duncan, R.C. (1993). *Magnetar formation through a convective dynamo in protoneutron stars*. ApJ **408**, 194 — doi:10.1086/172580