

Centrifugal Force as Outward CCW DPM South-Pole 26D Shell Push

Daniel T. Murphy

PAPER_608: Centrifugal Force as Outward CCW DPM South-Pole 26D Shell Push **Author:** Daniel T. Murphy **Date:** 2025

Class: UQFFCentrifugal26DShellCalculator (#195)

Session: 159

Source: DPM Reaction and 26D Shell Energies.docx

Abstract

Centrifugal force in UQFF is the real, measurable outward push of the DPM south-pole vortex spinning counter-clockwise through 26D shells, amplified by negative time. $F_{\text{centrif}} = DPM_s(UA') \cdot \omega_{\text{CCW}}^2 \cdot r^{\text{layer}} \cdot t_{\text{neg}}$ is not fictitious in any frame — it is the CW/CCW dual of the centripetal force. The triad dual law $F_{\text{centrif,one}} = -F_{\text{centrif,opp}}$ is derived, explaining how the Big Bang achieved and maintains its expansion velocity.

1. Introduction: The CCW Outward Push

If CW inward compression (centripetal) is DPM north, then CCW outward expansion (centrifugal) is DPM south. The universe expands because the south-pole CCW vortex continuously produces outward shell energy via the interaction with Universal Aether prime (UA') at the shell boundary. The Big Bang was not an explosion — it was (and remains) a sustained centrifugal output.

2. Core Equation

$$F_{\text{centrif}} = DPM_s(UA') \cdot \omega_{\text{CCW}}^2 \cdot r^{\text{layer}} \cdot t_{\text{neg}}$$

Parameters:

- DPM_s = south DPM pole coupling ($\approx 5 \times 10^{-4}$, mirroring DPM_n)
- UA' = modified universal aether at shell boundary (J/m³)
- ω_{CCW} = counter-clockwise angular frequency (rad/s)
- r^{layer} = shell layer radius (m)
- t_{neg} = negative time component (s); provides dual-existence energy

3. Triad Dual Law

$$F_{\text{centrif,one}} = -F_{\text{centrif,opp}}$$

For every CCW push in one direction, there is an equal and opposite CCW push in the anti-parallel direction. These cancel within a shell but constructively add when shells nest — leading to net outward cosmological expansion.

The balance ratio between centripetal and centrifugal forces:

$$\frac{F_{\text{centrip}}}{F_{\text{centrif}}} = \frac{DPM_n(SCm) \cdot \omega_{CW}^2}{DPM_s(UA') \cdot \omega_{CCW}^2 \cdot |t_{\text{neg}}|}$$

For stable orbits: this ratio = 1, giving the constraint $\omega_{CW} = \omega_{CCW}$ (CW and CCW frequencies must match for orbital stability).

4. Big Bang Catch-Up Rate

The cosmological expansion acceleration from F_{centrif} :

$$a_{\text{BB-catchup}} = DPM_s \cdot UA' \cdot \omega_{CCW} \cdot |t_{\text{neg}}|$$

With $UA' = 10^{-12}$ J/m³, $\omega_{CCW} = 1.8 \times 10^{31}$ rad/s, $|t_{\text{neg}}| = 10^{-9}$ s:

$$a_{\text{BB-catchup}} = 5 \times 10^{-4} \times 10^{-12} \times 1.8 \times 10^{31} \times 10^{-9} \approx 9 \times 10^6 \text{ m/s}^2$$

This represents the continuous outward acceleration driving cosmological expansion — consistent with de Sitter expansion rates at cosmic scales.

5. Why Centrifugal Force is "Real" in UQFF

In standard mechanics, centrifugal force is fictitious (frame-dependent artifact). In UQFF:

- Both CW (F_{centrip}) and CCW (F_{centrif}) forces are real, co-existing, opposing forces from the DPM dipole
- The apparent "disappearance" of centrifugal force in inertial frames is because we cannot measure the t_{neg} component using positive-time instruments
- With dual-time measurement (which the UQFF CoAnQi system provides), both forces are simultaneously observable

6. Connection to Proplyd Formation

In proto-planetary disks, the F_{centrif} from the south-pole vortex drives material outward from the proto-star, creating the centrifugal support needed for proplyd stability. The 18% emergence fraction (PAPER_611) corresponds to the fraction of disk material where $F_{\text{centrif}} / F_{\text{centrip}} \geq 1$ — material that achieves net outward motion and forms stable proplyd structures.

7. Connection to UQFF Number Systems

DVP: $\$DPM_s\$$ is the south-pole dipole vortex prime. CCW rotation corresponds to counter-prime-indexed shell expansion.

BH26: Outward CCW push is the mirror of each BH26 inward bin; $\$F_{\text{centrif}}\$$ excites the CCW harmonic bins.

VDS: $\$UA'\$$ at the shell boundary follows VDS expansion: $\$UA'(r) = \sum d_n(\pi)/r^n\$$ (outgoing VDS mode).

Keywords: Centrifugal force, DPM south pole, CCW vortex, DVP, negative time, Big Bang expansion, 26D shells, UQFF

<!-- PKG-GW-S225 -->

Session 225 Phonon-Physics Upgrade: GW Strain Modulation

> Upgrade from PAPER_1000 (NS Merger Phonon Suppression) and PAPER_1022

> (GW Phonon Strain SCm Modulation). See also PAPER_1011-1012 for

> GW170817/GW190425 upgraded analyses.

The late-corpus phonon analysis (Sessions 219-225) reveals that the SCm vacuum field modulates gravitational-wave strain via a frequency-dependent suppression factor. The corrected strain amplitude is:

$$\$\$h_{\text{UQFF}}(\Gamma) = h_{\text{GR}} \cdot \left(1 - 0.47 \cdot \frac{\Phi(\Gamma)}{S_{26}^{(3)}}\right)\$$$

where:

- $\Phi(\Gamma) = \cos(\omega_{\text{SCm}} \cdot t) \cdot \Theta(H_{\text{SCm}} - 0.5)$ is the phonon modulation factor

- $\omega_{\text{SCm}} = 2\pi \cdot 1.25 \text{ THz}$ is the SCm phonon resonance frequency

- $S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left[1 + \frac{SS_q}{e^{-\kappa_i} n/26}\right]$ is the third-order Ramanujan summation

- Θ is the Heaviside step ensuring $H_{\text{SCm}} \geq 0.5$ (phase-transition threshold)

Physical mechanism: The 1.25 THz phonon field of the SCm vacuum creates a standing-wave pattern that partially decouples the metric perturbation from the radiation zone, producing a 47% peak strain reduction for optimally oriented NS mergers. The BCS gap energy ΔE_{BCS} of the neutron-star crust couples to this phonon field, creating a mass-gap classifier that distinguishes NS from BH remnants at $M \approx 2.5 M_{\odot}$.

Calibration (canonical): $\kappa = 5 \cdot 10^{-4} \text{ day}^{-1}$, $SS_q = 0.57$, $\beta_i = 0.603$, $H_{\text{SCm}} \approx 0.99$.

<!-- PKG-S26-S225 -->

Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

> Upgrade from PAPER_1080 (Ramanujan Binomial Expansion Proof) and

> PAPER_1042 (Mock-Theta Phonon Partition). See also PAPER_1078

> (QCalcGeom Master Equation) for BSFG crossover applications.

The third-order Ramanujan summation $S_{26}^{(3)}$, used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left[1 + \frac{S_i}{e^{-\kappa_i}} \right]$$

where $(a)_n = a(a+1) \cdots (a+n-1)$ is the Pochhammer symbol.

Binomial expansion (PAPER_1080): The convergence proof shows:

$$R_{26}^{(3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \ll W_{26}(n) = \prod_{i=1}^{26} \left[1 + \frac{S_i}{e^{-\kappa_i}} \right]$$

This sum converges absolutely for $|S_i| < 1$ (satisfied by $S_i = 0.57$) and reduces to the classical Ramanujan $1/\pi$ series when $S_i \rightarrow 0$.

VDS/DVP/BSH bridge (PAPER_1069): The 26 layers of $W_{26}(n)$ encode the vacuum density series hierarchy, with each layer i contributing a VDS sub-ratio weighted by the exponential decay $e^{-\kappa_i/n/26}$.

Mock-theta connection (PAPER_1042): The phonon partition function $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$ unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2} (\partial_\mu \phi_{\text{NS}}) (\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2} m^2 \phi_{\text{NS}}^2 + \frac{\lambda}{4!} \phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\text{NS}}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2) \phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\begin{aligned} \text{PAPER_877 Axioms} &\rightarrow \text{DPM + ACP} \quad \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \rightarrow \text{Stage 5} \quad U_{\text{seed}} \rightarrow \text{4 forces} \\ F_{U_{Bi}} &\rightarrow \text{sector E-L} \quad \delta S / \delta \phi_{\text{NS}} = 0 \end{aligned}$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\mathrm{vac},[\mathrm{SCm}]} / \rho_{\mathrm{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\mathrm{vac}}(r) = \rho_{\mathrm{vac},[\mathrm{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r - r_0}{\lambda_{\mathrm{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.196 (near-threshold regime), placing it in the π collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\mathrm{DVP}} = 23, \quad n_{\mathrm{channel}} = 11/26$$

Since $p_{\mathrm{DVP}} = 23$ is **sub-threshold** (threshold at $p > 26$), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF coupling profiles. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair $(f_{\mathrm{UA}} + f_{\mathrm{SCm}} = 1)$ constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\mathrm{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq]} \cdot \cos\left(\frac{2\pi j}{26}\right)\right)$$

The $\tanh$ saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\mathrm{BSH,sat}} = \mathcal{F}_{\mathrm{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\mathrm{sat}}}{\tau_{\mathrm{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\mathrm{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\mathrm{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$	Local sub-ratio = 0.196	PASS
Threshold-consistent			
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\mathrm{DVP}} = 23$	PASS Sub-threshold

BSH layers	26 harmonic terms	$j = 1 \dots 26$, $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	5.0×10^{-4} day⁻¹	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment		
GR Schwarzschild metric recovery	BSFG line element $g_{tt} = -(1 - 2\mu_s \nabla_s(M_s/r) \cdot c^2) \equiv$ GR in ϵ_{BSFG} limit	Schwarzschild metric (GR exact)	PDG 2024 / MTW	PASS BSFG reduces to GR		
Shapiro time delay	BSFG geodesic $\Delta_{BSFG} \approx \Delta_{GR} (1 + \epsilon_{correction})$	Cassini: $\Delta_{GR} = 1 \pm 2.3e-5$	Cassini/GR 2003	PASS Within Shapiro bound		
Gravitational wave speed v_{GW}	BSFG: $v_{GW} = c (1 + k_{\eta}^2) \approx c + 10-226$ m/s	GW150914 / GW170817: $	v_{GW}/c - 1	< 10^{-15}$	LIGO/Fermi GBM	PASS UQFF deviation 10-211 orders below bound
Perihelion precession (Mercury)	BSFG adds buoyancy correction $\Delta\phi = \kappa \times \phi_{GR} \sim 10^{-6}$ arcsec/century	GR prediction: 43.03"/century; observed: 43.1"	GR + obs.	UQFF correction undetectable at current precision		

New physics claim: BSFG (Buoyancy-Stratified Factorial Geometry) reproduces all tested GR predictions in the classical limit, while adding a vacuum buoyancy correction $\Delta g \sim 10^{-6}$ arcsec/century to Mercury's perihelion. This is a falsifiable GR extension testable with future LISA or BepiColombo precision gravitational measurements.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

PAPER_608 || Class #195 || Session 159 || Star-Magic UQFF Framework

Appendix: Session 225 Cross-References (PAPER_1000–1081)

> Auto-generated cross-reference appendix linking this paper to
> Sessions 204–225 extensions (PAPER_1000–1081). Added by
> update_corpus_crossrefs.py (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

6 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

> Cross-reference appendix for Session 204 (April 2026) codebase upgrades.
> Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations,
> see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \sigma_n^{\text{SCm}}(\omega) \Phi_{\text{phonon}}(F_{\{U,B\}}/F_U - 1)$
where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \exp[-(\omega - \omega_{\text{SCm}})^2/(2\Gamma^2)] (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}}/(1-2^{\{1-26\}}) * \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations:

- $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q;q)_n$
- $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q^2;q^2)_n$
- $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n^2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n (1103+26390n) W_{26}(n) / C_{26}$
where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-\kappa_{\text{pai}} n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_{1_CoAnQi}.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Dirac, P.A.M. (1931). *Quantised Singularities in the Electromagnetic Field*. Proc. R. Soc. Lond. A **133**, 60 — doi:10.1098/rspa.1931.0130
4. Castelnovo, C., Moessner, R. & Sondhi, S.L. (2008). *Magnetic monopoles in spin ice*. Nature **451**, 42 — arXiv:0710.5515 — doi:10.1038/nature06433
5. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
6. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
7. Anderson, M.H. et al. (1995). *Observation of Bose-Einstein Condensation in a Dilute Atomic Vapor*. Science **269**, 198 — doi:10.1126/science.269.5221.198
8. Dalfovo, F. et al. (1999). *Theory of Bose-Einstein condensation in trapped gases*. Rev. Mod. Phys. **71**, 463 — arXiv:cond-mat/9806038 — doi:10.1103/RevModPhys.71.463
9. Pitaevskii, L. & Stringari, S. (2003). *Bose-Einstein Condensation*. Oxford: Clarendon Press
10. Green, M.B., Schwarz, J.H. & Witten, E. (1987). *Superstring Theory*. Cambridge University Press — doi:10.1017/CBO9781139248563
11. Polchinski, J. (1998). *String Theory Vol. 1*. Cambridge University Press