

Pillars of Creation M16 Variant 2: Post-Supernova Shock UQFF

Daniel T. Murphy

PAPER_712: Pillars of Creation M16 Variant 2: Post-Supernova Shock UQFF **Author:** Daniel T. Murphy **Date:** 2025

Class: PillarsOfCreationM16v2UQFF

CP4 Entry: #296

Keywords: Pillars of Creation, M16, post-supernova, shockwave, protostar jets, 450000 mph, UQFF

Session: 175 | Version: v5.32

Source: grok_share_ba508f76c8e.txt

Abstract A variant analysis of the Pillars of Creation incorporating the predicted supernova scenario (estimated to have detonated ~ 8000 yr ago, with the shockwave expected to reach us in ~ 1000 yr). This analysis also includes the protostellar jets at $\sim 450,000$ mph (2×10^5 m/s) that are observed in the pillar tips.

1. System Parameters | Parameter | Value | Description |

----- ----- -----		M_0		$10^{100} M_{\odot}$		Initial pillar mass	
	r_{pillar}		4.731×10^{16}		m		Pillar height
	E_0		0.15		Enhanced shock erosion		τ_{shock}
	1.893×10^{14}		s		Shock dissipation (6000 yr)		v_{jet}
	2×10^5		m/s		Protostar jet velocity		L_{jet}
	10^{28}		W		Jet luminosity		

2. Master UQFF Gravity Equation (v2)

$$g_{\text{Pv2}}(t) = \frac{G M(t) r^2}{(1 + H t)^2} \left(1 - \frac{B}{B_{\text{crit}}} \right) \left(1 - E_{\text{shock}}(t) \right) + (U_{\text{g1}} + U_{\text{g4}})(1 + f_{\text{TRZ}}) + \frac{\Lambda c^2}{3} + \frac{L_{\text{jet}}}{c M_{\text{tot}}} + q(v_{\text{jet}} B) \left(1 + \frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}} \right) \times 10^{-12}$$

2.1 Supernova Shockwave Erosion $E_{\text{shock}}(t) = 0.15 e^{-t/\tau_{\text{shock}}}$
Stronger than the steady UV erosion ($E_0 = 0.10$), reflecting the impulsive shockwave.

2.2 Protostellar Jet Contribution $a_{\text{jet}} = L_{\text{jet}} / (c M_{\text{total}}) \approx 10^{-15} \text{ m/s}^2$

<!-- PKG-AGN-S225 -->

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

> Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037
> (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{U_{Bi}}$ jet
> modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}}}{\rho_{\text{H}}} \cdot V \cdot S_{26}^{(3)/2} \cdot \frac{G M}{r_H^2}\right)$$

where:

- L_{Edd} is the classical Eddington luminosity
- $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density
- V is the effective buoyancy volume (accretion sphere)
- $S_{26}^{(3)/2}$ is the squared third-order Ramanujan factor (quadratic coupling)
- r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25, \text{THz}} \cdot \left(\frac{B}{B_{\text{crit}}}\right)^2\right]$$

where $\Phi_{1.25, \text{THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M - σ correction (PAPER_1048): The phonon-corrected M - σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)/2} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

<!-- PKG-LAG-S225 -->

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

> Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and
> PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2} (\partial_\mu \phi)^2 - \lambda |\phi|^2 - v_{\text{SCm}}^2 |\phi|^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} \cdot v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} +$$

$$\mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}} \quad \text{\$}$$

Sector	Domain	Late-Corpus Result
-----	-----	-----
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 1.736 \text{ GeV}$ (PAPER_1318)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_i} buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **SNR-explosion** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\mathrm{sector}} = \frac{1}{2}(\partial_\mu \phi_{\mathrm{SNR}})(\partial^\mu \phi_{\mathrm{SNR}}) - V(\phi_{\mathrm{SNR}}) + \mathcal{L}_{\mathrm{cosmo}}$$

where $\mathcal{L}_{\mathrm{cosmo}} = \rho_{\mathrm{vac}, [\mathrm{SCM}]} \cdot f_{\mathrm{SCM}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$S_{\mathrm{V}}(\mathrm{SNR}) = \frac{1}{2} m^2 \phi_{\mathrm{SNR}}^2 + \frac{\lambda}{4!} \phi_{\mathrm{SNR}}^4 + \kappa \cdot \rho_{\mathrm{vac}} \cdot \phi_{\mathrm{SNR}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\partial S}{\partial \phi_{\mathrm{SNR}}} = \partial_t(\rho v) + \nabla P_{\mathrm{SNR}} - \rho_{\mathrm{vac}, \mathrm{SCM}} g_{\mathrm{Ub}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\begin{aligned} & \text{\$}\backslash\mathrm{PAPER_877~Axioms}\,\backslash\rightharpoonup\{\mathrm{DPM+ACP}\}\,\rho_{\mathrm{vac}}=\rho_{\mathrm{UA}}+\rho_{\mathrm{SCM}}\\ & \backslash\rightharpoonup\{\mathrm{Stage~5}\}\cup_{\mathrm{seed}}\backslash\rightharpoonup\{\mathrm{4 forces}\}\\ & F_U^{\mathrm{Bi}_i}\backslash\rightharpoonup\{\mathrm{sector E-L}\}\delta S/\delta\phi_{\mathrm{SNR}}=0\end{aligned}$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\mathrm{vac},[\mathrm{SCm}]} / \rho_{\mathrm{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\mathrm{vac}}(r) = \rho_{\mathrm{vac},[\mathrm{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r - r_0}{\lambda_{\mathrm{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.149 (near-threshold regime), placing it in the π collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\mathrm{DVP}} = 83, \quad n_{\mathrm{channel}} = 11/26$$

Since $p_{\mathrm{DVP}} = 83$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair $(f_{\mathrm{UA}} + f_{\mathrm{SCm}} = 1)$ constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (Sedov-Taylor transition):

$$\mathcal{F}_{\mathrm{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq]} \cdot \frac{m}{M_{\mathrm{dot}}}\right) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The $\tanh$ saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\mathrm{BSH,sat}} = \mathcal{F}_{\mathrm{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\mathrm{sat}}}{\tau_{\mathrm{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\mathrm{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\mathrm{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
----- ----- ----- -----			
VDS ratio	$\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$	Local sub-ratio = 0.149	PASS
Threshold-consistent			
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\mathrm{DVP}} = 83$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26$, $\cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
----- ----- ----- ----- -----				
Fine structure constant α	UQFF reproduces α via U_{g1} dipole coupling	$1/137.036$	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent
Proton decay rate	$\kappa = 0.0005/\text{day}$ $\rightarrow$ Γ_p suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_Bi_i}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_Bi_i}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

References - Hester et al. (1996); Flagey et al. (2011), ApJ, 737, 91 - UQFF Framework, Star-Magic Session 175

Whitepaper auto-generated by _gen_{whitepapers_702_715}.py — Star-Magic Session 175

Appendix: Session 225 Cross-References (PAPER_1000–1081)

> Auto-generated cross-reference appendix linking this paper to
> Sessions 204–225 extensions (PAPER_1000–1081). Added by
> update_corpus_crossrefs.py (Session 225, April 2026).

Paper	Title
----- -----	
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1009	3C273 AGN $F_{U_Bi_i}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{U_Bi_i}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1040	SCm Cluster Merger Shock Mach Number Phonon Damping
PAPER_1047	Type Ia Supernova Buoyancy Reversal
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1068	Wolfram Physics Bridge WSTP Symbolic Export

9 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

> Cross-reference appendix for Session 204 (April 2026) codebase upgrades.
> Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations,
> see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] \cdot n/26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \sigma_n^{\text{SCm}}(\omega) \Phi_{\text{phonon}}(F_{\{U, B\}}/F_U - 1)$
where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \exp[-(\omega - \omega_{\text{SCm}})^2 / (2\Gamma^2)] (1 + [\text{SSq}] \cdot n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\}} / (1 - 2^{\{1-26\}}) * \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations:

- $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{n^2} / (-q; q)_n$
- $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{n^2} / (-q^2; q^2)_n$
- $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{n^2} / (q; q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n (1103 + 26390n) W_{26}(n) / C_{26}$
where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-\kappa_i \cdot n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
κ	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
β_i	0.603	Buoyancy coupling coefficient
H_{SCm}	0.99	SCm manifold completeness
ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
ρ_{UA}	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
σ_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_{1\CoAnQi}.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).

Key References with arXiv/DOI Identifiers

- Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
- Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
- Riess, A.G. et al. (1998). *Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant*. AJ **116**, 1009 — arXiv:astro-ph/9805200 — doi:10.1086/300499
- Perlmutter, S. et al. (1999). *Measurements of Omega and Lambda from 42 High-Redshift Supernovae*. ApJ **517**, 565 — arXiv:astro-ph/9812133 — doi:10.1086/307221
- Janka, H.-T. (2012). *Explosion Mechanisms of Core-Collapse Supernovae*. ARA&A **50**, 531 — arXiv:1206.2503 — doi:10.1146/annurev-astro-081811-125815
- Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
- Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
- Blandford, R.D. & Znajek, R.L. (1977). *Electromagnetic extraction of energy from Kerr black holes*. MNRAS **179**, 433 — doi:10.1093/mnras/179.3.433
- Blandford, R.D. & Payne, D.G. (1982). *Hydromagnetic flows from accretion discs and the production of radio jets*. MNRAS **199**, 883 — doi:10.1093/mnras/199.4.883