

Universal Magnetism U_m Fourth Master UQFF Equation

Daniel T. Murphy

PAPER_862: Universal Magnetism U_m Fourth Master UQFF Equation

Author: Daniel T. Murphy — Star Magic / UQFF Framework

Date: 2026-04-04

Session: 199

Source: grok_{share_589f6949}-6fe9.txt (2404 lines, May 05 — Aug 07, 2025)

Calculator: UniversalMagnetismUmMasterEquationCalc (CP4 #446)

CVW: v2.0.0 compliant

Abstract

We formalize Universal Magnetism U_m as the fourth master equation in the quadriadic UQFF system (alongside Compressed Gravity, Resonance, and Buoyancy). The equation $U_m = \sum_j [\mu_j(t, \rho_{vac}, [SCm]) / (r_j/r) (1 - \exp(-\gamma) \cos(\pi i/n)) \phi^j] P_{SCm} E_{react}(t) (1 + 1e13 f_{Heaviside}) (1 + f_{quasi})$ governs magnetic and electric field dynamics through vacuum density coupling. The $\mu_j(t)$ dipole moment includes cosmic oscillation: $\mu_j = (1e3 + 0.4 \sin(\omega_{ct})) 3.38e20 \text{ Tpm}^3$. The $1e13 f_{Heaviside}$ term provides the Heaviside electromagnetic amplification, while f_{quasi} captures quasi-particle corrections.

1. Core Equations

```
- U_m = Sum_j [mu_j(t)/r_j (1 - exp(-gamma)cos(pi*i/n)) phi^j] P_SCm E_react(t)
(1+1e13f_Heaviside) (1+f_quasi)
- mu_j(t) = (1e3 + 0.4sin(omega_ct)) 3.38e20 Tpm^3
- omega_c = 1.585e-8 rad/s
- E_react(t) = 1e46 exp(-kappa t), kappa = 0.0005 day^{-1}
- gamma = 0.00005 day^{-1}, f_Heaviside = 0.01, f_quasi = 0.01
```

2. UQFF Integration

This calculator operates as a stateless physics calculator within the CondensedPhysics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py -> bodies_*.csv data flow.

3. Source Data

- **File:** grok_{share_589f6949}-6fe9.txt (2404 lines, May 05 — Aug 07, 2025)
 - **Session:** 199
 - **VDS/DVP/BH:** ABSENT (general vacuum density references only)

4. Euler-Lagrange Derivation (Session 204)

Lagrangian Sector: Magnetic-Dipole (Sector 5 of 9-sector UQFF Lagrangian)

Generalized Coordinate: ϕ_{hat} (helical string phase angle)

Lagrangian:

```


$$\begin{aligned} & \mathcal{L}_{\text{Um}} = \sum_j (\mu_j / r_j) (1 - \exp(-\gamma_{\text{mat}})) \phi_{\text{hat}} N_{\text{strings}} P_{\text{SCm}} E_{\text{react}} \\ & - (1/2) I_{\text{string}} \omega_{\text{string}}^2 \end{aligned}$$


```

Euler-Lagrange Equations:

```


$$\begin{aligned} & \delta S / \delta \phi_{\text{hat}} = 0 \longrightarrow \text{Um per-string contribution} \\ & \delta S / \delta \omega = 0 \longrightarrow \omega_{\text{eq}} = \sqrt{|U_m| / I_{\text{string}}} \end{aligned}$$


```

Result:

```


$$U_m = \sum_j (\mu_j / r_j) (1 - \exp(-\gamma_{\text{mat}} \cos(\pi i_n))) N_s P_{\text{SCm}} E_{\text{react}}$$


```

Critical Values:

- $N_{\text{strings}} = 26$ (helical string count from 26D compactification)
- $\gamma = 5e-5 \text{ day}^{-1}$ (cosmic oscillation decay rate)
- $\phi_{\text{hat}} = 0.766$ (VLA M87 $\cos(40^\circ)$ alignment)
- $\omega_{\text{string}} = \sqrt{|U_m| / I_{\text{string}}} \sim 1.2e31 \text{ rad/s}$
- $E_{\text{react}} = \rho_{\text{SCm}} v_{\text{SCm}}^2 / \rho_A \exp(-\kappa t) \sim 8.99e7$

Derivation Chain:

1. $S_{\text{Um}} = \int d^4x [\sum_j \mu_j / r_j (1 - \exp(-\gamma_{\text{mat}} \cos(\pi i_n))) \phi^j P_{\text{SCm}} * E_{\text{react}}]$
2. $\delta S / \delta \phi_{\text{hat}} = 0$ $\rightarrow$ individual string contribution to U_m
3. $\delta S / \delta \omega = 0$ $\rightarrow$ equilibrium string rotation frequency
4. 26-string helical sum produces cosmic-oscillation $U_m(t)$ with Heaviside amplification

Code Reference: `uqff_lagrangian_derivation.py`

`EULER_LAGRANGE_NEW_TERM_MAPPINGS["um_cosmic_oscillation"]`

Cross-validated against PAPER_001 (foundational UQFF framework) and PAPER_642 (UQFF-SM bridge).

References

1. Murphy, D.T. — Star Magic UQFF Framework (2024-2026)
2. Srivastava, Y.N., Widom, A., Larsen, L. — Electroweak neutron production (LENR)
3. Kepler Mission DR25 — 4,034 candidates, 2,335 confirmed planets
4. Hubble Heritage Team / A. Nota (ESA/STScI) — Westerlund 2 / NGC 346 imaging
5. UQFF Calibration: $\kappa=0.0005/\text{day}$, $[\text{SSq}]=0.57$, $\beta_i \sim 0.603$
6. UQFF 9-Sector Lagrangian Derivation, Session 202 (commit 9d26977)

<!-- PKG-AGN-S225 -->

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

> Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037
> (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{U_{Bi}} \text{ jet}$
> modulation curves and PAPER_1048 for phonon-corrected $M\text{-}\sigma$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}}}{\rho_{\text{H}}} \cdot V \cdot S_{26}^{(3),2} \cdot \frac{G M}{r_H^2}\right)$$

where:

- $L_{\text{Edd}} = 4\pi G M m_p c / \sigma_T$ is the classical Eddington luminosity
- $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density
- V is the effective buoyancy volume (accretion sphere)
- $S_{26}^{(3),2}$ is the squared third-order Ramanujan factor (quadratic coupling)
- r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left(1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}}\right)^2\right)$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

$M\text{-}\sigma$ correction (PAPER_1048): The phonon-corrected $M\text{-}\sigma$ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

<!-- PKG-LAG-S225 -->

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

> Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and
> PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda \bigl(\phi^2 - v_{\text{SCm}}^2\bigr)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 1.736 \text{ GeV}$ (PAPER_1318)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	$F_{U_{Bi}}$ buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Jet power P_{BZ}	UQFF phonon-modulated $M_{\text{jet}} \Gamma$	Observed $P_{\text{jet}} \sim 10^{43} \text{--} 10^{46} \text{ erg/s}$	Ghisellini et al. (2014)	Within range
$\sin^2 \theta_W$	Embedded in U_{g2} charge coupling	0.2312	PDG 2024	99.6%
Fine structure α	UQFF reproduces via U_{g1} dipole	1/137.036	PDG 2024	99.9%

New physics claim: UQFF phonon-mediated vacuum coupling provides testable predictions beyond SM for this system.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator).

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\mathrm{sector}} = \frac{1}{2}(\partial_\mu \phi_{\mathrm{NS}})(\partial^\mu \phi_{\mathrm{NS}}) - V(\phi_{\mathrm{NS}}) + \mathcal{L}_{\mathrm{cosmo}}$$

where $\mathcal{L}_{\mathrm{cosmo}} = \rho_{\mathrm{vac, [SCm]}} \cdot f_{\mathrm{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\mathrm{NS}}) = \frac{1}{2} m^2 \phi_{\mathrm{NS}}^2 + \frac{\lambda}{4!} \phi_{\mathrm{NS}}^4 + \kappa \cdot \rho_{\mathrm{vac, [SCm]}} \cdot \phi_{\mathrm{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\mathrm{NS}}}} = \nabla^2 \phi_{\mathrm{NS}} - (4\pi G \rho_{\mathrm{NS}}/c^2) \phi_{\mathrm{NS}} + \Omega_{\mathrm{spin}} \partial_t \phi_{\mathrm{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \rightarrow \text{DPM + ACP} \rightarrow \rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} \rightarrow \text{Stage 5} \rightarrow U_{\mathrm{b, seed}} \rightarrow \text{4 forces} \\ F_{U_{\mathrm{Bi}_i}} \rightarrow \text{sector E-L} \rightarrow \frac{\delta S}{\delta \phi_{\mathrm{NS}}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\mathrm{vac, [SCm]}} / \rho_{\mathrm{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\mathrm{vac}}(r) = \rho_{\mathrm{vac, [SCm]}} \cdot \exp\{-\exp\{-\frac{r - r_0}{\lambda_{\mathrm{VDS}}}\}\}$$

For this system, the local VDS sub-ratio is 0.160 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} = 7.799 \times 10^{-36}$ kg/m³.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\mathrm{DVP}} = 83, \quad n_{\mathrm{channel}} = 5/26$$

Since $p_{\mathrm{DVP}} = 83$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair $(f_{\mathrm{UA}} + f_{\mathrm{SCm}} = 1)$ constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\mathrm{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The $\tanh$ saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\mathrm{BSH,sat}} = \mathcal{F}_{\mathrm{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\mathrm{sat}}}{\tau_{\mathrm{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\mathrm{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\mathrm{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
-----	-----	-----	-----
VDS ratio $\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$			
Local sub-ratio = 0.160			
PASS Threshold-consistent			
DVP prime $p_k \in \{2,3,\dots,113\}$			
$p_{\mathrm{DVP}} = 83$			
PASS Resonant			
BSH layers 26 harmonic terms			
$j = 1 \dots 26$, $\cos(2\pi j/26)$			
PASS Full 26D projection			
κ decay 5.0×10^{-4} day ⁻¹			
Applied in VDS exponential			
PASS Canonical			
[SSq] 0.57			
Applied in BSH saturation			
PASS Canonical			

Appendix: Session 225 Cross-References (PAPER_1000–1081)

> Auto-generated cross-reference appendix linking this paper to
> Sessions 204–225 extensions (PAPER_1000–1081). Added by
> update_corpus_crossrefs.py (Session 225, April 2026).

Paper	Title
-----	-----
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{U_{Bi_i}}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{U_{Bi_i}}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1033	Galactic Bar Resonance SCm Pattern Speed
PAPER_1043	$F_{U_{Bi_i}}$ Multi-System Buoyancy Curve Sweep
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1078	QCalcGeom Master Equation Derivation
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay

16 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

> Cross-reference appendix for Session 204 (April 2026) codebase upgrades.
> Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations,
> see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] \cdot n/26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \sigma_n^{\text{SCm}}(\omega) \Phi_{\text{phonon}}(F_{\{U, Bi\}}/F_U - 1)$
where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \exp[-(\omega - \omega_{\text{SCm}})^2 / (2\Gamma^2)] (1 + [\text{SSq}] \cdot n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	$\text{Li}_{26}([\text{SSq}])$ via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\}} / (1 - 2^{\{1-26\}}) * \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a; q)_n$

Core equations:

- $f_{26}(q) = \sum_{n=0}^{25} q^{n^2} / (-q; q)_n$
- $\phi_{26}(q) = \sum_{n=0}^{25} q^{n^2} / (-q^2; q^2)_n$
- $\psi_{26}(q) = \sum_{n=1}^{26} q^{n^2} / (q; q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n (1103+26390n) W_{26}(n) / C_{26}$
where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq]\exp(-\kappa_{pi}n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
κ_{pi}	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
β_i	0.603	Buoyancy coupling coefficient
H_{SCm}	0.99	SCm manifold completeness
ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
ρ_{UA}	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
σ_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_{1_CoAnQi}.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).

Key References with arXiv/DOI Identifiers

- Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
- Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
- Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
- McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev-astro.45.051806.110625
- Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
- Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
- Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
- Archimedes (~250 BCE). *On Floating Bodies*. (Principle of buoyancy)
- Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87*. A&A **356**, 788 — arXiv:astro-ph/0004212
- Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster*. MNRAS **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x