

SCm Gaussian Activation B-Field Suppression

Daniel T. Murphy

PAPER_878: SCm Gaussian Activation B-Field Suppression

Author: Daniel T. Murphy — Star Magic / UQFF Framework

Date: 2026-04-08

Session: 209

Source: Sessions 204-208 standalone module integration

Calculator: SCmGaussianActivationBFieldSuppressionCalc (CP4 #462)

CVW: v2.0.0 compliant

Abstract

SCm Gaussian activation function comparing linear $\exp(-B/B_{\text{crit}})$ vs Gaussian $\exp[-(B/B_{\text{crit}})^2]$ magnetic field suppression in the SCm manifold. Gaussian form matches BCS gap behavior with flatter response at low B (preserving coherence) and sharper cutoff near B_{crit} . At $B=0.5 \cdot B_{\text{crit}}$: linear yields 0.607, Gaussian yields 0.779 — 28% higher coherence retention.

1. Core Equations

```
$$
\begin{aligned}
& \beta(B) = \exp(-B/B_{\text{crit}}) \text{ [linear]} \\
& A_{\text{SCm}}(B) = \exp[-(B/B_{\text{crit}})^2] \text{ [Gaussian]} \\
& \alpha(B) = w \cdot \beta + (1-w) \cdot A_{\text{SCm}} \text{ [blended]}
\end{aligned}
$$
```

2. Parameters

Parameter	Default	Description
B	1e12 T	Applied magnetic field strength
B_crit	4.4e13 T	Critical magnetic field (magnetar scale)
w_blend	0.5	Blending weight between linear and Gaussian

3. Key Results

B/B_crit	beta_linear	A_ScM_Gaussian	alpha_blended
0.01	0.990	0.9999	0.995
0.10	0.905	0.990	0.948
0.25	0.779	0.939	0.859
0.50	0.607	0.779	0.693
0.75	0.472	0.570	0.521
1.00	0.368	0.368	0.368

4. Physical Interpretation

At $B = 0.5 B_{\text{crit}}$, linear suppression yields 0.607 while Gaussian yields 0.779 — a 28% coherence advantage. The Gaussian form preserves superconducting coherence across the low-B regime, matching BCS gap phenomenology. This implies that SCm-mediated gravitational effects persist deeper into magnetar-strength fields than linear models predict.

5. UQFF Integration

This calculator operates as a stateless physics calculator within the CondensedPhysics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py -> bodies_*.csv data flow.

Significance: SCm Gaussian activation replaces the simple exponential B-field suppression with a BCS-inspired Gaussian that better preserves coherence in moderate magnetic fields — critical for neutron star and magnetar environments where UQFF buoyancy corrections compete with extreme B-fields.

6. SCm Superconductivity Axiom (Session 204)

The SCm activation framework is derived from the **SCm Superconductivity Axiom**: the vacuum is fundamentally composed of a superconductive condensate (SCm) embedded in undifferentiated aether (UA), with the proportion pair (f_{UA} , f_{SCm}) governing all interactions.

Axiom Connection

The standalone module `scm_activation_function.py` implements this in:

- **Engine 2 (26-State Progression):** BCS-gap at each quantum state n
- **Engine 3 (Cosmogenesis):** Three-assumption framework (DPM, ACP, four U_g forces)
- **Engine 4 (Lagrangian):** SCm-magnetic sector couples to the UQFF variational principle

Standalone Calculator

```
``bash
python scm_activation_function.py # Full report
python scm_activation_function.py -json # Machine-readable
``
```

7. Source Data

- **File:** Sessions 204-208 standalone module integration
- **Session:** 204 (integrated Session 209)
- **VDS/DVP/BSH:** PRESENT (BCS-gap with VDS vacuum density, DVP prime encoding, BSH saturation harmonics)

<!-- PKG-AGN-S225 -->

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

> Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037
> (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{U_{Bi}_i}$ jet
> modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}}}{\rho_{\text{H}}} \cdot V \cdot S_{26}^{(3),2} \cdot \frac{G M}{r_H^2}\right)$$

where:

- $L_{\text{Edd}} = 4\pi G M m_p c / \sigma_T$ is the classical Eddington luminosity
- $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density
- V is the effective buoyancy volume (accretion sphere)
- $S_{26}^{(3),2}$ is the squared third-order Ramanujan factor (quadratic coupling)
- r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25, \text{THz}} \cdot \left(\frac{B}{B_{\text{crit}}}\right)^2\right]$$

where $\Phi_{1.25, \text{THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M - σ correction (PAPER_1048): The phonon-corrected M - σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **SCm-magnetic sector** of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\mathrm{sector}} = \frac{1}{2}(\partial_\mu \phi_{\mathrm{NS}})(\partial^\mu \phi_{\mathrm{NS}}) - V(\phi_{\mathrm{NS}}) + \mathcal{L}_{\mathrm{cosmo}}$$

where $\mathcal{L}_{\mathrm{cosmo}} = \rho_{\mathrm{vac},[\mathrm{SCm}]} \cdot f_{\mathrm{SCm}} \cdot (1 - e^{-\lgamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\mathrm{NS}}) = \frac{1}{2} m^2 \phi_{\mathrm{NS}}^2 + \frac{\lambda}{4!} \phi_{\mathrm{NS}}^4 + \kappa \cdot \rho_{\mathrm{vac},[\mathrm{SCm}]} \cdot \phi_{\mathrm{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\boxed{\frac{\delta S}{\delta \phi_{\mathrm{NS}}}} = \nabla^2 \phi_{\mathrm{NS}} - (4\pi G \rho_{\mathrm{NS}}/c^2)\phi_{\mathrm{NS}} + \Omega_{\mathrm{spin}} \partial_t \phi_{\mathrm{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \rightarrow \text{DPM + ACP} \rightarrow \rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} \rightarrow \text{Stage 5} \rightarrow U_{\mathrm{b,seed}} \rightarrow \text{4 forces} \\ F_{U_{Bi}} \rightarrow \text{sector E-L} \rightarrow \frac{\delta S}{\delta \phi_{\mathrm{NS}}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\mathrm{vac},[\mathrm{SCm}]} / \rho_{\mathrm{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\mathrm{vac}}(r) = \rho_{\mathrm{vac},[\mathrm{SCm}]} \cdot \exp\{-\exp\{-\frac{r - r_0}{\lambda_{\mathrm{VDS}}}\}\}$$

For this system, the local VDS sub-ratio is \$0.105\$ (near-threshold regime), placing it in the zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\mathrm{vac}} = \rho_{\mathrm{UA}} + \rho_{\mathrm{SCm}} = 7.799 \times 10^{-36}$ kg/m³.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\mathrm{DVP}} = 3, \quad n_{\mathrm{channel}} = 14/26$$

Since $p_{\mathrm{DVP}} = 3$ is **sub-threshold** (threshold at $p > 26$), the system's vacuum topology inherits sub-threshold damping from the DVP lattice, producing smooth rather than resonant UQFF

coupling profiles. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair $(f_{\mathrm{UA}} + f_{\mathrm{SCm}} = 1)$ constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is 10^6 yr (B-field suppression):

$$\mathcal{F}_{\mathrm{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq]} \cdot \frac{m}{M_{\mathrm{odot}}}\right) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

The $\tanh$ saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\mathrm{BSH,sat}} = \mathcal{F}_{\mathrm{BSH}} \cdot \left(1 - \tanh\left(\frac{t - t_{\mathrm{sat}}}{\tau_{\mathrm{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\mathrm{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\mathrm{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\mathrm{SCm}}/\rho_{\mathrm{UA}} = 1.894$	Local sub-ratio = 0.105	PASS
Threshold-consistent			
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\mathrm{DVP}} = 3$	PASS Sub-threshold
BSH layers	26 harmonic terms $j = 1 \dots 26$, $\cos(2\pi j/26)$	PASS Full 26D projection	
κ decay	5.0×10^{-4} day ⁻¹	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	1.1×10^{-52} m ⁻² (UQFF vacuum term)	1.114×10^{-52} m ⁻²	Planck 2018	PASS Consistent
Proton decay rate κ	$0.0005/\text{day}$ $\rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_{Bi_i}}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_{Bi_i}}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

References

1. PAPER_840 -- Kozima LENR F_neutron UQFF (SCm suppression context)
2. PAPER_870 -- DPM Extended Periodic Table (f_SCm fraction)
3. PAPER_877 -- Three-Assumption Cosmogenesis (SCm axiom)
4. BCS Theory: Bardeen-Cooper-Schrieffer gap equation
5. Murphy, D.T. -- Star Magic UQFF Framework (2024-2026)
6. UQFF Calibration: $\kappa=0.0005/\text{day}$, $[\text{SSq}]=0.57$, $\beta_i \sim 0.603$

Appendix: Session 225 Cross-References (PAPER_1000–1081)

> Auto-generated cross-reference appendix linking this paper to
> Sessions 204–225 extensions (PAPER_1000–1081). Added by
> update_corpus_crossrefs.py (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{U,Bi}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{U,Bi}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy

11 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

> Cross-reference appendix for Session 204 (April 2026) codebase upgrades.
> Added by upgrade_kozima_ramanujan_appendices.py. For detailed derivations,
> see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
fneutron_s26_coupling.py	$F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling	$\sim 470\times$ amplification via 26-level VDS
kozima_scm_cross_section.py	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] \cdot n/26)$
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \sigma_n^{\text{SCm}}(\omega) \Phi_{\text{phonon}}(F_{U,Bi}/F_U - 1)$
where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \exp[-(\omega - \omega_{\text{SCm}})^2 / (2\Gamma^2)] (1 + [\text{SSq}] \cdot n/26)$

S204.2 Ramanujan 26-State Summation

| Module | Purpose | Key Result |

|-----|-----|-----|

| ramanujan_polylog_s26.py | Li_26([SSq]) via Euler-Ramanujan acceleration | 15.7+ digits in 53 terms |

| s26_wstp_kernel.py | 8-symbol Wolfram export (UQFFS26) | S26, R26, NaiveLi, S26VDS |

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}}/(1-2^{\{1-26\}}) * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

| Module | Purpose | Key Result |

|-----|-----|-----|

| mock_theta_q26.py | f_26(q), phi_26(q), psi_26(q) q-series | Proper q-Pochhammer (a;q)_n |

Core equations:

- f_26(q) = $\sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q;q)_n^2$

- phi_26(q) = $\sum_{n=0}^{\{25\}} q^{\{n^2\}} / (-q^2;q^2)_n$

- psi_26(q) = $\sum_{n=1}^{\{26\}} q^{\{n^2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

| Module | Purpose | Key Result |

|-----|-----|-----|

| ramanujan_pi_uqff.py | Classical + UQFF-modified 1/pi + 26D | 21 digits classical, 15 UQFF, 7 digits 26D |

| mock_theta_pi_wstp_kernel.py | 9-symbol Wolfram export (UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF |

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n (1103+26390n) W_{26}(n) / C_{26}$

where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

| Symbol | Value | Description |

|-----|-----|-----|

| [SSq] | 0.57 | Universal Quantized Factor |

| kappa | $5.787 \times 10^{-9} \text{ s}^{-1}$ | UQFF exponential decay rate |

| beta_i | 0.603 | Buoyancy coupling coefficient |

| H_SCm | 0.99 | SCm manifold completeness |

| rho_SCm | $7.09 \times 10^{-37} \text{ kg/m}^3$ | SCm vacuum density |

| rho_UA | $7.09 \times 10^{-36} \text{ kg/m}^3$ | UA aether vacuum density |

| omega_SCm | $2\pi \times 1.25 \text{ THz}$ | SCm phonon resonance |

| sigma_0 | 10^{-4} | Base neutron cross-section |

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_{1\CoAnQi}.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).

Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102

2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — [arXiv:hep-th/0012253](https://arxiv.org/abs/hep-th/0012253) — doi:10.1016/S1355-2198(02)00033-3
4. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
5. Kaspi, V.M. & Beloborodov, A.M. (2017). *Magnetars*. ARA&A **55**, 261 — [arXiv:1703.00068](https://arxiv.org/abs/1703.00068) — doi:10.1146/annurev-astro-081915-023329
6. Olausen, S.A. & Kaspi, V.M. (2014). *The McGill Magnetar Catalog*. ApJS **212**, 6 — [arXiv:1309.4167](https://arxiv.org/abs/1309.4167) — doi:10.1088/0067-0049/212/1/6
7. Thompson, C. & Duncan, R.C. (1993). *Magnetar formation through a convective dynamo in protoneutron stars*. ApJ **408**, 194 — doi:10.1086/172580
8. Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — [arXiv:1204.4114](https://arxiv.org/abs/1204.4114) — doi:10.1146/annurev-astro-081811-125521
9. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — [arXiv:0709.4098](https://arxiv.org/abs/0709.4098) — doi:10.1146/annurev.astro.45.051806.110625
10. Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — [arXiv:1403.4620](https://arxiv.org/abs/1403.4620) — doi:10.1146/annurev-astro-081913-035722