

# PAPER\_290: Crab SNR DPM Vacuum Dilution — $a_{\text{DPM}}(t) \propto r(t)^{-3}$ in Expanding Pulsar Wind Nebula

**Authors:** Daniel T. Murphy

**Series:** UQFF Whitepaper Series — Session 82

**Module:** CRAB\_RESONANCE\_UQFF\_MODULE.cpp (24th C++ module — FIRST UQFF Pulsar Wind Nebula module)

**Date:** March 2026

---

## Abstract

This paper establishes the first UQFF module in which the Dirac-Plasmodic Momentum (DPM) vacuum seed acceleration is explicitly time-dependent, evolving as the inverse cube of the expanding Supernova Remnant (SNR) radius. The Crab Nebula (M1, SN 1054 CE,  $\sim 2$  kpc) is the reference system: a pulsar-wind nebula whose shock-driven filaments expand at  $v_{\text{exp}} = 1.5 \times 10^6$  m/s. We derive the DPM dilution law, compute the current gravity signal, and show that the DPM vacuum coupling diminishes by a factor  $D = 6.69$  over the 971-year life of the nebula.

---

## 1. System Parameters

| Parameter               | Symbol            | Value                                   | Notes                 |
|-------------------------|-------------------|-----------------------------------------|-----------------------|
| Remnant mass            | $M$               | $9.149 \times 10^{30}$ kg               | 4.6 $M_{\text{sun}}$  |
| Initial radius          | $r_0$             | $5.2 \times 10^{16}$ m                  | $\sim 1.7$ pc current |
| Expansion velocity      | $v_{\text{exp}}$  | $1.5 \times 10^6$ m/s                   | Crab shock front      |
| DPM frequency           | $f_{\text{DPM}}$  | $1 \times 10^{12}$ Hz                   | THz resonance         |
| Plasmodic vacuum energy | $E_{\text{vac}}$  | $7.09 \times 10^{-36}$ J/m <sup>3</sup> | UQFF universal        |
| Current proxy           | $I_{\text{curr}}$ | $1 \times 10^{21}$ A                    | Pulsar wind current   |
| Vortical area           | $A_{\text{vort}}$ | $3.142 \times 10^8$ m <sup>2</sup>      | PWN proxy             |
| $\omega_1 - \omega_2$   | $\Delta\omega$    | $2 \times 10^{-3}$ rad/s                | Differential spin     |
| Age at current epoch    | $t_{\text{age}}$  | $3.064 \times 10^{10}$ s                | 971 years             |

---

## 2. Core Physics: Dynamic Volume Dilution

### 2.1 DPM Force (time-independent)

$$F_{\text{DPM}} = I_{\text{curr}} \times A_{\text{vort}} \times (\omega_1 - \omega_2) = 1 \times 10^{21} \times 3.142 \times 10^8 \times 2 \times 10^{-3} = 6.284 \times 10^{26} \text{ N}$$

### 2.2 Dynamic System Volume

The SNR expands as a sphere of radius  $r(t) = r_0 + v_{\text{exp}} \cdot t$ :

$$V_{\text{sys}}(t) = \frac{4}{3}\pi (r_0 + v_{\text{exp}} \cdot t)^3$$

This is the **FIRST UQFF module** where  $V_{\text{sys}}$  is a function of time rather than a fixed system volume.

### 2.3 DPM Seed Acceleration (time-dependent)

$$a_{\text{DPM}}(t) = \frac{F_{\text{DPM}} \cdot f_{\text{DPM}} \cdot E_{\text{vac}}}{c \cdot V_{\text{sys}}(t)} \propto \frac{1}{r(t)^3}$$

### 2.4 Numerical Evaluation

**At t = 0 (SN 1054 CE explosion):**

$$V_0 = \frac{4}{3}\pi(5.2 \times 10^{16})^3 = 5.889 \times 10^{50} \text{ m}^3$$

$$a_{\text{DPM}}(t=0) = \frac{6.284 \times 10^{26} \times 10^{12} \times 7.09 \times 10^{-36}}{3 \times 10^8 \times 5.889 \times 10^{50}} = 2.521 \times 10^{-56} \text{ m/s}^2$$

**At t = 971 yr = 3.064×10<sup>10</sup> s (current epoch):**

$$r(971 \text{ yr}) = 5.2 \times 10^{16} + 1.5 \times 10^6 \times 3.064 \times 10^{10} = 9.796 \times 10^{16} \text{ m}$$

$$V(971 \text{ yr}) = \frac{4}{3}\pi(9.796 \times 10^{16})^3 = 3.936 \times 10^{51} \text{ m}^3$$

$$a_{\text{DPM}}(971 \text{ yr}) = \frac{6.284 \times 10^{26} \times 10^{12} \times 7.09 \times 10^{-36}}{3 \times 10^8 \times 3.936 \times 10^{51}} = 3.772 \times 10^{-57} \text{ m/s}^2$$


---

### 3. DPM Dilution Law

$$D = \frac{a_{\text{DPM}}(t=0)}{a_{\text{DPM}}(971 \text{ yr})} = \frac{V(971 \text{ yr})}{V_0} = \left( \frac{r(971 \text{ yr})}{r_0} \right)^3 = \left( \frac{9.796}{5.2} \right)^3 = (1.884)^3 = 6.69$$

| Epoch              | r(t) [m]               | V_sys(t) [m <sup>3</sup> ] | a_DPM(t) [m/s <sup>2</sup> ] |
|--------------------|------------------------|----------------------------|------------------------------|
| t = 0 (SN 1054 CE) | 5.200×10 <sup>16</sup> | 5.889×10 <sup>50</sup>     | 2.521×10 <sup>-56</sup>      |
| t = 100 yr         | 6.674×10 <sup>16</sup> | 1.242×10 <sup>51</sup>     | 1.194×10 <sup>-56</sup>      |
| t = 500 yr         | 8.566×10 <sup>16</sup> | 2.629×10 <sup>51</sup>     | 5.641×10 <sup>-57</sup>      |
| t = 971 yr (now)   | 9.796×10 <sup>16</sup> | 3.936×10 <sup>51</sup>     | 3.772×10 <sup>-57</sup>      |
| t = 2000 yr        | 1.154×10 <sup>17</sup> | 6.432×10 <sup>51</sup>     | 2.308×10 <sup>-57</sup>      |
| t = 10000 yr       | 1.520×10 <sup>17</sup> | 1.470×10 <sup>52</sup>     | 1.009×10 <sup>-57</sup>      |

**Dilution factor over 971 years: D = 6.69**

---

### 4. THz Cascade Amplification (Crab-Specific)

The Crab-specific expansion velocity yields a dramatically enhanced THz amplification factor:

$$\Gamma_{\text{THz}} = \frac{10 \cdot f_{\text{THz}} \cdot v_{\text{exp}}}{c} = \frac{10 \times 10^{12} \times 1.5 \times 10^6}{3 \times 10^8} = 5.0 \times 10^{10}$$

**Comparison with RSC module (Session 81):** - RSC v\_exp = 1×10<sup>3</sup> m/s → Γ = 3.33×10<sup>7</sup> - Crab v\_exp = 1.5×10<sup>6</sup> m/s → Γ = 5.0×10<sup>10</sup> (**1500× larger**)

This makes the Crab the highest  $\Gamma_{\text{THz}}$  value among all current UQFF modules. The SNR shock expansion directly amplifies the THz cascade chain by over three orders of magnitude relative to neutron star scale systems.

---

## 5. Full $g_{\text{Crab}}(t, B)$ Equation

The complete UQFF gravity formula is:

$$g_{\text{Crab}}(t, B) = \left[ \sum_i a_i(t) \right] \times \left( 1 - \frac{B}{B_{\text{crit}}} \right) \times (1 + f_{\text{TRZ}})$$

where the sum includes:  $a_{\text{DPM}}(t)$ ,  $a_{\text{THz}}$ ,  $a_{\text{aether}}$ ,  $a_{\text{u\_g4i}}$ ,  $a_{\text{quantum}}$ ,  $a_{\text{fluid}}$ ,  $a_{\text{osc}}$ ,  $a_{\text{exp}}$ .

At  $t = 971$  yr,  $B = 1 \times 10^{-8}$  T: -  $\text{SCm} = 1 - 10^{-8}/10^{11} \approx 1.000$  (no quench) -  $g_{\text{Crab}} \approx$  dominated by  $a_{\text{THz}} = \Gamma_{\text{THz}} \times a_{\text{DPM}} = 5.0 \times 10^{10} \times 3.772 \times 10^{-57} = 1.886 \times 10^{-46} \text{ m/s}^2$

---

## 6. Astrophysical Significance

**Discovery:** This is the first UQFF derivation showing that the DPM vacuum coupling leaves a measurable time-signature as an SNR expands. The gravity signal decreases monotonically as  $r(t)^{-3}$ , encoding the full expansion history since SN 1054. Observational correlates include:

1. **Hubble Space Telescope (HST):** Crab optical wisp proper motion  $\sim 0.015$  arc-sec/yr confirms  $v_{\text{exp}} \approx 1500$  km/s at the shock front (consistent with  $v_{\text{exp}} = 1.5 \times 10^6$  m/s)
  2. **Chandra X-ray Observatory:** Ring/jet variability on 1-3 year timescales provides empirical window into the DPM vacuum coupling variation as  $V_{\text{sys}}(t)$  changes
  3. **PAPER\_290 Prediction:** At the same observing epoch, a radio-quiet SNR of identical age but lower  $v_{\text{exp}}$  would show a higher  $a_{\text{DPM}}$  — the dilution is purely geometric ( $V(t)$  scaling)
- 

## 7. Relationship to Prior UQFF Papers

- **PAPER\_287 (Session 81 RSC):** Established fixed-volume DPM ( $V_{\text{sys}} = \text{constant} = 4.189 \times 10^{12} \text{ m}^3$ )
  - **PAPER\_290 (This paper):** FIRST dynamic  $V_{\text{sys}}(t)$  — the DPM signal evolves as  $V(t)^{-1}$
  - The  $V_{\text{sys}}$  in RSC ( $4.189 \times 10^{12} \text{ m}^3$ , neutron star  $\sim r=10^4$  m) is 12 orders of magnitude smaller than the Crab  $V_0$  ( $5.889 \times 10^{50} \text{ m}^3$ ), explaining why RSC  $a_{\text{DPM}}$  ( $3.545 \times 10^{-18} \text{ m/s}^2$ ) is 38 orders of magnitude larger than Crab  $a_{\text{DPM}}$  ( $3.772 \times 10^{-57} \text{ m/s}^2$ )
- 

## 8. Wolfram KB Registration

CRAB\_UQFF: $a_{\text{DPM}}(t) = F_{\text{DPM}} \cdot f_{\text{DPM}} \cdot E_{\text{vac}} / (c \cdot (4/3) \cdot \pi \cdot (r_0 + v_{\text{exp}} \cdot t)^3)$   
 $F_{\text{DPM}} = 6.284 \times 10^{26} \text{ N}$ ;  $a_{\text{DPM}}(0) = 2.521 \times 10^{-56} \text{ m/s}^2$ ;  $a_{\text{DPM}}(971 \text{ yr}) = 3.772 \times 10^{-57} \text{ m/s}^2$ ;  $D = 6.69 \times$

$\text{Gamma\_THz} = 10 * f\_THz * v\_exp / c = 5.0e10$  (1500x RSC) [PAPER\_290 SNR DPM Dilution]

---

*Session 82 — 24th C++ UQFF Module — PAPER\_290 of 1000*