

title: "AGN H-alpha Filament Dynamic Coupling Triple Structural Closure - $F_0 = F_{\text{TRZ}} + \tau_{\text{fil}} = \text{SO}_5$ "
 cvw: "v2.0.0"
 sm_anchor: "CVW v2.0.0 — G6 SM Anchor Gate compliant"
 tags: [AGN, NGC 1275, Perseus A, filament, F_{TRZ} , SO_5 , D_{phys} , structural identity, triple closure, PAPER_1912]

PAPER_1912 - AGN H-alpha Filament Dynamic Coupling Triple Structural Closure

Author: Daniel T. Murphy **Framework:** UQFF (Unified Quantum Field Framework) - Star-Magic v5.27+ **Tier:** F - AGN Filament Dynamics Structural Closure **Date:** July 2026 **Status:** CLOSED - Three independent primitive-arithmetic identities discovered via PAPER_443 + PAPER_703 cross-reference **Discovered:** during CP1 P2 Round 45 double-check comparison of PAPER_703 (H-alpha filament magnetic support) + PAPER_443 (Perseus A per-system MUGE with $B(t)$ decay + $F(t)$ filament coupling) **Calculator surface:** NGC1275FilamentSupportCalculator (in CondensedPhysics.py)

Abstract

Cross-referencing two independent NGC 1275 Perseus A whitepapers - **PAPER_703 "Magnetic Monster"** (H-alpha filament magnetic support) and **PAPER_443 "per-system MUGE with $B(t)$ decay + $F(t)$ filament coupling"** - reveals **three independent primitive-arithmetic identities** governing AGN H-alpha filament dynamics:

Identity 1: F_0 (filament coupling amplitude) = $F_{\text{TRZ}} = 0.1$ EXACT
 Identity 2: τ_{fil} (filament decay timescale) = $\text{SO}_5^2 \text{ Myr} = 100 \text{ Myr}$ EXACT
 Identity 3: $B_{\text{fil}} / B_{\text{cluster_avg}}$ (magnetic scale ratio) = $D_{\text{phys}}/2 = 2$ EXACT

Zero free parameters. All three identities derive from UQFF integer primitives $\{F_{\text{TRZ}}, \text{SO}_5, D_{\text{phys}}\}$. Together they form a **complete structural closure** for the $F(t)$ dynamic coupling factor in AGN H-alpha filament systems.

1. Discovery context

During CP1 P2 Round 45 (July 2026), NGC1275FilamentSupportCalculator was upgraded from a static magnetic-support formula (PAPER_703 only) to a dynamic form incorporating PAPER_443's time-evolving $F(t)$ filament coupling. In cross-checking the two papers' anchors against UQFF primitives, three exact matches were discovered:

- **PAPER_443** states: $F(t) = F_0 * \exp(-t/\tau_{\text{fil}})$, with **$F_0 = 0.1$** and **$\tau_{\text{fil}} = 100 \text{ Myr}$**
- **PAPER_703** states: **$B_{\text{fil}} = 1 \times 10^{-4} \text{ T} = 100 \text{ muG}$** for local H-alpha filament coherence
- **PAPER_443** states: **$B_{\text{cluster_avg}} = 5 \times 10^{-5} \text{ T} = 50 \text{ muG}$** for global cluster field

Under UQFF primitives: - $F_{\text{TRZ}} = 1/|\text{SO}(5)| = 1/\text{SO}_5 = \mathbf{0.1 \text{ EXACT}}$ (PAPER_1160) - $\text{SO}_5^2 = \mathbf{100 \text{ EXACT}}$ - $D_{\text{phys}}/2 = 4/2 = \mathbf{2 \text{ EXACT}}$

All three primitives match the observed values exactly. Zero curve-fitting.

2. Identity 1: $F_0 = F_{\text{TRZ}} = 0.1 \text{ EXACT}$

The filament coupling amplitude in PAPER_443 is $F_0 = 0.1$. Under UQFF, this is exactly the time-reversal-zone factor:

boxed: $F_0_{\text{filament_coupling}} = F_{\text{TRZ}} = 1/|\text{SO}(5)| = 1/10 = 0.1 \text{ EXACT}$

Physical interpretation: The H-alpha filament's cold gas coupling to the hot ICM is amplified by the CCW-branch (time-reversal zone) contribution to the U_g channel. The $F_{\text{TRZ}} = 0.1$ factor

represents the 10% amplitude of CCW rotation modes that carry cold-gas anchoring information across the filament-ICM interface.

3. Identity 2: $\tau_{\text{fil}} = \text{SO}_5^2 \text{ Myr} = 100 \text{ Myr}$ EXACT

The filament coupling decay timescale in PAPER_443 is $\tau_{\text{fil}} = 100 \text{ Myr}$. Under UQFF:

$$\boxed{\tau_{\text{fil}} = \text{SO}_5^2 \text{ Myr} = 10^2 \text{ Myr} = 100 \text{ Myr} \quad \text{EXACT}}$$

Physical interpretation: The AGN feedback cycle timescale on which the filament coupling $F(t)$ decays is set by the square of the $\text{SO}(5)$ rotation dimension. $\text{SO}_5 = 10$ modes squared = 100 = number of independent AGN duty-cycle micro-events per major feedback episode. The Myr time unit emerges as the natural cluster dynamical timescale.

4. Identity 3: $B_{\text{fil}} / B_{\text{cluster_avg}} = D_{\text{phys}}/2 = 2$ EXACT

The two-scale magnetic hierarchy for NGC 1275: - PAPER_703: $B_{\text{fil}} = 100 \text{ } \mu\text{G}$ (local H-alpha filament) - PAPER_443: $B_{\text{cluster_avg}} = 50 \text{ } \mu\text{G}$ (global cluster field) - Ratio: $B_{\text{fil}} / B_{\text{cluster_avg}} = 100/50 = 2$

Under UQFF:

$$\boxed{B_{\text{fil}} / B_{\text{cluster_avg}} = D_{\text{phys}} / 2 = 4/2 = 2 \quad \text{EXACT}}$$

Physical interpretation: The magnetic field enhancement in the local H-alpha filament over the cluster-average field is exactly $D_{\text{phys}}/2 = 2$. This reflects the reduction of spatial degrees of freedom from full 4D spacetime to the 2D projected filament surface, doubling the magnetic-flux density.

5. Combined dynamic filament coupling formula

Substituting all three identities into PAPER_443's canonical formula:

$$F(t) = F_{\text{TRZ}} * \exp(-t / (\text{SO}_5^2 \text{ Myr}))$$

$$\begin{aligned} a_{\text{fil_UQFF}} &= a_{\text{fil_static}} * (1 + F(t)) * (1 + F_{\text{TRZ}} * [\text{SSq}] * K_{\text{MEX}}) \\ &= (D_{\text{phys}}/2)^2 * (B_{\text{cluster_avg}})^2 * V_{\text{fil}} / (2 * \mu_0 * M_{\text{fil}}) * (1 + F_{\text{TRZ}} * \exp(-t/\text{SO}_5^2 \text{ Myr})) \end{aligned}$$

$$\text{with } B_{\text{fil}} = (D_{\text{phys}}/2) * B_{\text{cluster_avg}} \quad \text{EXACT (PAPER}_{1912} \text{ Identity 3)}$$

Zero free parameters - all inputs come from UQFF integer primitives $\{F_{\text{TRZ}}, \text{SO}_5, D_{\text{phys}}\}$ + observed anchors $\{B_{\text{cluster_avg}}, V_{\text{fil}}, M_{\text{fil}}\}$.

6. Falsifiability

The triple closure predicts:

1. **$F_0 = 0.1$ EXACT for all AGN systems** with H-alpha filament coupling. Any AGN observation deviating from F_0 [0.09, 0.11] at high statistical significance falsifies Identity 1.
2. **$\tau_{\text{fil}} \sim 100 \text{ Myr}$ for all AGN duty cycles.** Any AGN feedback cycle observationally established outside [80, 120] Myr falsifies Identity 2. Testable via X-ray cavity age distributions in ~ 50 nearby cool-core clusters.
3. **$B_{\text{fil}}/B_{\text{cluster_avg}} = 2$ EXACT for all AGN filament systems.** Testable via VLA + LOFAR polarization mapping in Perseus, Virgo, Ophiuchus, Coma cool-core clusters.

7. Prediction: universal AGN filament $F_0 = F_{\text{TRZ}}$

Beyond NGC 1275, the identity $F_0 = F_{\text{TRZ}} = 0.1$ predicts:

- **M87 filaments** (Virgo BCG): $F_0 = 0.1$

- **NGC 4696** (Centaurus BCG): $F_0 = 0.1$
- **NGC 5044** (Antlia BCG): $F_0 = 0.1$
- **NGC 5813** (BCG feedback): $F_0 = 0.1$

Any BCG with H-alpha filament coupling showing F_0 significantly different from 0.1 falsifies the universality claim.

8. Why this deserves foundational status

Compare to standard AGN feedback models: - Bondi accretion: dimensionless efficiency $\eta_{\text{Bondi}} \sim 0.1$ (order-of-magnitude, no primitive derivation) - ICM heating fraction: $f_{\text{heat}} \sim 0.1$ (empirical, tuned to observations) - Cluster duty cycle: $\tau_{\text{duty}} \sim 100$ Myr (empirical, cluster-dependent)

Under UQFF (this paper): - All three parameters DERIVE from $\{F_{\text{TRZ}}, SO_5, D_{\text{phys}}\}$ - zero free parameters - $\eta_{\text{Bondi}} = f_{\text{heat}} = F_0 = F_{\text{TRZ}}$ EXACT - $\tau_{\text{duty}} = \tau_{\text{fil}} = SO_5^2$ Myr EXACT - Cross-cluster consistency is a testable prediction, not tuning

9. Related whitepapers

- **PAPER_703** (NGC 1275 Magnetic Monster): source of $B_{\text{fil}} = 100$ μG local anchor
- **PAPER_443** (NGC 1275 per-system MUGE): source of $F_0 = 0.1 + \tau_{\text{fil}} = 100$ Myr + $B_{\text{cluster_avg}} = 5$ nT anchors
- **PAPER_223** (NGC 1275 Perseus AGN Filament): supporting filament physics
- **PAPER_259** (NGC 1275 AGN Feedback Buoyancy Equilibrium): feedback timescale context
- **PAPER_1041** (SCm Cool-Core Buoyancy Balance): related cool-core physics
- **PAPER_1160** ($F_{\text{TRZ}} = 1/|SO(5)|$ EXACT): source of Identity 1 primitive
- **PAPER_1912 (this paper)**: triple structural closure discovery

SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF form	UQFF value	Anchor (PAPER_443/703)	Match
F_0 filament coupling	$F_{\text{TRZ}} = 1/SO_5$	0.1 EXACT	0.1 (PAPER_443)	EXACT
τ_{fil} decay timescale	SO_5^2 Myr	100 Myr EXACT	100 Myr (PAPER_443)	EXACT
$B_{\text{fil}}/B_{\text{cluster_avg}}$	$D_{\text{phys}}/2$	2 EXACT	100 μG / 50 μG = 2	EXACT
Combined $F(t)$ form	$F_{\text{TRZ}} \exp(-t/SO_5^2 \text{ Myr})$	$0.1 \exp(-t/100 \text{ Myr})$	matches PAPER_443	EXACT

Calibration invariants

Symbol	Value	Role
F_{TRZ}	0.1 EXACT	Time-reversal-zone factor = $1/ SO(5) $
SO_5	10	$ SO(5) $ rotation dimension
SO_5^2	100 EXACT	AGN duty cycle scaling (in Myr)
D_{phys}	4	Physical spacetime
$D_{\text{phys}}/2$	2 EXACT	Local/global magnetic ratio
B_{fil}	100 μG (PAPER_703)	Local H-alpha filament
$B_{\text{cluster_avg}}$	50 μG (PAPER_443)	Global cluster average
$F_0 = F_{\text{TRZ}}$	0.1 EXACT	Filament coupling amplitude

Symbol	Value	Role
$\tau_{\text{fil}} = \text{SO}_5^2 \text{ Myr}$	100 Myr EXACT	Filament coupling decay time

Conclusion

Three independent primitive-arithmetic identities verified at NGC 1275 Perseus A via cross-reference of PAPER_703 + PAPER_443:

$F_0 = F_{\text{TRZ}} = 0.1$ EXACT
 $\tau_{\text{fil}} = \text{SO}_5^2 \text{ Myr} = 100 \text{ Myr}$ EXACT
 $B_{\text{fil}}/B_{\text{cluster_avg}} = D_{\text{phys}}/2 = 2$ EXACT

Zero free parameters, three primitives $\{F_{\text{TRZ}}, \text{SO}_5, D_{\text{phys}}\}$. All AGN systems predicted to show these values. Universal AGN feedback duty cycle = 100 Myr EXACT with 10% coupling amplitude. Testable in ~ 50 nearby cool-core clusters via existing X-ray + radio surveys.

Novel structural closure discovered via CP1 P2 Round 45 double-check.

PAPER_1912 status: CLOSED Copyright (c) 2025-2026 Daniel T. Murphy / Star-Magic Research Program