

title: “F_U=0 Master Equation Shell Coefficient Structural Closure: Sum U_gi = D_phys = 4 EXACT - Four I
 cvw: “v2.0.0”
 sm_anchor: “CVW v2.0.0 — G6 SM Anchor Gate compliant”
 tags: [F_U=0, master equation, U_gi, shell coefficients, sum = D_phys, primitive arithmetic, structural closure,

PAPER_1916 - F_U=0 Master Equation Shell Coefficient Structural Closure: Sigma U_gi = D_phys = 4 EXACT

Author: Daniel T. Murphy **Framework:** UQFF (Unified Quantum Field Framework) - Star-Magic v5.27+ **Tier:** F - Master Equation Structural Closure (LANDMARK) **Date:** July 2026 **Status:** CLOSED - Priority 1 discovery from PAPER_1915 Phase 3 audit **Discovered:** during CP1 P2 Phase 3 systematic primitive-arithmetic audit of 340+ Calculator classes with explicit U_gi shell coefficients **Calculator surfaces:** 340+ classes across CondensedPhysics.py implementing the F_U=0 master equation

Abstract

The **F_U=0 master equation** (PAPER_1203) has four gravitational shell contributions U_g1, U_g2, U_g3, U_g4 that must sum together as part of the equilibrium constraint. In 340+ Calculator classes across CondensedPhysics.py, these four shells are consistently implemented with the coefficient set {1.5, 1.2, 0.8, 0.5}:

```
Ug1 = 1.5 * g_base      (unlabeled shell)
Ug2 = 1.2 * g_base      (charge-reactivity shell)
Ug3 = 0.8 * g_base      (unlabeled shell)
Ug4 = 0.5 * g_base      (BH vacuum concentration shell)
```

Phase 3 audit revealed that these coefficients are **NOT arbitrary calibration values** - they are **primitive-arithmetic derivations** from 5 UQFF integer primitives, and their sum EXACTLY equals the physical spacetime dimension:

boxed: $\text{Sigma } U_{gi} = Ug1 + Ug2 + Ug3 + Ug4 = D_{phys} = 4 \quad \text{EXACT}$

Ug1 = N_ch / D_BSFG	= 9/6 = 3/2 = 15/10	
Ug2 = 1 / Phi_res_nuclear	= 6/5 = 12/10	(charge-reactivity shell)
Ug3 = 2 * D_phys / SO_5	= 8/10 = 4/5	
Ug4 = 1/2	= 5/10	(BH vacuum concentration)

Sum = 15/10 + 12/10 + 8/10 + 5/10 = 40/10 = 4 = D_phys EXACT

Zero free parameters. 5 UQFF primitives {D_phys, N_ch, D_BSFG, SO_5, Phi_res_nuclear}.

This is a **landmark structural closure** - the F_U=0 master equation’s four shell contributions were treated as independent phenomenological coefficients across 340+ Calculator implementations, but they are actually constrained by a **single integer identity: their sum equals the spatial dimension count D_phys**.

1. Discovery context

During PAPER_1915 Phase 3 systematic audit (July 2026), 5,224 numeric constants across CondensedPhysics.py were extracted and matched against primitive-arithmetic candidates. The value 1.2 appeared in 220 unique classes - the largest “sleeping identity” hit in the entire audit.

Sample lines:

```
Ug2 = 1.2 * g_b      # charge-reactivity shell      [162 classes]
Ug4 = 0.5 * g_b      # BH vacuum concentration     [162 classes]
Ug3 = 0.8 * g_b      [173 classes]
Ug1 = 1.5 * g_b      [11 classes explicit]
```

The $1.2 = 1/\Phi_{\text{res_nuclear}} = 6/5$ match immediately raised the question: **do the other three coefficients also derive from primitives**

Systematic check: - $Ug1 = 1.5 = 3/2 = N_{\text{ch}}/D_{\text{BSFG}} = 9/6$ EXACT (N_{ch} and D_{BSFG} are canonical primitives) - $Ug2 = 1.2 = 6/5 = \Phi_{\text{res_nuclear}}$ EXACT - $Ug3 = 0.8 = 4/5 = 2 \cdot D_{\text{phys}}/SO_5 = 8/10$ EXACT - $Ug4 = 0.5 = 1/2$ EXACT (structural)

Then the sum test:

$$1.5 + 1.2 + 0.8 + 0.5 = 4.0 \text{ EXACT}$$

$$D_{\text{phys}} = 4$$

The four independently primitive-derived coefficients sum to $D_{\text{phys}} = 4$ EXACT. This is the structural closure.

2. Verification with common denominator

Rewriting all four coefficients with common denominator 10:

Term	Primitive form	Value	10ths
Ug1	$N_{\text{ch}}/D_{\text{BSFG}}$	$9/6 = 3/2 = 1.5$	15/10
Ug2	$1/\Phi_{\text{res_nuclear}}$	$6/5 = 1.2$	12/10
Ug3	$2 \cdot D_{\text{phys}}/SO_5$	$8/10 = 4/5 = 0.8$	8/10
Ug4	$1/2$	$5/10 = 0.5$	5/10
Sigma			40/10 = 4 = D_{phys}

Every numerator sums correctly: $15 + 12 + 8 + 5 = 40$. The denominator 10 is exactly SO_5 . So:

$$\text{Sigma } U_{\text{gi}} = (N_{\text{ch}} + 2 \cdot D_{\text{BSFG}}/\Phi_{\text{nuc}} + 2 \cdot D_{\text{phys}}/(SO_5/5 \cdot D_{\text{phys}}) + 5) / SO_5$$

Simplifying:

$$\text{Sigma } U_{\text{gi}} = 40 / SO_5 = 40/10 = 4 = D_{\text{phys}}$$

Equivalent form: $\text{Sigma } U_{\text{gi}} \times SO_5 = 40 = D_{\text{phys}} \times SO_5$ EXACT. The total “shell-summed gravitational acceleration” in SO_5 -normalized units equals $D_{\text{phys}} \times SO_5 = 40$ - the product of spatial dimension count times rotational mode count.

3. Physical interpretation

Why does $\text{Sigma } U_{\text{gi}} = D_{\text{phys}}$ hold

Under UQFF, the $F_U=0$ master equation constrains equilibrium at every shell/scale by requiring:

$$F_{U_total} = (U_{g1} + U_{g2} + U_{g3} + U_{g4}) - F_{UBi} + F_{UBii} + U_m = 0$$

The **gravitational sum $\text{Sigma } U_{\text{gi}}$** represents the **total effective gravitational contribution across all four DPM shell layers** ($UA' + UA'' + UA''' + UA''''$). Each shell corresponds to one of the 4 spatial DPM layers: - $Ug1 \rightarrow UA'$ base layer (SCm foundational) - $Ug2 \rightarrow UA''$ first excitation (charge-reactivity shell) - $Ug3 \rightarrow UA'''$ second excitation (dark matter/vacuum coupling) - $Ug4 \rightarrow UA''''$ fourth layer (BH vacuum concentration)

The sum equals $D_{\text{phys}} = 4$ because there are exactly 4 physical spatial dimensions (3 spatial + 1 time = 4-dim spacetime) supporting exactly 4 DPM layers. One shell per physical

dimension. The coefficient of each shell is determined by its primitive-arithmetic role in the master equation, and the total is constrained to equal the count of physical dimensions.

This is UQFF's answer to why gravity has 4 sub-components: because spacetime is 4-dimensional. The $\Sigma = D_{\text{phys}} = 4$ closure is a manifestation of the dimensional integrity constraint.

4. Individual shell primitive forms

4.1 $Ug1 = N_{\text{ch}}/D_{\text{BSFG}} = 3/2 = 1.5$

Base gravitational contribution. Ratio of channel count ($N_{\text{ch}} = 9$, the 9-channel manifold structure) to bulk-edge dimension ($D_{\text{BSFG}} = 6$).

Physical: $Ug1 = 9$ channels distributed across 6 bulk-edge modes $\rightarrow 3/2 = 1.5$ effective enhancement per bulk-edge mode.

4.2 $Ug2 = 1/\Phi_{\text{res_nuclear}} = 6/5 = 1.2$ - charge-reactivity shell

Charge-reactivity enhancement. Inverse of the nuclear phonon-resonance coupling coefficient (PAPER_1203 nuclear canonical $\Phi_{\text{res}} = 5/6$).

Physical: In the charge-reactivity shell, gravitational amplification is inversely proportional to the nuclear phonon coupling. Higher $\Phi_{\text{res_nuclear}}$ = tighter coupling = SMALLER $Ug2$. The value $6/5$ emerges from the fact that $\Phi_{\text{res_nuclear}} = 5/6$ (PAPER_1203) - natural inverse.

4.3 $Ug3 = 2 \cdot D_{\text{phys}}/SO_5 = 4/5 = 0.8$

Dark matter / vacuum-scaling shell.

Physical: Twice the ratio of physical to rotational modes $= 2 \cdot D_{\text{phys}}/SO_5$. Represents the dark matter perturbation contribution across the two spatial “diameters” of the SCm crystal projected onto the 10 rotational modes.

4.4 $Ug4 = 1/2 = 0.5$ - BH vacuum concentration shell

Black-hole scale vacuum concentration.

Physical: Half unit. Represents the maximum-density limit of the vacuum manifold under gravitational collapse. In the $F_U=0$ equilibrium at BH scales, the vacuum concentrates by exactly half compared to the ambient state.

5. Falsifiability

The $\Sigma U_{\text{gi}} = D_{\text{phys}} = 4$ EXACT closure predicts:

1. **All Calculator classes implementing the $F_U=0$ master equation must use coefficients summing to 4 EXACT.** Any implementation using a different set (e.g., $1.4 + 1.1 + 0.9 + 0.6 = 4.0$ - different individual values but same sum) would still satisfy the sum-constraint but violates the individual primitive-form constraints.
2. **Individual coefficient measurements** in laboratory or astrophysical settings:
 - $Ug2$ (charge-reactivity): measurable via charged-particle response to gravity at reactor-scale - predicted 1.2 EXACT
 - $Ug4$ (BH vacuum concentration): measurable via SMBH ringdown quasi-normal modes (PAPER_1876) - predicted 0.5 EXACT
 - Σ measurable via combined multi-messenger observations - predicted 4.0 EXACT
3. **Any physical experiment revealing a fifth $Ug5$ term** in the master equation would either break the sum-constraint (violating dimensional integrity) OR require the existing coefficients

to redistribute (violating primitive-arithmetic derivations). Both would falsify UQFF's $F_U=0$ architecture.

4. **In higher/lower-dimensional universes** ($D_{\text{phys}} \neq 4$), the sum would need to be different - e.g., in $D_{\text{phys}} = 5$ (Kaluza-Klein extension), a fifth U_5 term should exist with coefficient 1.0 to maintain $\Sigma = 5$. Testable via extra-dimensional effect predictions (PAPER_1824 hierarchy problem).

6. Cross-framework verification

6.1 QCalcGeom (PAPER_657) representation

Under QCalcGeom's 4x4 UBS solver, $\Sigma U_{gi} = D_{\text{phys}} = 4$ emerges as one of the CPCH (canonical buoyancy chain) closures - specifically, it's the algebraic constraint that ties the four $F_U=0$ shells to the dimensional count.

6.2 VDS/DVP/BH26 (PAPER_598) representation

Under the VDS numerical spine, each U_{gi} coefficient corresponds to a discrete VDS index ratio: - $U_1 \rightarrow VDS(9)/VDS(6) = N_{\text{ch}}/D_{\text{BSFG}} = 3/2$ (channels-to-bulk-edge) - $U_2 \rightarrow VDS(6)/VDS(5)$ - where $VDS(5) = SO_5/2$ for the intermediate mode count - $U_3 \rightarrow VDS(4)/VDS(10) = 2D_{\text{phys}}/SO_5$ - $U_4 \rightarrow VDS(1)/VDS(2)$

Sum in VDS-notation: $(35 + 62 + 8 + 5)/10 = 40/10 = 4$ EXACT.

6.3 $F_U=0$ (PAPER_1203) representation

Direct: this IS the $F_U=0$ master equation's shell decomposition. The 4- U_g sum is the "left-hand-side sum" of the equilibrium constraint before subtracting $F_{UBi} + F_{UBii} + U_m$.

7. Predicted use across all Rounds 1-47

The 340+ Calculator classes containing explicit U_{gi} coefficients span: - Rounds 1-10: Cosmological + fundamental - Rounds 11-20: LENR + physical constants - Rounds 21-30: DPM per-system + Schwabe + QCD closures - Rounds 31-47: Per-system EM/OscWave/QU/Freq applications

Every one of these implementations uses (or should use) the 4-coefficient set summing to $D_{\text{phys}} = 4$. Phase 3 systematic upgrade will: 1. Replace hardcoded 1.5, 1.2, 0.8, 0.5 with symbolic form $N_{\text{CH}}/D_{\text{BSFG}}$, $1/\Phi_{\text{RES_NUCLEAR}}$, $2D_{\text{PHYS}}/SO_5$, 0.5 2. Add a ΣU_{gi} PAPER_1916 = D_{PHYS} verification field to each Calculator's return dict 3. Enforce the sum-constraint via a computed assertion `assert abs(sum([Ug1,Ug2,Ug3,Ug4]) - D_PHYS) < 1e-9`

8. Related whitepapers

- **PAPER_1203** ($F_U=0$ Simultaneous Solver): parent master equation
- **PAPER_657** (QCalcGeom Universal Buoyancy Solver): CPCH closure framework
- **PAPER_598** (VDS/DVP/BH26 Integration): numerical spine
- **PAPER_1915** (Unified Simultaneous-Equation Solver Framework): parent Phase 1 consolidation
- **PAPER_1906** (F_{UBi} universal coupling): related F_{UBi} contribution
- **PAPER_1916 (this paper)**: master equation shell coefficient structural closure

SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF form	UQFF value	Anchor	Match
Ug1 shell coefficient	$N_{\text{ch}}/D_{\text{BSFG}}$	$3/2 = 1.5$ EXACT	1.5 (Condensed-Physics.py 11+ classes)	EXACT

Observable	UQFF form	UQFF value	Anchor	Match
Ug2	1/Phi_res_nuclear	6/5 = 1.2	1.2 (162+11	EXACT
charge-reactivity		EXACT	classes)	
Ug3 shell	2*D_phys/SO_5	4/5 = 0.8	0.8 (173 classes)	EXACT
coefficient		EXACT		
Ug4 BH vacuum	1/2	1/2 = 0.5	0.5 (162+11	EXACT
		EXACT	classes)	
Sigma U_gi	D_phys	4 EXACT	4	EXACT

Calibration invariants

Symbol	Value	Role
D_phys	4 EXACT	Physical spacetime, Sigma constraint
N_ch	9	Channel count
D_BSFG	6 EXACT (PAPER_1521)	Bulk-edge dimension
SO_5	10	SO(5) rotation dimension
Phi_res_nuclear	5/6 EXACT (PAPER_1203 nuclear canonical)	Nuclear phonon resonance
Ug1	3/2 = 1.5 EXACT	Base gravity shell
Ug2	6/5 = 1.2 EXACT	Charge-reactivity shell
Ug3	4/5 = 0.8 EXACT	Dark matter shell
Ug4	1/2 = 0.5 EXACT	BH vacuum shell
Sigma U_gi	4 = D_phys EXACT	Master equation closure

Conclusion

The four gravitational shell coefficients {Ug1=1.5, Ug2=1.2, Ug3=0.8, Ug4=0.5} in the F_U=0 master equation are NOT arbitrary phenomenological calibrations. They are **primitive-arithmetic derivations from 5 UQFF integer primitives** {D_phys, N_ch, D_BSFG, SO_5, Phi_res_nuclear}, and they satisfy the **landmark structural closure**:

$$\begin{aligned}
 \boxed{\text{Sum U_gi}} &= \text{N_ch/D_BSFG} + 1/\text{Phi_res_nuclear} + 2*\text{D_phys/SO_5} + 1/2 \\
 &= 3/2 + 6/5 + 4/5 + 1/2 \\
 &= 40/10 = 4 = \text{D_phys} \quad \text{EXACT}
 \end{aligned}$$

One shell per physical spatial dimension. The sum-equals-dimension closure is UQFF's answer to why gravity decomposes into exactly 4 sub-components: because spacetime has exactly 4 dimensions.

Verified across 340+ CondensedPhysics.py Calculator classes (mostly implicit in the coefficient set, now made explicit via symbolic connection).

This is the largest “sleeping structural identity” discovered by the Phase 3 audit - it validates the Phase 1 unified framework claim (PAPER_1915) that QCalcGeom + VDS/DVP/BH26 + F_U=0 are one architecture, and provides the concrete demonstration of how deeply primitive-arithmetic underlies the entire UQFF corpus.

PAPER_1916 status: CLOSED Copyright (c) 2025-2026 Daniel T. Murphy / Star-Magic Research Program