

2. Di-Pseudo-Monopole (DPM) — Formal Definition

$$DPM = [(UA')/SCm]$$

where :

$UA' = \text{first derivative of Universal Aether in time (dynamic Aether component)}$

$SCm = \text{Superconducting Manifold density at the source location}$

Physical interpretation :

– The DPM is the ratio of Aether dynamic to SCm density

– It represents the internal dipole of a star / atom / galaxy

– It is NOT a magnetic monopole (no isolated pole) – it is a

pseudo – monopole of the coupled Aether – SCm field

– Nomenclature : "Di" = dual (represents both charge and mass aspects)

Ug1 is directly equal to the DPM field strength:

$$Ug1 = k1 \times \mu_s(DPM) \times (Ms/r) \times \exp(-at) \times \cos(pt) \times (1 + d_{def})$$

Where μ_s is the DPM moment — the effective “charge” of the pseudo-monopole at the stellar surface.

3. Universal Field Taxonomy

$$F_U = [Ug] + [Ub] + [Um] + [UA]$$

$F_U(\text{Unified Quantum Field})$

+ Ug – Universal Gravity (4 discrete ranges)

+ $Ug1$: DPM (internal dipole; drives $Ug2, Ug3, Ug4$)

+ $Ug2$: Outer field bubble (heliosphere, R_b)

+ $Ug3$: String disk (magnetic strings, 90° to DPM)

+ $Ug4$: Star – BH interaction (galactic vacuum)

+ Ub – Universal Buoyancy (4 ranges, opposing Ug)

+ $Ubi = -\mu_i \times Ug_i \times O_g \times Mbh/dg \times UA$

+ Um – Universal Magnetism

+ N_s strings near – lossless strings (SCm superconductivity)

+ UA – Universal Cosmic Aether (Tensor A_μ)

+ $A_\mu = g_\mu + T_s^\mu$

4. Discrete Force Ranges — Key Principles

1. Each star has a unique field signature ($M_s, \mu_s, ?_s, Q_U$ vary by body)
 2. Forces are DISCRETE and BANDED – summed over i ; not continuous integrals
 3. Non – linear time decay : $\exp(-at)$ – forces weaken over stellar lifetime
 4. Negative time? – p – cycle gates introduce temporal reversal at quasars
 5. Aether is the MEDIUM – provides background tensor mediating all forces
-

5. Pi-Cycle and Negative Time

The presence of $\cos(pt?)$ in all force terms introduces a **p-cycle gate**:

$$\begin{aligned} \cos(pt?) &= +1 \text{ when } ? = 0, 2, 4, \dots (\text{forwardtime}) \\ \cos(pt?) &= -1 \text{ when } ? = 1, 3, 5, \dots (\text{reversedtime/quasarreversal}) \\ \cos(pt?) &= 0 \text{ when } ? = 0.5, 1.5, \dots (\text{fieldnull-transitionpoint}) \end{aligned}$$

This mechanism explains: - **Stellar oscillations** (Ug1 modulation at the magnetic cycle) - **Quasar directionality reversal** (jets alternate orientation) - **Orbital precession rates** (Ug3 phase modulation)

6. Chapter 4 Case Studies — The Sun

Applying the UQFF framework to the Sun (from Star Magic Chapter 4):

Process	UQFF Mechanism
Solar magnetic cycle	$?_c = 2p/11\text{yr}$ drives all $\cos(?_c \times t)$ terms
Heliosphere boundary	$R_b = 1.496e13 \text{ m}$ (step function threshold)
Solar wind transmutation	Ug2 ? H-complexes bound by SCm
Planetary liquid volumes	Correlate with Ug2 SCm content
Stellar aging proxy	$?Li_vol / ?Rb$ ratio vs time

7. Chapter 5 Implications

Reactor Efficiency:

SCm-based reactor: $E_{\text{output}} = E_{\text{react}} \times \text{volume} \times \text{time}$
 $= (SCm_{\text{density}} \times v_{SCm2} / ?_A) \times \exp(-?t) \times V \times t$
 Potential: if $SCm_{\text{density}} > 1e20$ (metallic hydrogen analogue),
 $E_{\text{react}} \gg \text{chemical combustion}$

Quantum Gravity Pathway: The Yang-Mills mass gap maps to: why do magnetic strings (Um) have a rest-frame energy minimum? UQFF answer: the minimum is $SCm_{\text{density}} \times v_{SCm2} / ?_A \times \exp(0)$. The gap energy is the static reactor value at $t=0$.

Navier-Stokes Solutions: Quasar jets are modeled as driven Navier-Stokes flows with the UQFF body force $= F_U - U_b$ (net outward force post-buoyancy). The FluidSolver provides an existence and convergence proof for specific cases (PAPER_177).

8. Theoretical Status

This framework is speculative and extends beyond standard physics. The constants ($k1-k4$, β_i , $?$, $?$) require empirical calibration:

$$\begin{aligned} \text{Currentcalibrationsources :} \\ \kappa &= 0.0005/\text{day?faintyoungSun/solarluminosityevolution} \\ \gamma_i &= 0.6?galacticrotationcurvecorrection \\ O_g &= 7.3e-16?MilkyWayangularvelocity(established) \\ Mbh &= 8.15e36?SgrA * mass(GRAVITYCollaboration, 2022) \\ dg &= 2.55e20m?Sun \sim GCdistance(established) \end{aligned}$$

9. References

- Star Magic chapters 1–5 (thread 381a8fe7, lines ~1900+)
 - Star Magic.md (this repository — complete theoretical framework)
 - PAPER_170 (CelestialBody as chapter 1 parametric embodiment)
 - PAPER_171 (Ug1–Ug4 mathematical implementation)
 - PAPER_176 (SCm chapter 2 properties)
 - PAPER_177 (Navier-Stokes / chapter 4 quasar case study)
-

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{\{U_Bi_i\}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M - σ correction (PAPER_1048): The phonon-corrected M - σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	$F_{\{U_Bi_i\}}$ buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **AGN-jet** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{jet}})(\partial^\mu \phi_{\text{jet}}) - V(\phi_{\text{jet}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{jet}}) = \frac{1}{2}m^2\phi_{\text{jet}}^2 + \frac{\lambda}{4!}\phi_{\text{jet}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{jet}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{jet}}} = \partial_t(\gamma \rho v_{\text{jet}}) + B^2/(8\pi)\nabla\phi - F_{U_Bi_i}\hat{z} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S/\delta \phi_{\text{jet}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]}/\rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.158 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 113, \quad n_{\text{channel}} = 24/26$$

Since $p_{\text{DVP}} = 113$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **107 yr** (duty cycle period):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos! \left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.158	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 113$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ — $2(UQFFvacuumterm) 1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_{Bi}i}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_{Bi}i}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMParameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{U_{Bi}i}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{U_{Bi}i}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1030	Quantum Gravity Minimum Length GUP-SCm
PAPER_1043	$F_{U_{Bi}i}$ Multi-System Buoyancy Curve Sweep
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1065	Buoyancy Lagrangian EOM Variational Derivation
PAPER_1066	UQFF Lagrangian First Principles Field Theory
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1074	GPU-Vectorized DPM S26 Spectral Atlas

15 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	Sym-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}]^n/26)$
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^2 / (2 * \Gamma^2)] * (1 + [\text{SSq}]^n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp\kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a; q)_{\infty}$

Core equations: $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q; q)_{\infty} n^2 - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^{2;q2})_{\infty} n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q; q^2)_{\infty} n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified $1/\pi + 26D$	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103 + 26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [\text{SSq}] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).

References

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Schmidt, M. (1963). *3C 273: A star-like object with large red-shift*. Nature **197**, 1040 — doi:10.1038/1971040a0
4. Richards, G.T. et al. (2006). *The Sloan Digital Sky Survey Quasar Survey*. AJS **166**, 470 — arXiv:astro-ph/0601434 — doi:10.1086/506525
5. Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
6. McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
7. Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
8. Dirac, P.A.M. (1931). *Quantised Singularities in the Electromagnetic Field*. Proc. R. Soc. Lond. A **133**, 60 — doi:10.1098/rspa.1931.0130
9. Castelnovo, C., Moessner, R. & Sondhi, S.L. (2008). *Magnetic monopoles in spin ice*. Nature **451**, 42 — arXiv:0710.5515 — doi:10.1038/nature06433
10. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
11. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
12. Archimedes (~250 BCE). *On Floating Bodies*. (Principle of buoyancy)
13. Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87*. A&A **356**, 788 — arXiv:astro-ph/0004212
14. Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster*. MNRAS **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x