
paper_id: PAPER_796
title: “NGC 1275 — Perseus Cluster BCG with AGN Jet Feedback and Filamentary Gas”
session: 189
date: 2026-01-01
author: “Daniel T. Murphy”
status: production
cvw: “v2.0.0”
tags: [galaxy, cluster, AGN, Hubble, jet, UQFF]
sm_anchor: “CVW v2.0.0 — G6 SM Anchor Gate compliant”

PAPER_796: NGC 1275 — Perseus Cluster BCG with AGN Jet Feedback and Filamentary Gas

Author: Daniel T. Murphy

Framework: UQFF (Universal Quantum Field Superconductive Framework)

Session: 189 | v5.45

Date: 2026

CP4 Class: #380 — NGC1275PerseusAGNFilamentaryUQFFCalculator

Abstract

NGC 1275 (Perseus A, 3C 84) is the brightest cluster galaxy (BCG) of the Perseus galaxy cluster, located at redshift $z \approx 0.018$ (~250 million light-years). It hosts one of the most powerful known AGN jets, which inflates giant “bubbles” (radio lobes) in the hot X-ray intracluster medium (ICM). Most remarkably, Hubble observations reveal an extraordinary network of long, cool, filamentary gas threads extending up to 20,000 light-years from the nucleus, stabilized by magnetic fields threading the filaments. UQFF analysis introduces two novel terms: **AGN feedback reduction $F_{BH}(t)$** governing the time-evolving jet suppression of local star formation, and **filamentary magnetic stabilization a_{fil}** representing the magnetic tension force that prevents filament collapse.

1. Introduction

NGC 1275’s filaments are a profound unsolved problem in cluster astrophysics: how do cool gas threads ($T \sim 104$ K) survive for > 108 years within a hot ICM ($T \sim 107$ K) that should evaporate them? The Fabian et al. (2008) analysis demonstrated that magnetic fields threading the filaments ($B \sim 10^{-8}$ T at filament scale) provide sufficient tension to prevent thermal evaporation. The AGN jets simultaneously heat the ICM through mechanical feedback, preventing cooling flow catastrophes. UQFF models both effects as additive field contributions to the local gravitational acceleration, establishing a first-principles framework for magnetized filamentary dynamics in BCGs.

2. UQFF Parameters

Parameter	Symbol	Value	Source
Galaxy mass	M	$3.4 \times 10^{11} M_{sun} = 6.763 \times 10^{41} kg$ <i>Perseus BCG</i> $ Diskradius r 9.46 \times 10^{17} m$ $6.763 \times 10^{38} kg$ <i>Measured</i> $ Filamentlength L_{fil} 6.1 \times 10^{20} m$ $8T$ <i>Fabian et al. 2008</i> $ Filamentmass M_{fil} 1.989 \times 10^{10} M_{sun}$ $ Redshift z 0.018$ <i>Spectroscopic</i> $ Age t 5 \times 10^9 y$	
τ_{BH}	—	$1.578 \times 10^{17} s$ $1 \times 10^8 yr = 3.156 \times 10^{15} s$	BCG dispersion $ Feedbackcycle v_E M v 3 \times 10^5 m/s$
B_EM	B	10-5 T	Galactic field

3. UQFF Derivation

Master Gravity Equation

$$g_{NGC1275}(r, t) = (G \cdot M)/r^2 \cdot (1 + H(z) \cdot t) \cdot (1 \sim F_B H(t)) \cdot (1 + f_T RZ) + a_{fil} + q \cdot (v \times B)/m_p \cdot (1 + \rho_v ac, [UA]/\rho_v ac, [SCm]) \cdot 10 - 12$$

where: - $F_{BH}(t) = F_0 \cdot (1 - \exp(-t/\tau_{BH}))$ = AGN jet feedback reduction (**novel UQFF term**)
- $a_{fil} = (B^2 \cdot L_{fil}) / (\mu_0 \cdot M_{fil})$ = filamentary magnetic stabilization (**novel UQFF term**)

AGN Feedback Term

$$F_B H(t) = 0.10 \times (1 \sim \exp(\sim 1.578e17/3.156e15)) = 0.10 \times (1 \sim \exp(\sim 50)) = 0.10 \times 1.000 = 0.10$$

(Fully developed feedback att = 5Gyr >> $\tau_B H = 100 Myr$)

Filamentary Magnetic Stabilization

$$a_{fil} = B_{fil}^2 \times L_{fil} / (\mu_0 \times M_{fil}) = (1e-8)^2 \times 6.17e20 / (1.257e-6 \times 1.989e36) = 1e-16 \times 6.17e20 / 2.500e30 = 6.17e4 / 2.500e30 = 2.468e-26 m/s^2 (stabilization, not acceleration)$$

Numerical Evaluation

$$G \cdot M/r^2 = 6.6743e-11 \times 6.763e41 / (9.46e20)^2 = 4.513e31 / 8.949e41 = 5.043e-11 m/s^2$$

$$H(z = 0.018) : Hz = H_0 \cdot \sqrt{(0.3 \cdot (1.018)^3 + 0.7)} = 2.272e-18$$

$$(1 + Hz \cdot t) = 1 + 2.272e-18 \times 1.578e17 = 1.359$$

$$factor_{feedback} = (1 \sim 0.10) = 0.90$$

$$factor_{TRZ} = 1.05$$

$$g_{grav_total} = 5.043e-11 \times 1.359 \times 0.90 \times 1.05 = 6.462e-11 m/s^2$$

$$a_{EM} = (1.602e-19 \times 3e5 \times 1e-5 / 1.673e-27) \times 11e-12 = (4.806e-19 / 1.673e-27) \times 11e-12 = 2.873e8 \times 11e-12 = 3.160e-3 m/s^2$$

$$g_{primary} \approx 3.160 \times 10^{-3} m/s^2 (EM enhanced by \sigma = 3 \times 10^5 m/s)$$

Three-UQFF Simultaneous Result

$$g_{compressed} = 3.160 \times 10^{-3} \text{ m/s}^2$$

$$g_{resonant} = 3.160 \times 10^{-3} \text{ m/s}^2$$

$$g_{buoyancy} = 3.160 \times 10^{-3} \text{ m/s}^2$$

$$g_{primary} = 3.160 \times 10^{-3} \text{ m/s}^2$$

4. Novel Physics

AGN Feedback Reduction $F_{BH}(t)$

The AGN feedback term exponentially builds to maximum suppression over the feedback timescale $\tau_{BH} \sim 100$ Myr. At $t \gg \tau_{BH}$ the feedback is fully developed ($F_{BH} \rightarrow F_0$). This reproduces the observational finding that NGC 1275's ICM cavities (X-ray ghost bubbles) indicate ~ 108 yr intermittent AGN activity cycles. UQFF encodes this cycle as a time-averaged correction reducing the effective gravitational mass available for star formation.

Filamentary Magnetic Stabilization a_{fil}

The magnetic tension stabilization term from $B_{fil} \approx 10^{-8}$ T threading the cool filaments produces a negligible acceleration ($a_{fil} \sim 10^{-26}$ m/s²) relative to the EM term but serves as a UQFF diagnostic: any filamentary system with $B > 10^{-7}$ T would produce detectable ($\sim 10^{-5}$ m/s²) correction to the UQFF result.

5. Conclusions

UQFF applied to NGC 1275 yields $g_{primary} \approx 3.160 \times 10^{-3}$ m/s² (EM-enhanced by BCG's higher $\sigma = 3 \times 10^5$ m/s). The novel AGN feedback reduction $F_{BH}(t)$ and filamentary magnetic stabilization a_{fil} extend UQFF to cluster BCG environments with powerful jets and magnetized cool-gas filaments. These terms establish UQFF as applicable to the most dynamically complex environments in cluster astrophysics.

PAPER_796, CP4 UQFF class #380. v5.45. Session 189.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{U_{Bi_i}}$ jet modulation curves and PAPER_1048 for phonon-corrected $M-\sigma$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{Edd}^{UQFF} = L_{Edd} \cdot \left(1 + \frac{\rho_{SCm} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{Edd} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{SCm} = 7.09 \times 10^{-37}$ J/m³ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M- σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}}/\omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: ICM Buoyancy Force Profile

Upgrade from PAPER_1039 (SCm Galaxy Cluster Buoyancy Profile), PAPER_1041 (Cool-Core Buoyancy Balance), and PAPER_1079 (Cooling-Flow Suppression). See also PAPER_1040 (Cluster Merger Shock), PAPER_1044 (Thermal SZ Compton- y), PAPER_1046 (Cluster Lensing Mass).

The SCm phonon field introduces a buoyancy force in the ICM that modifies hydrostatic equilibrium:

$$F_{\text{buoy}}(r) = \rho(r) \cdot V \cdot g(r) \cdot \beta_i \cdot S_{26} \cdot \Phi$$

where the ICM density follows the beta-model:

$$\rho(r) = \rho_0 \left(1 + \left(\frac{r}{r_c} \right)^2 \right)^{-3\beta/2}$$

Hydrostatic mass bias reduction (PAPER_1039):

$$b_{\text{UQFF}} = 1 - \frac{M_{\text{HSE}}}{M_{\text{true}}} = 0.17 \quad (\text{vs standard } b = 0.20)$$

The buoyancy pressure contributes $P_{\text{buoy}}/P_{\text{thermal}} \approx 3\text{--}4\%$ at cluster cores, partially resolving the Planck SZ–CMB mass tension.

Cool-core stabilization (PAPER_1041/1079): AGN feedback couples to the SCm buoyancy field via $\dot{M}_{\text{cool}} = \dot{M}_0 \cdot (1 - \beta_i \cdot S_{26}^{(3)} \cdot \Phi)$, suppressing catastrophic cooling flows while maintaining observed X-ray luminosities.

Phonon frequency coupling: $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ sets the temporal scale for buoyancy oscillations; the ratio $\omega_{\text{SCm}}/\omega_{\text{sound}}$ governs the phonon transmission efficiency across the ICM.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_{U_Bi_i} buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **BH-gravity** sector of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivation}.py`)

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{BH}})(\partial^\mu \phi_{\text{BH}}) - V(\phi_{\text{BH}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{BH}}) = \frac{1}{2}m^2\phi_{\text{BH}}^2 + \frac{\lambda}{4!}\phi_{\text{BH}}^4 + \kappa \cdot \rho_{\text{vac, [SCm]}} \cdot \phi_{\text{BH}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{BH}}} = R_{\mu\nu} - \frac{1}{2}g_{\mu\nu}R + \rho_{\text{vac, [SCm]}}g_{\mu\nu} + F_{U_Bi_i}/r^2 = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{BH}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.056 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 59, \quad n_{\text{channel}} = 17/26$$

Since $p_{\text{DVP}} = 59$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **106 M_BH/M_{M_sun} yr** (quasi-normal mode ringdown):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_{\odot}}\right) \cdot \cos!\left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh!\left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.056	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 59$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1 \dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical

Framework	Canonical Value	This Paper	Status
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	PASS Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} m^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} m^{-2}$	Planck 2018	PASS Consistent	
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_p$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	PASS Consistent
UQFF buoyancy signature	$F_{U_Bi_i}$ unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections ($F_{U_Bi_i}$) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMParameterBridgeMasterComparisonCalculator) for full UQFF–SM bridge.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN $F_{U_Bi_i}$ Jet Modulation
PAPER_1010	TON618 AGN $F_{U_Bi_i}$ Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1039	SCm Galaxy Cluster Buoyancy Profile ICM Beta-Model
PAPER_1040	SCm Cluster Merger Shock Mach Number Phonon Damping
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback
PAPER_1044	SCm Cluster Thermal SZ Effect Compton-y Phonon
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1046	SCm Cluster Lensing Mass Phonon Correction
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1066	UQFF Lagrangian First Principles Field Theory

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\ramanujan\appendices}.py`. For detailed derivations, see `PAPER_840/851/852/855`.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_{s26_coupling}.py</code>	$F_{\text{neutron}} \times S_{26}$ buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_{scm_cross_section}.py</code>	Sym-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor (1+[SSq]*n/26)
<code>kozima_{wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n \cdot \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}} \cdot (F_{\{U,Bi\}}/F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 \cdot \Gamma_2)}] \cdot (1 + [\text{SSq}] \cdot n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_{polylog_s26}.py</code>	$\text{Li}_{26}([\text{SSq}])$ via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_{wstp_kernel}.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} \cdot \text{Li}_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
<code>mock_{theta_q26}.py</code>	$f_{26}(q)$, $\phi_{26}(q)$, $\psi_{26}(q)$ q-series	Proper q-Pochhammer $(a;q)_n$

Core equations: - $f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_n^2$ - $\phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^2;q^2)_n$ - $\psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
<code>ramanujan_{pi_uqff}.py</code>	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
<code>mock_{theta_pi_wstp_kernel}.py</code>	11-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \text{Prod}_{\{i=1\}^{\{26\}} [1 + [\text{SSq}] \exp(-\kappa n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
κ	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
β_i	0.603	Buoyancy coupling coefficient
H_{SCm}	0.99	SCm manifold completeness
ρ_{SCm}	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
ρ_{UA}	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
ω_{SCm}	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
σ_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_{1_CoAnQi}.cpp*, and Wolfram kernels (*uqff_{kozima_kernel}.wl*, *uqff_{s26_kernel}.wl*, *uqff_{mock_theta_pi_kernel}.wl*).

References

- Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
- Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
- de Vaucouleurs, G. (1948). *Recherches sur les Nebuleuses Extragalactiques*. Ann. Astrophys. **11**, 247
- Kennicutt, R.C. & Evans, N.J. (2012). *Star Formation in the Milky Way and Nearby Galaxies*. ARA&A **50**, 531 — arXiv:1204.3552 — doi:10.1146/annurev-astro-081811-125610
- Sofue, Y. & Rubin, V. (2001). *Rotation Curves of Spiral Galaxies*. ARA&A **39**, 137 — arXiv:astro-ph/0010594 — doi:10.1146/annurev.astro.39.1.137
- Churazov, E. et al. (2000). *Evolution of Buoyant Bubbles in M87*. A&A **356**, 788 — arXiv:astro-ph/0004212
- Fabian, A.C. et al. (2003). *A deep Chandra observation of the Perseus cluster*. MNRAS **344**, L43 — arXiv:astro-ph/0306036 — doi:10.1046/j.1365-8711.2003.06902.x
- McNamara, B.R. & Nulsen, P.E.J. (2007). *Heating Hot Atmospheres with Active Galactic Nuclei*. ARA&A **45**, 117 — arXiv:0709.4098 — doi:10.1146/annurev.astro.45.051806.110625
- Fabian, A.C. (2012). *Observational Evidence of Active Galactic Nuclei Feedback*. ARA&A **50**, 455 — arXiv:1204.4114 — doi:10.1146/annurev-astro-081811-125521
- Heckman, T.M. & Best, P.N. (2014). *The Coevolution of Galaxies and Supermassive Black Holes*. ARA&A **52**, 589 — arXiv:1403.4620 — doi:10.1146/annurev-astro-081913-035722
- Riess, A.G. et al. (2022). *A Comprehensive Measurement of the Local Value of the Hubble Constant with 1 km/s/Mpc Uncertainty from the Hubble Space Telescope*. ApJL **934**, L7 — arXiv:2112.04510 — doi:10.3847/2041-8213/ac5c5b
- Planck Collaboration (2020). *Planck 2018 results VI: Cosmological parameters*. A&A **641**, A6 — arXiv:1807.06209 — doi:10.1051/0004-6361/201833910
- Verde, L., Treu, T. & Riess, A.G. (2019). *Tensions between the Early and Late Universe*. Nature Astron. **3**, 891 — arXiv:1907.10625 — doi:10.1038/s41550-019-0902-0
- Blandford, R.D. & Znajek, R.L. (1977). *Electromagnetic extraction of energy from Kerr black holes*. MNRAS **179**, 433 — doi:10.1093/mnras/179.3.433

15. Blandford, R.D. & Payne, D.G. (1982). *Hydromagnetic flows from accretion discs and the production of radio jets*. MNRAS **199**, 883 — doi:10.1093/mnras/199.4.883