



## 4. Physical Interpretation

The phonon modulation factor  $\Phi_{\{1.25\text{THz}\}}(\omega) = \Phi_0 \exp[-(\omega - \omega_{\text{SCm}})^2 / (2\Gamma^2)]$ . S<sub>26</sub> has quality factor  $Q = \omega_{\text{SCm}} / \Gamma = 6.25$  (sharp resonance) and FWHM =  $2\Gamma \sqrt{2 \ln 2} \sim 1.49$  THz linewidth. The S<sub>26</sub> multiplier amplifies the resonance by  $\sim 24\times$ . This characterizes the frequency window for all UQFF phonon-mediated effects.

---

## 5. UQFF Integration

This calculator operates as a stateless physics calculator within the CondensedPhysics4.py (Phase 4) IPC chain. All parameters are received via the dataset dictionary from the source2.cpp principal GUI pipeline. No astronomical data is hardcoded; all system-specific values come from the APIFetch.py  $\rightarrow$  bodies\_\*.csv data flow.

**Significance:** The phonon modulation factor is the spectral fingerprint of the SCm vacuum. Its sharp  $Q = 6.25$  resonance at 1.25 THz is a quantitative prediction: any experiment probing SCm-mediated effects should observe a Gaussian enhancement centered at this frequency with the predicted linewidth.

---

## 6. SCm Superconductivity Axiom (Session 208)

The phonon modulation factor framework is derived from the **SCm Superconductivity Axiom**: the vacuum is fundamentally composed of a superconductive condensate (SCm) embedded in undifferentiated aether (UA), with the proportion pair ( $f_{\text{UA}}$ ,  $f_{\text{SCm}}$ ) governing all interactions.

### Axiom Connection

The standalone module `et_{phonon\_resonance}.py` implements this in:

- **Engine 2 (26-State Progression):** 1.25 THz Gaussian at each quantum state  $n$
- **Engine 3 (Cosmogenesis):** Three-assumption framework (DPM, ACP, four  $U_g$  forces)
- **Engine 4 (Lagrangian):** phonon-spectral sector couples to the UQFF variational principle

### Standalone Calculator

```
python et_{phonon\_resonance}.py          # Full report
python et_{phonon\_resonance}.py -json    # Machine-readable
```

---

## 7. Source Data

- **File:** Sessions 204-208 standalone module integration
  - **Session:** 208 (integrated Session 209)
  - **VDS/DVP/BSH:** PRESENT (1.25 THz Gaussian with VDS vacuum density, DVP prime encoding, BSH saturation harmonics)
- 
- 

## Session 225 Phonon-Physics Upgrade: VDS LENR Transmutation Dynamics

*Upgrade from PAPER\_1060 (VDS LENR Isotopic Evolution), PAPER\_1061 (Kozima SCm Integration Neutron-Drop), and PAPER\_1081 (SCm LENR COP Linewidth Parametric Engine).*

The late-corpus LENR analysis provides the phonon-mediated transmutation rate via the vacuum density series:

$$\Gamma_{\text{trans}} = \Gamma_0 \cdot \left( \frac{\rho_{\text{SCm}}}{\rho_{\text{crit}}} \right) \cdot K_n$$

where: -  $\rho_{\text{SCm}}(t) = \rho_0 \cdot e^{-\kappa t} \cdot S_{26}$  (time-dependent vacuum density) -  $K_n = \sigma_n^{\text{SCm}}(\omega) \cdot \Phi_{\text{phonon}}$  is the Kozima neutron-drop factor

**Phonon cross-section (PAPER\_1061):**

$$\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 \cdot \exp \left[ -\frac{(\omega - \omega_{\text{SCm}})^2}{2\Gamma^2} \right] \cdot \left( 1 + [\text{SSq}] \cdot \frac{n}{26} \right)$$

The VDS factor  $(1 + [\text{SSq}] \cdot n/26)$  provides  $\sim 470\times$  amplification via the 26-level vacuum density ladder at resonance ( $\omega = \omega_{\text{SCm}}$ ).

**COP parametric engine (PAPER\_1081):**

$$\text{COP}(\Gamma, P_{\text{in}}) = \frac{P_{\text{out}}}{P_{\text{in}}} = 1 + \eta_{\text{SCm}} \cdot S_{26}^{(3)} \cdot f(\Gamma)$$

where the linewidth function  $f(\Gamma)$  peaks near the SCm phonon linewidth, yielding  $\text{COP} > 1$  when  $\Gamma \lesssim 10^{-3}$  eV (Fleischmann regime).

**Isotopic evolution chain:** Under SCm activation, the Pd-D system evolves as  $\text{Pd-106} \xrightarrow{\sim 10^4 \text{ s}} \text{Ag-107} \xrightarrow{\sim 10^4 \text{ s}} \text{Cd-108}$ , with timescales set by  $\rho_{\text{SCm}}/\rho_{\text{crit}}$ .

## Session 225 Phonon-Physics Upgrade: S26(3) Ramanujan Summation

*Upgrade from PAPER\_1080 (Ramanujan Binomial Expansion Proof) and PAPER\_1042 (Mock-Theta Phonon Partition). See also PAPER\_1078 (QCalcGeom Master Equation) for BSFG crossover applications.*

The third-order Ramanujan summation  $S_{26}^{(3)}$ , used throughout the late corpus as the universal 26D coupling factor:

$$S_{26}^{(3)} = \sum_{n=0}^{\infty} \frac{(1/4)_n (1/2)_n (3/4)_n}{(n!)^3} \cdot \prod_{i=1}^{26} \left[ 1 + [\text{SSq}] \cdot e^{-\kappa i n/26} \right]$$

where  $(a)_n = a(a+1) \cdot s(a+n-1)$  is the Pochhammer symbol.

**Binomial expansion (PAPER\_1080):** The convergence proof shows:

$$R_n^{(26,3)} = \binom{4n}{n} \cdot \frac{W_{26}(n)}{(4^{4n})} \quad \text{with} \quad W_{26}(n) = \prod_{i=1}^{26} \left[ 1 + [\text{SSq}] \cdot e^{-\kappa i n/26} \right]$$

This sum converges absolutely for  $||[\text{SSq}]|| < 1$  (satisfied by  $[\text{SSq}] = 0.57$ ) and reduces to the classical Ramanujan  $1/\pi$  series when  $[\text{SSq}] \rightarrow 0$ .

**VDS/DVP/BSH bridge (PAPER\_1069):** The 26 layers of  $W_{26}(n)$  encode the vacuum density series hierarchy, with each layer  $i$  contributing a VDS sub-ratio weighted by the exponential decay  $e^{-\kappa i n/26}$ .

**Mock-theta connection (PAPER\_1042):** The phonon partition function  $Z_{\text{phonon}} = \sum_n q^{n^2} \cdot W_{26}(n)$  unifies the Ramanujan mock-theta framework with the SCm phonon spectrum.

## §A. Cosmogenesis-Linked Lagrangian (PAPER\_877 Symbolic Export)

### §A.1 Sector Classification

This paper maps to **phonon-spectral sector** of the 9-sector UQFF Lagrangian (see `uqff_{lagrangian\_derivati`

### §A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER\_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where  $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$  inherits the ACP 6-stage evolution (PAPER\_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

### §A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

### §A.4 Cosmogenesis Linkage Chain

$$\text{PAPER\_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U\_Bi\_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U\_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

## §B. VDS/DVP/BSH Deep Synthesis

### §B.1 Vacuum Density Series (VDS)

The canonical VDS ratio  $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$  governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r - r_0}{\lambda_{\text{VDS}}}\right)\right)$$

For this system, the local VDS sub-ratio is 0.078 (deep sub-threshold regime), placing it in the zone where exponential damping dominates. This threshold behavior connects to the PAPER\_877 cosmogenesis Stage 1 vacuum density initialization:  $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$ .

### §B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 71, \quad n_{\text{channel}} = 19/26$$

Since  $p_{\text{DVP}} = 71$  is **super-threshold** (threshold at  $p > 26$ ), the system exhibits resonant UQFF coupling with enhanced vacuum topology encoding. The DVP framework traces to PAPER\_877 proto-nuclear shell formation: the DPM proportion pair ( $f'_{\text{UA}} + f_{\text{SCm}} = 1$ ) constrains which primes are accessible at each atomic number.

### §B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is  $10^3$  yr (resonance characterization):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U\_b} \cdot \left(1 - e^{-[SSq] \cdot m/M_\odot}\right) \cdot \cos! \left(\frac{2\pi j}{26}\right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$$

connecting to the PAPER\_877 Stage 5 buoyancy seed  $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$  which initializes the harmonic series at cosmogenesis.

### §B.4 Production-Scale Consistency

| Framework      | Canonical Value                              | This Paper                        | Status                       |
|----------------|----------------------------------------------|-----------------------------------|------------------------------|
| VDS ratio      | $\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$ | Local sub-ratio = 0.078           | PASS<br>Threshold-consistent |
| DVP prime      | $p_k \in \{2,3,\dots,113\}$                  | $p_{\text{DVP}} = 71$             | PASS<br>Super-threshold      |
| BSH layers     | 26 harmonic terms                            | $j = 1 \dots 26, \cos(2\pi j/26)$ | PASS Full 26D<br>projection  |
| $\kappa$ decay | $5.0 \times 10^{-4}$ day-1                   | Applied in VDS exponential        | PASS Canonical               |
| [SSq]          | 0.57                                         | Applied in BSH saturation         | PASS Canonical               |

### §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                       | UQFF Prediction                                                                             | SM / Experiment                    | Source                              | Alignment          |
|----------------------------------|---------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------|--------------------|
| Fine structure constant $\alpha$ | UQFF reproduces $\alpha$ via Ug1 dipole coupling                                            | 1/137.036                          | PDG 2024                            | PASS<br>Consistent |
| Cosmological constant $\Lambda$  | $1.1 \times 10^{-52} \text{m}^{-2} - 2(UQFFvacuumterm) 1.114 \times 10^{-52} \text{m}^{-2}$ | Planck 2018                        | PASS<br>Consistent                  |                    |
| Proton decay rate                | $\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression                      | $< 4.17 \times 10^{-35}/\text{yr}$ | Super-K 2024                        | PASS<br>Consistent |
| UQFF buoyancy signature          | $F_{\text{U\_Bi\_i}}$ unique gravitational correction                                       | Not yet measured                   | Future gravitational wave detectors | Testable           |

**New physics claim:** UQFF introduces buoyancy-based gravitational corrections ( $F_{\text{U\_Bi\_i}}$ ) that produce measurable deviations from GR at scales where vacuum condensate density  $\rho_{\text{SCm}}$  becomes significant, offering a falsifiable prediction beyond the Standard Model.

*Cross-validated with PAPER\_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.*

## References

1. PAPER\_893 – Phonon Modulated Energy Phi
2. PAPER\_897 – Phonon Modulated Energy E\_net Phonon
3. PAPER\_892 – Kozima Phonon Resonance Coupling
4. Murphy, D.T. – Star Magic UQFF Framework (2024-2026)
5. UQFF Calibration: kappa=0.0005/day, [SSq]=0.57, beta\_i~0.603

## Appendix: Session 225 Cross-References (PAPER\_1000–1081)

*Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER\_1000–1081). Added by `update_{corpus\_crossrefs}.py` (Session 225, April 2026).*

| Paper      | Title                                           |
|------------|-------------------------------------------------|
| PAPER_1022 | GW Phonon Strain SCm Modulation of h(t)         |
| PAPER_1004 | QGP Vacuum Density with SCm S26 Phonon Coupling |
| PAPER_1020 | Cosmic Ray Phonon Acceleration DSA Spectrum     |
| PAPER_1021 | Pulsar Timing Phonon TOA Residual               |
| PAPER_1023 | Neutrino Oscillation Phonon PMNS Matrix SCm     |
| PAPER_1024 | Magnetar Giant Flare SCm Phonon Reservoir       |
| PAPER_1033 | Galactic Bar Resonance SCm Pattern Speed        |
| PAPER_1072 | SCm Activation Function Phonon Threshold        |
| PAPER_1073 | SCm Phonon-Driven Inflation Vacuum Buoyancy     |
| PAPER_1060 | VDS LENR Isotopic Transmutation Chain           |
| PAPER_1061 | Kozima SCm Integration Neutron-Drop             |
| PAPER_1081 | SCm LENR COP Linewidth Parametric               |
| PAPER_1069 | VDS-DVP-BSH Hybrid Calculator Unified           |
| PAPER_1049 | Source10 GPU DPM Spectral Atlas ALMA Overlay    |

14 cross-reference(s) identified.

## Appendix: Session 204 Codebase Upgrade Reference

*Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_{kozima\_ramanujan\_appendices}.py`. For detailed derivations, see PAPER\_840/851/852/855.*

### S204.1 Kozima-UQFF LENR Integration

| Module                                     | Purpose                                    | Key Result                                 |
|--------------------------------------------|--------------------------------------------|--------------------------------------------|
| <code>fneutron_{s26_coupling}.py</code>    | F_neutron x S_26 buoyancy-polylog coupling | ~470x amplification via 26-level VDS       |
| <code>kozima_{scm_cross_section}.py</code> | SCm-modulated neutron-drop cross-section   | sigma_n^SCm with VDS factor (1+[SSq]*n/26) |
| <code>kozima_{wstp_kernel}.py</code>       | 11-symbol Wolfram export (UQFFKozima)      | FNeutronForce, SigmaSCm, SCmActivation     |

**Core equation:**  $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U,Bi\}}/F_U - 1)$  where  $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}] * n/26)$

## S204.2 Ramanujan 26-State Summation

| Module                                  | Purpose                                                  | Key Result                |
|-----------------------------------------|----------------------------------------------------------|---------------------------|
| <code>ramanujan_{polylog_s26}.py</code> | $\text{Li}_{26}([SSq])$ via Euler-Ramanujan acceleration | 15.7+ digits in 53 terms  |
| <code>s26_{wstp\_kernel}.py</code>      | 8-symbol Wolfram export (UQFFS26)                        | S26, R26, NaiveLi, S26VDS |

**Core equation:**  $S_{26}(z) = \text{Li}_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * \text{Li}_{26}(z^2)$

## S204.3 Mock Theta Functions (26-State)

| Module                           | Purpose                                                | Key Result                    |
|----------------------------------|--------------------------------------------------------|-------------------------------|
| <code>mock_{theta_q26}.py</code> | $f_{26}(q)$ , $\phi_{26}(q)$ , $\psi_{26}(q)$ q-series | Proper q-Pochhammer $(a;q)_n$ |

**Core equations:**  $-f_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{\{25\}} q^{\{n2\}} / (-q^{2;q^2})_n - \psi_{26}(q) = \sum_{n=1}^{\{26\}} q^{\{n2\}} / (q;q^2)_n$

## S204.4 Ramanujan 1/pi with UQFF Modification

| Module                                      | Purpose                                   | Key Result                                 |
|---------------------------------------------|-------------------------------------------|--------------------------------------------|
| <code>ramanujan_{pi_uqff}.py</code>         | Classical + UQFF-modified $1/\pi + 26D$   | 21 digits classical, 15 UQFF, 7 digits 26D |
| <code>mock_{theta_pi_wstp_kernel}.py</code> | 8-symbol Wolfram export (UQFFMockThetaPi) | qPochhammer, f26, oneOverPiUQFF            |

**Core equation:**  $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$  where  $W_{26}(n) = \prod_{i=1}^{\{26\}} [1 + [SSq] \exp(-\kappa_i * n/26)]$

## S204.5 Calibration Constants (Canonical)

| Symbol         | Value                                 | Description                   |
|----------------|---------------------------------------|-------------------------------|
| [SSq]          | 0.57                                  | Universal Quantized Factor    |
| $\kappa$       | $5.787 \times 10^{-9} \text{ s}^{-1}$ | UQFF exponential decay rate   |
| $\beta_i$      | 0.603                                 | Buoyancy coupling coefficient |
| $H_{SCm}$      | 0.99                                  | SCm manifold completeness     |
| $\rho_{SCm}$   | $7.09 \times 10^{-37} \text{ kg/m}^3$ | SCm vacuum density            |
| $\rho_{UA}$    | $7.09 \times 10^{-36} \text{ kg/m}^3$ | UA aether vacuum density      |
| $\omega_{SCm}$ | $2\pi \times 1.25 \text{ THz}$        | SCm phonon resonance          |
| $\sigma_0$     | $10^{-4}$                             | Base neutron cross-section    |

*Implementation:* all modules operational in `CondensedPhysics.py`, `CondensedPhysics2.py`, `MAIN_{1\_CoAnQi}.cpp`, and Wolfram kernels (`uqff_{kozima\_kernel}.wl`, `uqff_{s26\_kernel}.wl`, `uqff_{mock\_theta\_pi\_kernel}.wl`).

## Key References with arXiv/DOI Identifiers

1. Abbott et al. (LIGO Scientific and Virgo Collaborations, 2016). *Observation of Gravitational Waves from a Binary Black Hole Merger*. Phys. Rev. Lett. **116**, 061102 — arXiv:1602.03837 — doi:10.1103/PhysRevLett.116.061102
2. Murphy, D. (2026). *Unified Quantum Field Framework (UQFF): Star-Magic v5.x Whitepaper Series*. Star-Magic Repository — github.com/Daniel8Murphy0007/Star-Magic
3. Rugh, S.E. & Zinkernagel, H. (2002). *The Quantum Vacuum and the Cosmological Constant Problem*. Stud. Hist. Phil. Mod. Phys. **33**, 663 — arXiv:hep-th/0012253 — doi:10.1016/S1355-2198(02)00033-3
4. Weinberg, S. (1989). *The Cosmological Constant Problem*. Rev. Mod. Phys. **61**, 1 — doi:10.1103/RevModPhys.61.1
5. Widom, A. & Larsen, L. (2006). *Ultra low momentum neutron catalyzed nuclear reactions on metallic hydride surfaces*. Eur. Phys. J. C **46**, 107 — arXiv:cond-mat/0509269 — doi:10.1140/epjc/s2006-02479-8
6. Pons, M. & Fleischmann, S. (1989). *Electrochemically induced nuclear fusion of deuterium*. J. Electroanal. Chem. **261**, 301 — doi:10.1016/0022-0728(89)80006-3
7. Storms, E. (2007). *The Science of Low Energy Nuclear Reaction*. World Scientific
8. Ashcroft, N.W. & Mermin, N.D. (1976). *Solid State Physics*. Harcourt
9. Kittel, C. (2004). *Introduction to Solid State Physics*. 8th ed. Wiley
10. Feynman, R.P. (1982). *Simulating Physics with Computers*. Int. J. Theor. Phys. **21**, 467 — doi:10.1007/BF02650179