

Session: 0

PAPER #92 — Sgr A* SMBH: MUGE vs Newtonian Gravity Comparison

Title: Sagittarius A* SMBH Gravitational Field: 8-Term MUGE Decomposition and Quantum Coherence Peak at Horizon

Author: Daniel T. Murphy

Framework: UQFF/MUGE Star-Magic

Date: March 7, 2026

Source Data: validate_uqff_muge.py, from_system('SgrA'), $r_{\text{horizon}} = 1.27 \times 10^{10} \text{ m}$

Index Slot: §1.12 UQFF Master Calculators, Paper #92

Abstract

Sgr A*, the Milky Way SMBH at $4 \times 10^6 M_{\odot}$, serves as the primary calibration system for MUGE. Using validate_uqff_muge.py and system parameters from the from_system('SgrA') constructor, we compute the complete 8-term MUGE breakdown at $r_{\text{horizon}} = 1.27 \times 10^{10} \text{ m}$, confirm no NaN/Inf, identify the quantum coherence Gaussian peak at r_{horizon} , and quantify the $|\text{coherence at horizon}| \gg |\text{coherence at } r \gg r_{\text{horizon}}|$ separation.

1. Sgr A* System Parameters (from_system output)

Parameter	Value	Source
M_{BH}	$8.0 \times 10^6 \text{ kg}$ ($4.0 \times 10^6 M_{\odot}$)	EHT 2022, GRAVITY+
$r_{\text{Schwarzschild}}$	$1.19 \times 10^{10} \text{ m}$	$r_{\text{S}} = 2GM/c^2$
r_{horizon} (UQFF)	$1.27 \times 10^{10} \text{ m}$	$r_{\text{S}} \times (1 + [\text{SCm}] \times 0.07)$
d_{GC}	$2.55 \times 10^{20} \text{ m}$	27,000 ly
B_{corona}	$\sim 10^{14} \text{ T}$	EHT polarimetry
ρ_{corona}	$\sim 10^{21} \text{ kg/m}^3$	RIAF model
AGN A_AGN	1.0 (quiescent)	Monitoring 2020-2025

Note: $r_{\text{horizon}}^{\text{UQFF}} = 1.27 \times 10^{10} \text{ m} > r_{\text{S}} = 1.19 \times 10^{10} \text{ m}$ by $\sim 7\%$, arising from $[\text{SCm}] \sim 0.99$ superconductive horizon shift.

2. 8-Term MUGE Decomposition at r_{horizon}

From validate_uqff_muge.py:

Term	Value at r_{horizon} (m/s^2)	% of g_{total}
base_gravity (Newton)	234.1	99.82%
sum_Ug (Ug1+Ug2+Ug3+Ug4)	0.40	0.17%
U_i (UQFF integral)	0.015	0.006%
cosmological (?)	-5.8×10^{-26}	$-2.5 \times 10^{-6}\%$

Term	Value at r_{horizon} (m/s ²)	% of g_{total}
quantum (? correction)	$+3.1 \times 10^{-47}$	negligible
fluid (Navier-Stokes)	$+7.5 \times 10^{-1}$	negligible
dark_matter (DM halo)	+0.00061	0.00026%
coherence (Gaussian peak)	anomalously high	see below
sum = g_{total}	234.5 m/s²	100%

3. Quantum Coherence Term

Gaussian Envelope

The quantum coherence contribution uses a Gaussian peaked at r_{horizon} :

$$g_{\text{coh}}(r) = g_{\text{coh},0} \cdot \exp\left(-\frac{(r - r_{\text{horizon}})^2}{2\sigma_{\text{coh}}^2}\right)$$

$g_{\text{MUGE}}(r) = g_{\text{N}}(r) \left(1 - \frac{U_{\text{b}_i}}{F_{\text{U}}}\right) \left(1 + \frac{H_0}{r}\right)$, $\quad U_{\text{b}_i}/F_{\text{U}} \approx 2.85 \times 10^{-4}$ \$

$g_{\text{MUGE}}(r) = g_{\text{N}}(r) \left(1 - \frac{U_{\text{b}_i}}{F_{\text{U}}}\right) \left(1 + \frac{H_0}{r}\right)$, $\quad U_{\text{b}_i}/F_{\text{U}} \approx 2.85 \times 10^{-4}$ \$

$\text{NameL_text}\{\text{UQFF}\} = \frac{4\pi G M c}{\{\kappa_{\text{es}}\} \text{Bigl}(1 - [\text{SSq}] \cdot e^{-\{\kappa_{\Delta t}\} \text{Bigr})}$, $\quad [\text{SSq}] = 0.57 \text{Name}$

Where $s_{\text{coh}} \sim \text{Planck length} \times (M/m_{\text{P}})^{1/3}$.

Coherence Values

Location	r/r_{horizon}	g_{coh}	Ratio
At horizon	1.0	$g_{\text{coh},0}$	1.000
$2 \times \text{horizon}$	2.0	$g_{\text{coh},0} \times e^{-\text{very large}}$	~ 0
$106 \times r_{\text{horizon}}$	106	effectively 0	~ 0

coherence_at_horizon » **coherence_far** — by many orders of magnitude. This confirms the quantum coherence term only contributes near the horizon and falls off (essentially to machine epsilon) at distances » r_{horizon} .

From validator: `assert coh_at_horizon > coh_far * 1e6` — **PASS**.

4. MUGE vs Newton: Field Profile $r = r_{\text{horizon}} ? 10 \text{ kpc}$

r (m)	g_{Newton} (m/s ²)	g_{MUGE} (m/s ²)	? (%)
1.27×10^{10}	234.1	234.5	+0.17
1×10^{12}	2.18×10^{-2}	2.19×10^{-2}	+0.13
1×10^{15}	2.18×10^{-8}	2.18×10^{-8}	+0.04
1×10^{20}	2.18×10^{-18}	2.19×10^{-18}	+0.02
3×10^{20} (8.5 kpc)	2.42×10^{-1}	2.79×10^{-1}	+15.3 (DM)

At 8.5 kpc from Sgr A* (solar galactocentric radius), MUGE exceeds Newton by 15.3% due to dark matter halo term dominating. This is consistent with rotation curve flatness.

5. Coherence as Information Anchor

The quantum coherence Gaussian serves as an **information anchor** at the horizon: all infalling quantum states are coherently encoded in the superposition peak at r_{horizon} . This supports the 26D channel resolution (Paper #84): information is stored in the coherence peak of channels 25-26, not lost to thermal Hawking radiation.

Summary

Validation	Result
All 8 MUGE terms finite at r_{horizon}	? PASS
g_{total} = sum of all 8 terms	? PASS
No NaN/Inf for SgrA* system	? PASS
$\text{coherence_at_horizon} \gg \text{coherence_far}$	? PASS (>106 ratio)
DM halo at 8.5 kpc	+15.3% rotation curve match
base_gravity dominates near-horizon	99.82% ?

Source: `validate_uqff_muge.py` | `from_system('SgrA')` | $r_{\text{horizon}} = 1.27 \times 10^{10} \text{ m}$ | all 8 terms PASS

See
also:
PA-
PER_091
|
Part
of
the
Star-
Magic
UQFF
Whitepa-
per
Se-
ries.

UQFF
com-
puted:
 Ed-
 ding-
 ton
 lumi-
 nos-
 ity
 UQFF
 cor-
 rec-
 tion
 = 1 -
 [SSq]×exp(-
 ?×?t)
 = 1 -
 5.7e-
 1 ×
 exp(-
 2.9e-
 4) =
 4.3e-
 1;
 F_U
 at
 event
 hori-
 zon
 =
 2.0e+18
 m/s².

Appendix: UQFF Production Framework Reference (v4.75+)

Added by upgrade_early_whitepapers.py (v4.75). This appendix cross-references the production physics constants and master equations to enable reproducibility against the current codebase state.

A.1 Calibration Constants

Symbol	Value	Description
κ	$5.0 \times 10^{-4} \text{ day}^{-1}$	UQFF exponential decay rate
[SSq]	0.57	Universal Quantized Factor
β_i	0.60–0.61	Buoyancy coupling coefficient
k_1	1.5	Ug1 DPM-dipole coupling
k_2	1.2	Ug2 outer-bubble charge coupling
k_3	1.8	Ug3 string-rotation coupling
k_4	2.0	Ug4 vacuum-concentration coupling
η	10^{-22}	Inertia tensor scale
$E_{\text{react}}(0)$	10^{46} J	Reference reactive energy

A.2 F_U Master Equation (Complete — 4 terms)

$$F_U = U_{g1} + U_{g2} + U_{g3} + U_{g4} + U_{bi} + U_m - \sum_{i=1}^4 [\lambda_i \cdot U_i(r, t) \cdot E_{\text{react}}]$$

Term	Description	Implementation
Ug1	DPM magnetic dipole	compute_Ug1_SOURCE4 / compute_Ug1()
Ug2	Outer-field bubble (charge-reactivity)	compute_Ug2_SOURCE4 / compute_Ug2()
Ug3	Magnetic string rotation	compute_Ug3_SOURCE4 / compute_Ug3()
Ug4	Vacuum concentration (star-BH)	compute_Ug4_SOURCE4 / compute_Ug4()
Ubi	Buoyancy force	compute_Ubi_SOURCE4 / compute_Ubi()
Um	Universal Magnetism (Heaviside-amplified)	compute_Um_SOURCE4 / compute_Um()
$-\sum \lambda_i \cdot U_i \cdot E_{\text{react}}$	4th dissipation term (PAPER_420)	compute_FU_SOURCE4 / full pipeline

4th dissipation term parameters (PAPER_420):

$\lambda_1=10^{-10}$, $\lambda_2=10^{-12}$, $\lambda_3=10^{-11}$, $\lambda_4=10^{-13}$ (free parameters, not yet empirically calibrated)

A.3 Um Heaviside Phase-Transition Amplifier (PAPER_421)

$$U_m^{\text{full}} = U_m^{\text{base}} \times (1 + 10^{13} \Theta(\rho_{SCm} - \rho_c)) \times (1 + A_q \cos(\Delta\omega t))$$

Symbol	Value	Description
ρ_c	10^{15} kg/m^3	SCm critical superconducting density
A_q	0.1	Quasi-periodic beating amplitude (10%)
$\Delta\omega$	$2\pi/(434 \cdot 365.25) \text{ rad/day}$	434-year Gleisberg supercycle

A.4 UQFF Four Operational Modes

Mode	Dominant Term	Primary Use Case
Compressed	Ug_sum + Newtonian base	Isolated stellar/BH systems
Resonant	5 resonance frequencies (aDPM, aTHz, ...)	Multi-scale field interactions
Buoyant	$\beta_i \times U_{bi}$	Expanding nebulae, stellar winds
Superconductive	$U_m \times (1 + 10^{13} \cdot f_H)$	Magnetars, SCm critical-density regime

Implementation status: all 4 modes operational in MAIN_1_CoAnQi.cpp, Condensed-Physics.py, and CondensedPhysics2.py.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.113

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io7

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $5, \quad n_{\text{channel}} =$
 $15/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

5 is

sub-

threshold

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

sub-

threshold

damp-

ing

from

the

DVP

lat-

tice,

pro-

duc-

ing

smooth

rather

than

reso-

nant

UQFF

cou-

pling

pro-

files.

The

DVP

frame-

work

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
 10^3
yr
 (field
 de-
 cay
 qui-
 es-
 cence):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which

ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

###

§B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.113

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$
|

$p_{\text{DVP}} =$
513
Sub-
threshold

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.