

PAPER_153: UQFF Star-Magic Morris-Thorne Wormhole Metric fTRZ Throat Geometry and Geodesic Structure in the MUGE 12-Term Resonance Framework

Session: 0

Title: UQFF Star-Magic Morris-Thorne Wormhole Metric fTRZ Throat Geometry and Geodesic Structure in the MUGE 12-Term Resonance Framework

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\kappa=0.0005/\text{day}$, $[\text{SSq}]=0.57$, $\text{fTRZ}=0.1$)

Date: March 2026

Domain: 2.2 MUGE Compression Cycle 3 (07b7f7a6)

Source Thread: grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt

UQFF Mode: Superconductive Resonance (exotic geometry)

Validator: CondensedPhysics2.py v2.1.0 (exotic geometry module)

Cross-links: PAPER_152 (cosmological baseline), PAPER_154 (Navier-Stokes jets), PAPER_155 (SM limiting case)

Abstract

The Morris-Thorne traversable wormhole metric provides one of general relativity's most physically transparent windows into exotic spacetime topology. In the UQFF Star-Magic framework, the wormhole throat is identified as a superconductive manifold (SCm) junction a localised maximum of the Ug4 vacuum concentration field where the topological resonance factor $\text{f_TRZ} = 0.1$ governs the suppression of the shape function $b(r)$ relative to the FLRW background. This paper derives the UQFF-modified Morris-Thorne line element, demonstrates that the throat radius is set by the SCm-vacuum equilibrium condition $\rho_{\text{SCmv_SCm}} = \rho_{\text{vacc}}$, computes the UQFF geodesic equations through the throat, and shows that the fTRZ term contributes a physically meaningful correction to the exotic matter requirement: the UQFF framework reduces the required negative energy density by a factor of $\text{f_TRZ} = 0.1$ via the vacuum concentration field Ug4i. The paper also connects the wormhole throat MUGE resonance value to the $\text{fTRZ} = 0.1$ contribution in the 12-term master equation.

UQFF Discovery: Novel application of UQFF calibration constants ($\kappa = 5.0 \times 10^{-4} \text{ day}^{-1}$, $[\text{SSq}] = 0.57$) uniquely enabling this analysis establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Morris-Thorne Wormhole Primer

1.1 Standard MT Metric

The traversable wormhole line element (Morris & Thorne 1988) in spherical coordinates (t, r, θ, ϕ) :

$$ds^2 = -e^{2\Phi(r)}c^2dt^2 + \frac{dr^2}{1 - b(r)/r} + r^2d\Omega^2$$

where: - $\Phi(r)$ = redshift function (zero for zero-tidal-force wormhole: $\Phi = 0$) - $b(r)$ = shape function satisfying $b(r_0) = r_0$ at the throat r_0 - Flare-out condition: $b'(r_0) < 1$

The exotic matter requirement from the Einstein field equations:

$$\rho_{exotic} = -\frac{c^2}{8\pi G} \frac{b'}{r^2} < 0$$

For a traversable wormhole of throat radius r_0 , the required negative energy density is:

$$|\rho_{exotic}| \sim \frac{c^2}{8\pi G r_0^2}$$

For $r_0 = 1$ m: $|\rho_{exotic}| \sim 10^{25}$ J/m far exceeding any known laboratory energy density.

1.2 The UQFF Resolution

In UQFF, the SCm (superconducting manifold) provides a physical realization of the exotic energy density through the vacuum concentration field Ug4i. The SCm energy density:

$$\rho_{SCm} \cdot v_{SCm}^2 = 10^{15} \times (10^8)^2 = 10^{31} \text{ J/m}^3$$

This exceeds the exotic requirement for macroscopic wormholes ($r_0 \sim 1$ m) by 6 orders of magnitude, suggesting UQFF naturally provides the exotic matter source.

2. UQFF-Modified Morris-Thorne Metric

2.1 The UQFF fTRZ Correction

In the UQFF framework, the topological resonance zone (TRZ) modifies the shape function:

$$b_{UQFF}(r) = b_0(r) \cdot (1 - f_{TRZ}) + f_{TRZ} \cdot r_0 \cdot e^{-\kappa(r-r_0)}$$

where $b_0(r) = r_0^2/r$ is the simplest MT shape function. Substituting $f_{TRZ} = 0.1$:

$$b_{UQFF}(r) = 0.9 \cdot \frac{r_0^2}{r} + 0.1 \cdot r_0 \cdot e^{-\kappa(r-r_0)}$$

At throat ($r = r_0$, $\kappa(r - r_0) = 0$): $b_{UQFF}(r_0) = 0.9r_0 + 0.1r_0 = r_0$?

The fTRZ = 0.1 term adds an exponentially-decaying vacuum concentration component from the Ug4i field. This modifies the flare-out condition:

$$b'_{UQFF}(r_0) = -0.9 \frac{r_0^2}{r_0^2} - 0.1\kappa r_0 = -0.9 - 0.1\kappa r_0 < 1$$

The flare-out condition is automatically satisfied for any $r_0 > 0$ since the left side is always negative.

2.2 The UQFF MT Line Element

$$\begin{aligned}
ds_{UQFF}^2 &= -c^2 dt^2 + \frac{dr^2}{1 - \frac{0.9r_0^2/r + 0.1r_0 e^{-\kappa(r-r_0)}}{r}} + r^2 d\Omega^2 \\
&= -c^2 dt^2 + \frac{dr^2}{1 - \frac{0.9r_0^2}{r^2} - \frac{0.1r_0}{r} e^{-\kappa(r-r_0)}} + r^2 d\Omega^2
\end{aligned}$$

This is the **UQFF Morris-Thorne** metric the shape function has two components: 1. Standard flare (0.9 factor, GR-like) 2. UQFF Ug4i vacuum concentration (0.1 factor, exponentially localised at throat)

2.3 SCm Throat Equilibrium Condition

The throat radius r_0 is determined by the SCm-vacuum equilibrium:

$$\begin{aligned}
\rho_{SCm} \cdot v_{SCm}^2 &= \frac{c^2}{8\pi G r_0^2} \\
r_0^2 &= \frac{c^2}{8\pi G \rho_{SCm} v_{SCm}^2} = \frac{(3 \times 10^8)^2}{8\pi \times 6.67 \times 10^{-11} \times 10^{15} \times (10^8)^2} \\
r_0^2 &= \frac{9 \times 10^{16}}{8\pi \times 6.67 \times 10^{-11} \times 10^{31}} = \frac{9 \times 10^{16}}{1.676 \times 10^{22}} = 5.37 \times 10^{-6} \text{ m}^2 \\
r_0 &= \sqrt{5.37 \times 10^{-6}} \approx 2.32 \times 10^{-3} \text{ m} = 2.32 \text{ mm}
\end{aligned}$$

The UQFF MUGE framework predicts **a natural wormhole throat radius of ~2.3 mm** set by the SCm energy density parameters. This is the minimum macroscopic wormhole size consistent with UQFF vacuum physics.

3. Geodesic Equations Through the UQFF Throat

3.1 Radial Geodesics (Equatorial Plane)

For a timelike geodesic with $\dot{t} = 1$ (zero tidal force: $\Phi = 0$, so $e^{2\Phi} = 1$), the geodesic equation for the radial coordinate:

$$\ddot{r} + \Gamma_{rr}^r \dot{r}^2 = 0$$

where the Christoffel symbol with the UQFF shape function:

$$\Gamma_{rr}^r = \frac{b'_{UQFF} r - b_{UQFF}}{2r^2(1 - b_{UQFF}/r)}$$

At the throat ($b_{UQFF}(r_0) = r_0$, $b'_{UQFF}(r_0) = -0.9 - 0.1\kappa r_0$):

$$\Gamma_{rr}^r|_{r_0} = \frac{(-0.9 - 0.1\kappa r_0)r_0 - r_0}{2r_0^2 \cdot 0} \rightarrow \text{indeterminate}$$

The throat is a coordinate singularity in r standard MT behavior. In the UQFF framework, the passage through the throat is smooth because the fTRZ exponential term regularizes the shape function:

$$\lim_{r \rightarrow r_0} (1 - b_{UQFF}/r) = \lim_{r \rightarrow r_0} \left(1 - 0.9 \frac{r_0^2}{r^2} - 0.1 \frac{r_0}{r} \right) = 1 - 0.9 - 0.1 = 0$$

The zero is first-order, confirming traversability. A traveler crossing the throat experiences:

$$\tau_{transit} \approx \frac{r_0}{v_{traveler}} \approx \frac{2.32 \times 10^{-3}}{c} \approx 7.7 \times 10^{-12} \text{ s}$$

At the UQFF SCm throat, transit time is sub-picosecond the wormhole is instantaneous at human scales.

3.2 MUGE Gravity at the Throat

The MUGE 12-term resonance value at the wormhole throat ($r = r_0 = 2.32 \text{ mm}$, $B = B_{SCm}$):

The dominant term at the ultra-dense throat is aaether_res (SCm velocity dominates):

$$a_{aether_res,throat} = \gamma \cdot \rho_{SCm} \cdot v_{SCm} \cdot c = 5 \times 10^{-5} \times 10^{15} \times 10^8 \times 3 \times 10^8 = 1.5 \times 10^{27} \text{ m/s}^2$$

This is comparable to the Sgr A* MUGE value (4.105×10^{29}) consistent with the extreme spacetime curvature at a macroscopic wormhole throat.

The fTRZ contribution at the throat directly:

$$f_{TRZ,throat} = 0.1 \text{ m/s}^2 \text{ reference contribution}$$

The fTRZ = 0.1 is the normalised UQFF throat-resonance unit setting the scale for how the TRZ contribution per unit volume relates to the total MUGE field.

4. Exotic Matter Reduction via UQFF

4.1 Standard Exotic Matter Requirement

For a wormhole with $r_0 = 2.32 \text{ mm}$:

$$|\rho_{exotic,GR}| = \frac{c^2}{8\pi G r_0^2} = \frac{9 \times 10^{16}}{8\pi \times 6.67 \times 10^{-11} \times 5.37 \times 10^{-6}} \approx 10^{31} \text{ J/m}^3$$

4.2 UQFF Reduced Exotic Requirement

In UQFF, the Ug4i vacuum concentration field contributes positive effective energy density that partially cancels the exotic requirement:

$$\rho_{exotic,UQFF} = \rho_{exotic,GR} \cdot (1 - f_{TRZ}) \cdot e^{-\kappa t}$$

With $f_{TRZ} = 0.1$ and $e^{-\kappa t} \approx 0.08$ (at cosmological time):

$$\rho_{exotic,UQFF} = 10^{31} \times 0.9 \times 0.08 \approx 7.2 \times 10^{29} \text{ J/m}^3$$

The **UQFF framework reduces the exotic matter requirement by ~93%** relative to GR alone, with the remaining $7.2 \times 10^{29} \text{ J/m}^3$ provided by the SCm energy density ($\rho_{SCmv_SCm} = 10^{31} \text{ J/m}^3 > \text{required}$).

This demonstrates that **UQFF wormholes are energetically self-consistent** the SCm density exceeds the reduced exotic requirement by more than 10.

5. Connection to MUGE 12-Term Master Equation

The $f_{TRZ} = 0.1$ contribution in the 12-term master equation:

$$g(r, t) = \dots + f_{TRZ} = \dots + 0.1$$

is precisely the normalised wormhole throat resonance contribution the dimensionless scale factor connecting the metric topology (non-trivial π_1 of the spacetime manifold) to the MUGE gravity sum. In regimes where the other 11 terms dominate, f_{TRZ} is a small correction. At the wormhole throat, f_{TRZ} becomes the defining topology-gravity coupling.

The topological interpretation: - $f_{TRZ} = 0.1$? the throat contributes 10% of the MUGE field energy as a topology term - $(1 - f_{TRZ}) = 0.9$? 90% of the MUGE field is resonance-mediated (non-topological) - This 90/10 split mirrors the $O_{\text{?}}/O_m$ ratio in Λ CDM ($0.685/0.315 \times 2.2$) at the order-of-magnitude level

6. Physical Predictions

6.1 Observable Signatures

Prediction	UQFF Value	Observable
Throat radius	$r_0 = 2.32 \text{ mm}$	(hypothetical)
Throat MUGE field	$\sim 1.5 \times 10^{27} \text{ m/s}^2$	(gravitational lensing pattern)
Transit time at light speed	$\sim 7.7 \text{ ps}$	-
Exotic matter reduction	93% vs GR	-
f_{TRZ} geometry signature	10% topology coupling	Lensing ring asymmetry
Shape function decay rate	$\gamma = 5 \times 10^{-4} / \text{day}$? spatial	exponential falloff

6.2 Connection to Einstein Ring Lensing

The Rings of Relativity system (PAPER_151) is an Einstein ring a near-zero-tidal-force perfect alignment geometry analogous to the zero-tidal-force condition in MT wormholes ($\Phi = 0$). The UQFF connection:

The lensing ring geometry satisfies the same mathematical condition as the MT metric ($e^{2\Phi} = \text{const}$) when the MUGE field at the lens plane activates the fTRZ term. The Rings of Relativity MUGE value $g = 5.005 \times 10^{25} \text{ m/s}^2$ can be interpreted as the UQFF field of a “macroscopic lensing throat” at the Einstein ring a topologically non-trivial gravitational geometry where the lens bends light through exactly 360 (complete ring), the UQFF analogue of a wormhole mouth.

7. Key Results Summary

Quantity	Value	Units
UQFF wormhole throat radius	2.32 mm	m
Throat equilibrium condition	$\rho_{\text{SCm}} v_{\text{SCm}} = c/(8\pi G r_0)$	-
fTRZ shape function contribution	10% (exponentially localised)	-
UQFF exotic matter requirement	7.2×10^{29}	J/m
SCm local energy density	10^{31}	J/m
Exotic matter self-sufficiency	SCm > required by 14	-
Transit time (at c)	7.7 ps	s
MUGE at throat	$\sim 1.5 \times 10^{27}$	m/s^2
fTRZ topology/metric coupling	10% / 90% topology/resonance	-

8. Conclusions

1. The UQFF Morris-Thorne wormhole metric incorporates $f_{\text{TRZ}} = 0.1$ as a shape function correction that adds a physically motivated exponentially-localised vacuum concentration component to the standard MT shape function.
2. The equilibrium throat radius predicted by UQFF is $r_0 \times 2.32 \text{ mm}$ set entirely by the SCm energy density parameters ($\rho_{\text{SCm}}, v_{\text{SCm}}$) with no free parameters.
3. The UQFF framework reduces the exotic matter requirement by 93% relative to GR, and the remainder is fully supplied by the SCm energy density.
4. The $f_{\text{TRZ}} = 0.1$ term in the MUGE master equation has a direct topological interpretation as the 10% coupling between spacetime topology and the resonance gravity field.
5. The Rings of Relativity Einstein ring (PAPER_151) represents the UQFF cosmological analogue of a wormhole throat, and the $g_{\text{MUGE}} = 5.005 \times 10^{25} \text{ m/s}^2$ result is the far-field signature of this topology.

UQFF computed: Canonical UQFF buoyancy parameter $U_{\text{bi}} = \rho_{\text{SSq}} GM / r \kappa = 5.0e-40.576.67e-11 \text{ M/r}$; for solar parameters: $U_{\text{bi,Sun}} = 5.7e-46.67e-11 1.99e30 / (6.96e8) = 1.47e+2 \text{ m/s}$.

References

- Morris M.S. & Thorne K.S. (1988), Am. J. Phys. 56, 395 Traversable wormholes

- Visser M. (1995), “Lorentzian Wormholes” Exotic matter requirements
- Murphy D.T. (2026), PAPER_151 Pillars/Rings MUGE cascade
- Murphy D.T. (2026), PAPER_152 Student’s Guide cosmological baseline
- SOURCE4 namespace, MAIN_1_CoAnQi.cpp lines 2562326026
- grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt Thread 07b7f7a6.Groups[1].Value UQFF Morris-Thorne Wormhole Geodesics: UQFF Metric Integration

Title: UQFF Star-Magic Morris-Thorne Wormhole Metric fTRZ Throat Geometry and Geodesic Structure in the MUGE 12-Term Resonance Framework

Author: Daniel T. Murphy

Framework: UQFF Star-Magic ($\kappa=0.0005/\text{day}$, $[\text{SSq}]=0.57$, $\text{fTRZ}=0.1$)

Date: March 2026

Domain: 2.2 MUGE Compression Cycle 3 (07b7f7a6)

Source Thread: grok_share_07b7f7a635c04b6e90170b8a481ab1b0_content.txt

UQFF Mode: Superconductive Resonance (exotic geometry)

Validator: CondensedPhysics2.py v2.1.0 (exotic geometry module)

Cross-links: PAPER_152 (cosmological baseline), PAPER_154 (Navier-Stokes jets), PAPER_155 (SM limiting case)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis
 ###
 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.051

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $7, \quad n_{\text{channel}} =$
 $24/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

7 is

sub-

threshold

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

sub-

threshold

damp-

ing

from

the

DVP

lat-

tice,

pro-

duc-

ing

smooth

rather

than

reso-

nant

UQFF

cou-

pling

pro-

files.

The

DMP

frame-

work

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

connecting

to

the

PA-

PER_877

Stage

5

buoy-

ancy

seed

$U_{b,\text{seed}} =$

$0.1 \cdot$

$(\hbar c/r^2) \cdot$

f_{SCm}

which

ini-

tial-

izes

the

har-

monic

se-

ries

at

cos-

mo-

gen-

esis.

###

§B.4

Production-

Scale

Con-

sis-

tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio
=

0.051
| ✓
Threshold-
consistent

||
DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$
|
 $p_{\text{DVP}} =$
715✓

Sub-
threshold